Intellectual Property		BL O/604/21 17 August 2021		
Office	PATENTS ACT 1977			
APPLICANT	Michael Adewunmi Idowu			
ISSUE	Whether patent application GB1420502.5 is excluded under section 1(2)			
HEARING OFFICE	ER H Jones			

DECISION

Background

- 1 Patent application GB1420502.5, now published as GB2532441, was filed in the name of Dr Michael Adewunmi Idowu on 18 November 2014.
- 2 The examiner is of the view that the application relates to a mathematical method, a computer program, a discovery or the presentation of information as such, and is therefore excluded from patentability under section 1(2) or the Patents Act 1977. The application has not been searched. The applicant has made a number of submissions rebutting the section 1(2) objections but has failed to persuade the examiner of the patentability of the claims. Dr Idowu requested a hearing to decide the matter, which took place on 6 July 2021 and where Dr Idowu represented himself.

The invention

3 The most recent set of claims includes a single claim as follows:

According to the invention there is provided a device and method of modelling a Collatz based number dynamical system having a plurality of decision-based configurable functions and results thereupon by one or more other components, the device or method comprising the steps of

- 1. determining the next odd number in the Collatz sequence from an input number in an automated way, i.e. without actually calculating the next odd number
- an algorithm that identifies groups of odd numbers congruent to r (mod 18), which works by iteratively adding the digits of the given number until a single digit result is produced; r is a member of {1, 5, 3, 13, 17, 15, 7, 11, 9}
- 3. configuring a completely optimised, number-theoretic Collatz based expert system

	(m. 1.)	(m) 1 1	(m.)	(m) 1	(m.).	(m) 1 1	(m.)		(m) 1
1	Topd ₁ ↓	Top d ₂ ↓	Top d ₃ ↓	Top d ₄ ↓	Top d ₅ ↓	Top d ₆ ↓	Top d ₇ ↓	Top dg↓	Top dg↓
	36 * n + 19	36 * n + 23	36 * n + 3	36 * n + 31	36 * n + 35	36 * n + 15	36 * n + 7	36 * n + 11	36 * n + 27
	72 = n + 1	72 = n + 41	$72 \cdot n + 57$	72 = n + 49	72 * n + 17	$72 \cdot n + 33$	72 = n + 25	72 * n + 65	$72 \cdot n + 9$
	$144 \cdot n + 109$	144 * n + 77	$144 \cdot n + 93$	144 * n + 13	144 * n + 125	144 = n + 141	144 * n + 61	144 * n + 29	144 * n + 45
	288 * n + 37	288 * n + 5	288 * n + 165	288 * n + 229	288 * n + 197	288 * n + 69	288 * n + 133	288 * n + 101	288 * n + 261
	$576 \cdot n + 181$	576 * n + 437	$576 \cdot n + 309$	576 * n + 373	$576 \cdot n + 53$	$576 \cdot n + 501$	576 * n + 565	576 * n + 245	576 * n + 117
	1152 * n + 1045	1152 * n + 149	1152 * n + 21	1152 * n + 661	$1152 \cdot n + 917$	1152 * n + 789	1152 * n + 277	1152 * n + 533	1152 * n + 405
	2304 * n + 469	2304 * n + 725	2304 * n + 1749	2304 * n + 1237	$2304 \cdot n + 1493$	2304 * n + 213	2304 * n + 2005	2304 * n + 2261	2304 * n + 981
	4608 * n + 1621	4608 * n + 4181	4608 * n + 597	4608 * n + 85	4608 * n + 2645	4608 * n + 3669	4608 * n + 3157	4608 * n + 1109	4608 * n + 2133
	9216 * n + 3925	9216 * n + 1877	$9216 \cdot n + 2901$	9216 * n + 6997	$9216 \cdot n + 4949$	$9216 \cdot n + 5973$	9216 * n + 853	9216 * n + 8021	9216 * n + 9045
	18432 * n + 8533	18432 * n + 6485	18432 * n + 16725	$18432 \cdot n + 2389$	$18432 \cdot n + 341$	18432 * n + 10581	18432 * n + 14677	18432 * n + 12629	18432 * n + 4437
	36864 * n + 36181	$36864 \cdot n + 15701$	36864 * n + 7509	$36864 \cdot n + 11605$	36864 * n + 27989	36864 * n + 19797	$36864 \cdot n + 23893$	36864 * n + 3413	36864 * n + 32085
	73728 * n + 17749	73728 = n + 34133	73728 * n + 25941	$73728 \cdot n + 66901$	$73728 \cdot n + 9557$	73728 * n + 1365	$73728 \cdot n + 42325$	73728 * n + 58709	73728 * n + 50517
	147456 * n + 128341	147456 * n + 144725	147456 * n + 62805	147456 * n + 30037	147456 * n + 46421	147456 * n + 111957	147456 = n + 79189	147456 * n + 95573	147456 * n + 13653
	294912 * n + 202069	294912 * n + 70997	294912 * n + 136533	294912 * n + 103765	294912 * n + 267605	294912 * n + 38229	$294912 \cdot n + 5461$	$294912 \cdot n + 169301$	$294912 \cdot n + 234837$
	589824 * n + 54613	589824 * n + 513365	589824 * n + 578901	589824 * n + 251221	589824 * n + 120149	$589824 \cdot n + 185685$	589824 = n + 447829	589824 * n + 316757	589824 * n + 382293
	1179648 * n + 939349	1179648 * n + 808277	1179648 * n + 283989	1179648 * n + 546133	1179648 * n + 415061	1179648 * n + 1070421	1179648 * n + 152917	1179648 * n + 21845	1179648 * n + 677205
	2359296 * n + 1529173	2359296 * n + 218453	2359296 * n + 2053461	2359296 * n + 2315605	2359296 * n + 1004885	2359296 * n + 480597	2359296 * n + 742741	$2359296 \cdot n + 1791317$	2359296 * n + 1267029
	4718592 * n + 2708821	4718592 * n + 3757397	4718592 * n + 3233109	4718592 * n + 1135957	4718592 * n + 2184533	4718592 * n + 1660245	4718592 * n + 4281685	4718592 * n + 611669	4718592 * n + 87381
	Middletemp ₁ \downarrow	Middletemp ₂ ↓	Middletemp ₃ ↓	Middletemp ₄ ↓	Middletemp ₅ ↓	Middletemp ₆ ↓	Middletemp ₇ ↓	Middletemp ₈ ↓	Middletemp ₉ ↓
	$108 \cdot n + 58$	108 * n + 70	$108 \cdot n + 10$	108 * n + 94	$108 \cdot n + 106$	$108 \cdot n + 46$	108 * n + 22	108 * n + 34	108 * n + 82
	$216 \cdot n + 4$	216 * n + 124	216 = n + 172	$216 \star n + 148$	216 * n + 52	216 = n + 100	216 * n + 76	216 = n + 196	216 * n + 28
	432 * n + 328	432 * n + 232	$432 \cdot n + 280$	432 * n + 40	432 * n + 376	$432 \cdot n + 424$	432 * n + 184	432 * n + 88	432 * n + 136
	864 * n + 112	864 * n + 16	$864 \cdot n + 496$	864 * n + 688	864 * n + 592	$864 \cdot n + 208$	864 * n + 400	$864 \cdot n + 304$	$864 \cdot n + 784$
	1728 * n + 544	1728 * n + 1312	1728 * n + 928	1728 * n + 1120	1728 * n + 160	1728 * n + 1504	1728 * n + 1696	1728 * n + 736	1728 * n + 352
	3456 + n 3136	3456 + n 448	3456 + n 64	3456 + n 1984	3456 + n 2752	3456 + n 2368	3456 + n 832	3456 + n 1600	3456 + n 1216
	6912 * n + 1408	6912 * n + 2176	$6912 \cdot n + 5248$	6912 * n + 3712	6912 = n + 4480	6912 * n + 640	6912 * n + 6016	6912 * n + 6784	6912 * n + 2944
	13824 * n + 4864	13824 = n + 12544	13824 * n + 1792	13824 * n + 256	13824 * n + 7936	13824 * n + 11008	13824 * n + 9472	13824 * n + 3328	13824 * n + 6400
Į	27648 * n + 11776	27648 * n + 5632	27648 * n + 8704	27648 = n + 20992	27648 * n + 14848	27648 * n + 17920	27648 * n + 2560	27648 * n + 24064	27648 * n + 27136
	55296 * n + 25600	55296 = n + 19456	55296 * n + 50176	55296 = n + 7168	55296 * n + 1024	55296 * n + 31744	55296 = n + 44032	55296 * n + 37888	55296 = n + 13312
	110592 * n + 108544	110592 * n + 47104	110592 * n + 22528	110592 * n + 34816	110592 * n + 83968	$110592 \cdot n + 59392$	110592 = n + 71680	110592 * n + 10240	110592 * n + 96256
	221184 = n + 53248	221184 * n + 102400	221184 * n + 77824	221184 + n + 200704	221184 + n + 28672	221184 * n + 4096	221184 = n + 126976	221184 * n + 176128	221184 = n + 151552
	$442368 \cdot n + 385024$	442368 * n + 434176	$442368 \cdot n + 188416$	442368 * n + 90112	442368 * n + 139264	$442368 \cdot n + 335872$	442368 = n + 237568	442368 * n + 286720	$442368 \cdot n + 40960$
	884736 * n + 606208	884736 * n + 212992	884736 • n + 409600	884736 * n + 311296	884736 * n + 802816	884736 = n + 114688	884736 = n + 16384	884736 * n + 507904	884736 * n + 704512
	1769472 * n + 163840	1769472 * n + 1540096	1769472 * n + 1736704	1769472 * n + 753664	1769472 * n + 360448	1769472 = n + 557056	1769472 * n + 1343488	1769472 * n + 950272	1769472 * n + 1146880
	3538944 * n + 2818048	3538944 * n + 2424832	3538944 * n + 851968	3538944 * n + 1638400	3538944 * n + 1245184	$3538944 \cdot n + 3211264$	3538944 * n + 458752	$3538944 \cdot n + 65536$	3538944 * n + 2031616
	7077888 * n + 4587520	7077888 * n + 655360	7077888 * n + 6160384	7077888 * n + 6946816	$7077888 \cdot n + 3014656$	7077888 = n + 1441792	7077888 * n + 2228224	7077888 = n + 5373952	7077888 * n + 3801088
	$14155776 \cdot n + 8126464$	14155776 * n + 11272192	$14155776 \cdot n + 9699328$	14155776 + n + 3407872	$14155776 \cdot n + 6553600$	$14155776 \cdot n + 4980736$	14155776 * n + 12845056	14155776 + n + 1835008	14155776 + n + 262144
	Bottom d ₁ ⊥	Bottom do 1	Bottom da 1	Bottom da ⊥	Bottom de 1	Bottom de	Bottom d-	Bottom de	Bottom do 1
	54 • n + 29	54 = n + 35	54 * n + 5	54 = n + 47	54 * n + 53	54 * n + 23	54 = n + 11	54 * n + 17	54 * n + 41
	$54 = n \pm 1$	54 = n + 31	$54 \cdot n + 43$	$54 = 72 \pm 37$	$54 + n \pm 13$	54 + n + 25	$54 = n \pm 19$	$54 + n \pm 49$	$54 + n \pm 7$
	$54 \cdot n + 41$	$54 \cdot n + 29$	$54 \cdot n + 35$	$54 \cdot n + 5$	54 * n + 47	$54 \cdot n + 53$	$54 \cdot n + 23$	54 * n + 11	54 * n + 17
	$54 = n \pm 7$	54 • n + 1	$54 = n \pm 31$	$54 = n \pm 43$	54 + n + 37	54 • n + 13	54 • n + 25	54 + n + 19	$54 = n \pm 49$
	$54 + n \pm 17$	$54 = n \pm 41$	$54 + n \pm 29$	$54 = n \pm 35$	54 + n + 5	54 + n + 47	$54 = n \pm 53$	$54 + n \pm 23$	54 + n + 11
	54 = n + 49	54 = n + 7	54 = n + 1	54 = n + 31	54 • n ± 49	54 = n + 37	54 = n + 13	54 + n + 25	54 = n + 19
	$54 = n \pm 11$	54 = n + 17	$54 = n \pm 41$	$54 = n \pm 29$	54 1 95	54 • n + 5	54 = n + 47	54 + n + 53	54 + n + 23
	$54 - n \pm 19$	54 = 2 + 49	$54 + n \pm 7$	54 - 2 + 1	54 + n + 35 54 - n + 91	54 - 0 + 49	$54 - 71 \pm 37$	54 + n + 13	$54 + n \pm 25$
	54 = n + 23	54 = n + 11	54 = n + 17	54 = n + 41	54 • n + 30	54 - 0 1 25	54 = n + 5	54 + n + 47	54 = n + 53
	54 - n + 25	54 - n + 10	54 - n + 49	54 - n + 7	14 1 1	54 1 91	54 - 7 + 49	54 + m + 97	54 - n + 19
	$54 \cdot n + 53$	54 = n + 23	$54 \cdot n + 11$	54 = n + 17	$54 + n \pm 41$	$54 \cdot n \pm 29$	54 • n + 35	54 * n + 5	54 * n + 47
	54 = n + 13	54 a n + 25	54 = n + 19	54 = n + 49	54 - 0 1 7	54 - 0 1 1	54 + 31	$54 \cdot n + 43$	54 = n + 37
	54 = n + 47	54 a p + 53	$54 \cdot n + 23$	54 • 1 + 11	54 • n ± 17	54 + n + 41	54 • n ± 29	54 * n + 35	54 . n + 5
	$54 - n \pm 37$	54 - 22 + 13	54 + n ± 25	54 - 22 + 19	54 - 0 + 40		54 - 0 + 1	54 * n + 31	$54 + n \pm 43$
	54 = n + 5	54 = 72 + 47	54 = n + 53	54 a n + 23	54 - 0 1 11	54 - n ± 17	54 - n + 41	54 * n + 29	54 • n + 35
	54 - m + 49	54 - n + 97	54 - m + 12	54 - m + 25	54 • n T 11	54 1 40	14 1 7	54 + n + 1	54 - 0 + 91
	54 - 11 ± 95	54 - 2 + 5	$54 + n \pm 47$	54 - 2 + 53	54 - 0 22	04 • n + 49	54 + n ± 17	54 * n + 41	54 - 7 + 29
	54 + 01	54 + 40	54 + 07	54 + 10	34 • n + 23	04 • n + 11	54 - m 40	54 + n + 7	54 - 0 + 1
	A DOM IN THE OWNER OF A	A MARINE AND THE MARINE AND A MARINE	A MARINE WE AN ATT MAR	COMPANY AND	A = 11 + 20	1 D-1 + 71 + 19	N 0 4 # 78 TT 142	A come and a come a	A MARINE METERS AND A MARINE AND A

4. Collatz height mapping configuration

(Top d ₁ ↓	(Top d ₂ ↓	(Top d ₃ ↓	(Top d ₄ ↓	(Top d ₅ ↓	(Top d ₆ ↓	(Top d ₇ ↓	(Top d ₈ ↓	(Top dg↓
$H_1(n) + 2$	$H_{17}(n) + 2$	$H_{15}(n) + 2$	$H_{13}(n) + 2$	$H_{11}(n) + 2$	$H_{9}(n) + 2$	$H_7(n) + 2$	$H_5(n) + 2$	$H_3(n) + 2$
$H_2(n) + 3$	$H_{18}(n) + 3$	$H_{16}(n) + 3$	$H_{14}(n) + 3$	$H_{12}(n) + 3$	$H_{10}(n) + 3$	$H_8(n) + 3$	$H_6(n) + 3$	$H_4(n) + 3$
$H_3(n) + 4$	$H_1(n) + 4$	$H_{17}(n) + 4$	$H_{15}(n) + 4$	$H_{13}(n) + 4$	$H_{11}(n) + 4$	$H_{9}(n) + 4$	$H_7(n) + 4$	$H_5(n) + 4$
$H_4(n) + 5$	$H_2(n) + 5$	$H_{18}(n) + 5$	$H_{16}(n) + 5$	$H_{14}(n) + 5$	$H_{12}(n) + 5$	$H_{10}(n) + 5$	$H_8(n) + 5$	$H_6(n) + 5$
$H_5(n) + 6$	$H_3(n) + 6$	$H_1(n) + 6$	$H_{17}(n) + 6$	$H_{15}(n) + 6$	$H_{13}(n) + 6$	$H_{11}(n) + 6$	$H_{9}(n) + 6$	$H_7(n) + 6$
$H_6(n) + 7$	$H_4(n) + 7$	$H_2(n) + 7$	$H_{18}(n) + 7$	$H_{16}(n) + 7$	$H_{14}(n) + 7$	$H_{12}(n) + 7$	$H_{10}(n) + 7$	$H_8(n) + 7$
$H_7(n) + 8$	$H_5(n) + 8$	$H_3(n) + 8$	$H_1(n) + 8$	$H_{17}(n) + 8$	$H_{15}(n) + 8$	$H_{13}(n) + 8$	$H_{11}(n) + 8$	$H_{9}(n) + 8$
$H_8(n) + 9$	$H_{6}(n) + 9$	$H_{4}(n) + 9$	$H_2(n) + 9$	$H_{18}(n) + 9$	$H_{16}(n) + 9$	$H_{14}(n) + 9$	$H_{12}(n) + 9$	$H_{10}(n) + 9$
$H_9(n) + 10$	$H_7(n) + 10$	$H_5(n) + 10$	$H_3(n) + 10$	$H_1(n) + 10$	$H_{17}(n) + 10$	$H_{15}(n) + 10$	$H_{13}(n) + 10$	$H_{11}(n) + 10$
$H_{10}(n) + 1$	$H_8(n) + 11$	$H_6(n) + 11$	$H_{4}(n) + 11$	$H_2(n) + 11$	$H_{18}(n) + 11$	$H_{16}(n) + 11$	$H_{14}(n) + 11$	$H_{12}(n) + 11$
$H_{11}(n) + 1$	$H_0(n) + 12$	$H_7(n) + 12$	$H_5(n) + 12$	$H_3(n) + 12$	$H_1(n) + 12$	$H_{17}(n) + 12$	$H_{15}(n) + 12$	$H_{13}(n) + 12$
$H_{12}(n) + 1$	13 $H_{10}(n) + 13$	$H_8(n) + 13$	$H_6(n) + 13$	$H_4(n) + 13$	$H_2(n) + 13$	$H_{18}(n) + 13$	$H_{16}(n) + 13$	$H_{14}(n) + 13$
$H_{13}(n) + 1$	$H_{11}(n) + 14$	$H_{9}(n) + 14$	$H_7(n) + 14$	$H_5(n) + 14$	$H_3(n) + 14$	$H_1(n) + 14$	$H_{17}(n) + 14$	$H_{15}(n) + 14$
$H_{14}(n) + 1$	$H_{12}(n) + 15$	$H_{10}(n) + 15$	$H_8(n) + 15$	$H_6(n) + 15$	$H_4(n) + 15$	$H_2(n) + 15$	$H_{18}(n) + 15$	$H_{16}(n) + 15$
$H_{15}(n) + 1$	$H_{13}(n) + 16$	$H_{11}(n) + 16$	$H_{9}(n) + 16$	$H_7(n) + 16$	$H_5(n) + 16$	$H_3(n) + 16$	$H_1(n) + 16$	$H_{17}(n) + 16$
$H_{16}(n) + 1$	$H_{14}(n) + 17$	$H_{12}(n) + 17$	$H_{10}(n) + 17$	$H_8(n) + 17$	$H_6(n) + 17$	$H_4(n) + 17$	$H_2(n) + 17$	$H_{18}(n) + 17$
$H_{17}(n) + 1$	$H_{15}(n) + 18$	$H_{13}(n) + 18$	$H_{11}(n) + 18$	$H_{9}(n) + 18$	$H_7(n) + 18$	$H_5(n) + 18$	$H_3(n) + 18$	$H_1(n) + 18$
$H_{18}(n) + 1$	19 $H_{16}(n) + 19$	$H_{14}(n) + 19$	$H_{12}(n) + 19$	$H_{10}(n) + 19$	$H_8(n) + 19$	$H_6(n) + 19$	$H_4(n) + 19$	$H_2(n) + 19$
Middleten	$np_1 \downarrow Middletemp_2 \downarrow$	$Middletemp_3 \downarrow$	$Middletemp_4 \downarrow$	Middletemp ₅ ↓	Middletemp ₆ ↓	$Middletemp_7 \downarrow$	Middletemp ₈ ↓	Middletemp ₉ ↓
$H_1(n) + 1$	$H_{17}(n) + 1$	$H_{15}(n) + 1$	$H_{13}(n) + 1$	$H_{11}(n) + 1$	$H_{9}(n) + 1$	$H_7(n) + 1$	$H_{5}(n) + 1$	$H_{3}(n) + 1$
$H_2(n) + 2$	$H_{18}(n) + 2$	$H_{16}(n) + 2$	$H_{14}(n) + 2$	$H_{12}(n) + 2$	$H_{10}(n) + 2$	$H_8(n) + 2$	$H_6(n) + 2$	$H_4(n) + 2$
$H_3(n) + 3$	$H_1(n) + 3$	$H_{17}(n) + 3$	$H_{15}(n) + 3$	$H_{13}(n) + 3$	$H_{11}(n) + 3$	$H_{9}(n) + 3$	$H_7(n) + 3$	$H_{5}(n) + 3$
$H_4(n) + 4$	$H_2(n) + 4$	$H_{18}(n) + 4$	$H_{16}(n) + 4$	$H_{14}(n) + 4$	$H_{12}(n) + 4$	$H_{10}(n) + 4$	$H_8(n) + 4$	$H_{6}(n) + 4$
$H_5(n) + 5$	$H_3(n) + 5$	$H_1(n) + 5$	$H_{17}(n) + 5$	$H_{15}(n) + 5$	$H_{13}(n) + 5$	$H_{11}(n) + 5$	$H_{9}(n) + 5$	$H_7(n) + 5$
$H_{6}(n) + 6$	$H_4(n) + 6$	$H_2(n) + 6$	$H_{18}(n) + 6$	$H_{16}(n) + 6$	$H_{14}(n) + 6$	$H_{12}(n) + 6$	$H_{10}(n) + 6$	$H_8(n) + 6$
$H_{7}(n) + 7$	$H_5(n) + 7$	$H_{3}(n) + 7$	$H_1(n) + 7$	$H_{17}(n) + 7$	$H_{15}(n) + 7$	$H_{13}(n) + 7$	$H_{11}(n) + 7$	$H_{9}(n) + 7$
$H_8(n) + 8$	$H_{6}(n) + 8$	$H_4(n) + 8$	$H_2(n) + 8$	$H_{18}(n) + 8$	$H_{16}(n) + 8$	$H_{14}(n) + 8$	$H_{12}(n) + 8$	$H_{10}(n) + 8$
$(H_9(n) + 9)$	$(H_7(n) + 9)$	$H_5(n) + 9$	$H_{3}(n) + 9$	$H_1(n) + 9$	$H_{17}(n) + 9$	$H_{15}(n) + 9$	$H_{13}(n) + 9$	$H_{11}(n) + 9$
$H_{10}(n) + 1$	$H_8(n) + 10$	$H_6(n) + 10$	$H_4(n) + 10$	$H_2(n) + 10$	$H_{18}(n) + 10$	$H_{16}(n) + 10$	$H_{14}(n) + 10$	$H_{12}(n) + 10$
$H_{11}(n) + 1$	$H_9(n) + 11$	$H_7(n) + 11$	$H_5(n) + 11$	$H_3(n) + 11$	$H_1(n) + 11$	$H_{17}(n) + 11$	$H_{15}(n) + 11$	$H_{13}(n) + 11$
$H_{12}(n) + 1$	$H_{10}(n) + 12$	$H_8(n) + 12$	$H_6(n) + 12$	$H_4(n) + 12$	$H_2(n) + 12$	$H_{18}(n) + 12$	$H_{16}(n) + 12$	$H_{14}(n) + 12$
$H_{13}(n) + 1$	13 $H_{11}(n) + 13$	$H_{9}(n) + 13$	$H_7(n) + 13$	$H_5(n) + 13$	$H_3(n) + 13$	$H_1(n) + 13$	$H_{17}(n) + 13$	$H_{15}(n) + 13$
$H_{14}(n) + 1$	$H_{12}(n) + 14$	$H_{10}(n) + 14$	$H_8(n) + 14$	$H_6(n) + 14$	$H_4(n) + 14$	$H_2(n) + 14$	$H_{18}(n) + 14$	$H_{16}(n) + 14$
$H_{15}(n) + 1$	$H_{13}(n) + 15$	$H_{11}(n) + 15$	$H_{9}(n) + 15$	$H_{7}(n) + 15$	$H_5(n) + 15$	$H_3(n) + 15$	$H_1(n) + 15$	$H_{17}(n) + 15$
$H_{16}(n) + 1$	$H_{14}(n) + 16$	$H_{12}(n) + 16$	$H_{10}(n) + 16$	$H_8(n) + 16$	$H_6(n) + 16$	$H_4(n) + 16$	$H_2(n) + 16$	$H_{18}(n) + 16$
$H_{17}(n) + 1$	$H_{15}(n) + 17$	$H_{13}(n) + 17$	$H_{11}(n) + 17$	$H_{9}(n) + 17$	$H_7(n) + 17$	$H_5(n) + 17$	$H_3(n) + 17$	$H_1(n) + 17$
$H_{18}(n) + 1$	$H_{16}(n) + 18$	$H_{14}(n) + 18$	$H_{12}(n) + 18$	$H_{10}(n) + 18$	$H_8(n) + 18$	$H_6(n) + 18$	$H_4(n) + 18$	$H_2(n) + 18$
Bottom d ₁	next 4 Bottom d2next	Bottom d _{3next} ↓	Bottom $d_{4next} \downarrow$	Bottom d _{5next} ↓	Bottom d _{6next} ↓	Bottom d7 _{next} ↓	Bottom d8next	Bottom dgnext +
$H_1(n)$	$H_{17}(n)$	$H_{15}(n)$	$H_{13}(n)$	$H_{11}(n)$	$H_{9}(n)$	$H_7(n)$	$H_5(n)$	$H_3(n)$
$H_2(n)$	$H_{18}(n)$	$H_{16}(n)$	$H_{14}(n)$	$H_{12}(n)$	$H_{10}(n)$	$H_8(n)$	$H_6(n)$	$H_4(n)$
$H_3(n)$	$H_1(n)$	$H_{17}(n)$	$H_{15}(n)$	$H_{13}(n)$	$H_{11}(n)$	$H_9(n)$	$H_7(n)$	$H_5(n)$
$H_4(n)$	$H_2(n)$	$H_{18}(n)$	$H_{16}(n)$	$H_{14}(n)$	$H_{12}(n)$	$H_{10}(n)$	$H_8(n)$	$H_6(n)$
$H_5(n)$	$H_3(n)$	$H_1(n)$	$H_{17}(n)$	$H_{15}(n)$	$H_{13}(n)$	$H_{11}(n)$	$H_{9}(n)$	$H_7(n)$
$H_6(n)$	$H_4(n)$	$H_2(n)$	$H_{18}(n)$	$H_{16}(n)$	$H_{14}(n)$	$H_{12}(n)$	$H_{10}(n)$	$H_8(n)$
$H_7(n)$	$H_5(n)$	$H_3(n)$	$H_1(n)$	$H_{17}(n)$	$H_{15}(n)$	$H_{13}(n)$	$H_{11}(n)$	$H_9(n)$
$H_8(n)$	$H_6(n)$	$H_4(n)$	$H_2(n)$	$H_{18}(n)$	$H_{16}(n)$	$H_{14}(n)$	$H_{12}(n)$	$H_{10}(n)$
$H_9(n)$	$H_7(n)$	$H_5(n)$	$H_3(n)$	$H_1(n)$	$H_{17}(n)$	$H_{15}(n)$	$H_{13}(n)$	$H_{11}(n)$
$H_{10}(n)$	$H_8(n)$	$H_6(n)$	$H_4(n)$	$H_{2}(n)$	$H_{18}(n)$	$H_{16}(n)$	$H_{14}(n)$	$H_{12}(n)$
$H_{11}(n)$	$H_{9}(n)$	$H_7(n)$	$H_5(n)$	H3(n)	H1(n)	$H_{17}(n)$	$H_{15}(n)$	H ₁₃ (n)
$H_{12}(n)$	$H_{10}(n)$	$H_8(n)$	$H_6(n)$	$H_4(n)$	$H_2(n)$	$H_{18}(n)$	$H_{16}(n)$	$H_{14}(n)$
$H_{13}(n)$	$H_{11}(n)$	$H_{9}(n)$	$H_7(n)$	$H_5(n)$	$H_3(n)$	$H_1(n)$	$H_{17}(n)$	$H_{15}(n)$
$H_{14}(n)$	$H_{12}(n)$	$H_{10}(n)$	H8(n)	$H_6(n)$	$H_4(n)$	$H_2(n)$	H ₁₈ (n)	$H_{16}(n)$
$H_{15}(n)$	$H_{13}(n)$	$H_{11}(n)$	$H_{9}(n)$	$H_7(n)$	$H_5(n)$	$H_3(n)$	$H_1(n)$	$H_{17}(n)$
$H_{16}(n)$	$H_{14}(n)$	$H_{12}(n)$	H10(n)	H8(n)	$H_{6}(n)$	$H_4(n)$	$H_{2}(n)$	$H_{18}(n)$
H17(n)	$H_{15}(n)$	H13(n)	ⁿ 11(n)	r1g(n)	n7(n)	$H_5(n)$	$H_3(n)$	$H_{1}(n)$
$(H_{18}(n))$	$(H_{16}(n))$	$(H_{14}(n))$	$(H_{12}(n))$	$(H_{10}(n))$	$(H_8(n))$	$H_6(n)$	$H_A(n)$	$(H_0(n))$

5. reconfiguring the robust Collatz mapping system in a variety of other meaningful ways.

4 The application is concerned with a so-called "Collatz based expert system". The Collatz function is a mathematical function of the natural numbers in which an even input value is divided by two; and an odd input value is multiplied by three and one is added. When the function is repeatedly applied to successive outputs, it creates a Collatz sequence which increases from an odd number to a much larger even number, before dropping via a series of divisions by two until an odd number is found, whereupon the sequence climbs again to a larger even number. A long-standing conjecture states that the Collatz sequence beginning with any natural number will always eventually reach the value one (and get into a 1 -> 4 -> 2 -> 1 loop).

5 For a given input number, the application details how to quickly find its congruence class modulo 18, and for each congruence class *r* a number of sets V_{r,m} are defined. The input integer is associated to one of these sets, and this allows the next odd number in the Collatz sequence to be quickly calculated. The outcome of the last step is a correspondence between the height (i.e. length of Collatz sequence until termination) of integers in different congruence classes modulo 18.

The law

6 The relevant provision is section 1(2) of the Patents Act 1977, which says that certain things cannot be protected by a patent:

1(2). It is hereby declared that the following (among other things) are not inventions for the purposes of this Act, that is to say, anything which consists of -

(a) a discovery, scientific theory or mathematical method;

(b) a literary, dramatic, musical or artistic work or any other aesthetic creation;

(c) a scheme, rule or method for performing a mental act, playing a game or doing business, or a program for a computer;

(d) the presentation of information;

but the foregoing provision shall prevent anything from being treated as an invention for the purposes of this Act only to the extent that a patent or application for a patent relates to that thing as such.

- 7 The Court of Appeal in *Symbian*¹ stated that the question of whether a computerimplemented invention is patentable has to be resolved by answering the question whether it reveals a technical contribution to the state of the art. It proceeded to answer the question with the aid of the four-step test set out in its earlier judgment in *Aerotel*², namely:
 - (1) construe the claim;
 - (2) identify the actual (or alleged) contribution;
 - (3) ask whether it falls solely within the excluded subject matter;
 - (4) check whether the actual or alleged contribution is actually technical in nature.
- 8 The fourth step of the test is to check whether the contribution is technical in nature. In paragraph 46 of *Aerotel* it is stated that applying this fourth step may not be necessary because the third step should have covered the question. This is because a contribution which consists solely of excluded matter will not count as being a "technical contribution" and thus will not, as the fourth step puts it, be "technical in nature". Similarly, a contribution which consists of more than excluded matter will be a "technical contribution" and so will be "technical in nature". In the present case, which concerns a computer-implemented invention, I shall consider whether the

¹ Symbian Ltd. V Comptroller -General or Patents [2008] EWCA Civ 1066

² Aerotel Ltd v Telco Holdings Ltd and Macrossan's Application [2006] EWCA Civ 1371

contribution is excluded alongside the question of whether the contribution is technical in nature, i.e. I will consider the third and fourth steps of *Aerotel* together.

9 The examiner has based his analysis on *Aerotel* and *Symbian*. He has also made reference to *Gale's Application*³ which I will discuss briefly below. There is no disagreement between the examiner and the applicant as to the relevant law.

Arguments and analysis

- 10 The examiner maintains that the claims define an invention which is excluded from patentability as it falls solely within the excluded categories as a program for a computer, discovery, mathematical method and/or presentation of information. His position is set out most recently in his pre-hearing report issued on 29 April 2021. Arguments against the examiner's position are contained in the submissions made by Dr Idowu and on file dated 19 January 2021, and were helpfully elaborated and expanded upon at the hearing.
- 11 Following the test set out in paragraph 7 above, I must first properly construe the claim. The examiner has had no difficulty in interpreting the claim as it would normally be understood in the art. I would add that the phrase "in an automated way" in step one appears to mean that the next odd number is determined in some way other than multiplying by three, adding one and repeatedly dividing by two until an odd number is reached. In the invention, a short-cut is used to find the highest power of two used in the division series, then divide by this power in a single step instead of iteratively dividing and checking parity.
- 12 Step two is construed such that the method includes a step of identifying the congruence class modulo 18 of a given input number by iteratively adding digits of the number until a single digit remains. It is noted that this doesn't necessarily happen after step one, and in the specific embodiment described in the application it appears that this is done in order to find which rules to apply for step one.
- 13 In step three I have difficulty construing what is meant by "a completely optimised, number-theoretic Collatz based expert system". In the claim this is followed by a series of vectors representing how an odd input number with a given congruence class modulo 18 is transformed to the next odd number in the Collatz sequence. In my view, this step is characterised by these vectors and represents a system configured with the aid of steps one and two to map odd input values to their next odd value in the Collatz sequence.
- 14 Step four is simply "Collatz height mapping configuration", followed by a list of vectors which show relationships between height values (minimum number of steps for the Collatz sequence starting at the input number to reach one) of input numbers in different congruence classes. This is construed as the step of compiling the list of said values to store in the expert system.
- 15 Step five of "reconfiguring the robust Collatz mapping system in a variety of other meaningful ways" has no enabling disclosure in the specification, so I am not able to put any weight on this step.

³ Gale's Application [1991] RPC 305

- 16 Moving on to the contribution, in his letter of 29 April 2021 the examiner has characterised the contribution as a new set of rules for an expert system to follow to allow it to more efficiently carry out its mathematical problems. At the hearing, Dr Idowu reiterated the points made in his written submissions on file, emphasising that the invention is not simply an algorithm. Dr Idowu contested the characterisation of the invention as a new set of rules, and instead argued that the invention is a new kind of expert system (based upon a knowledge base and inference rules) that is designed specifically for solving mathematical problems.
- 17 Jacob LJ outlined the considerations to be applied when identifying the contribution made by the claims in paragraph 43 of Aerotel:

"The second step – identify the contribution - is said to be more problematical. How do you assess the contribution? Mr Birss submits the test is workable – it is an exercise in judgment probably involving the problem said to be solved, how the invention works, what its advantages are. What has the inventor really added to human knowledge perhaps best sums up the exercise. The formulation involves looking at substance not form – which is surely what the legislator intended."

- 18 Following this approach I can avoid preconceptions attached to terms such as "algorithm" and "expert system" and assess the actual contribution made by the claimed invention with reference to the problem to be solved, how the invention works, and its advantages. Regarding the problem to be solved, this was discussed at the hearing and the can be articulated as the design of a system that can solve mathematical problems that haven't been solved in the past. However, looking at the specification and how the disclosed invention works, it seems that what has been added to human knowledge here is a particular method or system for understanding the mathematical dynamics of the Collatz function. I cannot see any disclosure that would define or enable a more general machine that relates to any other mathematical functions.
- 19 Therefore, I would describe the contribution as a method and system for understanding the dynamics of the Collatz function by determining rules to find the next odd number in the Collatz sequence from an input number using its congruence class modulo 18, and compiling the data on relationships between Collatz height values of input numbers in different congruence classes with the purpose of using the resulting system of rules to investigate the Collatz function and how it may be generalised to other mathematical functions.
- 20 Next I must assess whether the contribution is technical in the sense that it does not fall solely within the excluded categories.
- 21 It seems to me that at its heart this invention is concerned with a mathematical endeavour, in which a series of mathematical operations are performed in a computer to achieve the claimed configured system, with the purpose of investigating a mathematical problem. Following *Gale's Application*, it is clear that the fact that the mathematical steps are performed on a computer does not prevent it from being excluded as a mathematical method. Indeed, the system which results from the application is itself a conventional computer implementation of a new mathematical framework. In this sense it is clear to me that the contribution is nothing more than a mathematical method and is not technical in the sense that it makes a contribution outside the categories of excluded subject matter outlined in section 1(2).

Conclusion

I have found that the invention described in the application is a computer implementation of a mathematical method, which falls wholly within the excluded subject-matter set out in section 1(2)(c). The application is refused under section 18(3).

Appeal

23 Any appeal must be lodged within 28 days after the date of this decision.

Huw Jones Deputy Director, acting for the Comptroller