STATUTORY INSTRUMENTS

2019 No. 787

EXITING THE EUROPEAN UNION, ENGLAND AND WALES EXITING THE EUROPEAN UNION, NORTHERN IRELAND PLANT HEALTH, ENGLAND AND WALES PLANT HEALTH, NORTHERN IRELAND

The Plant Health (EU Exit) Regulations 2019

Made - - - - 2nd April 2019

Coming into force in accordance with regulation 1(1)

The Secretary of State makes these Regulations in exercise of the powers conferred by section 8(1) of, and paragraph 21 of Schedule 7 to, the European Union (Withdrawal) Act 2018(1).

In accordance with paragraph 1(3) of Schedule 7 to that Act, a draft of this instrument has been laid before Parliament and approved by a resolution of each House of Parliament.

Citation, commencement and extent

1.—(1) These Regulations may be cited as the Plant Health (EU Exit) Regulations 2019 and come into force on exit day.

(2) They extend to England and Wales and Northern Ireland.

General interpretation

2.—(1) In these Regulations—

"appropriate UK plant health authority"-

- (a) in Schedules 1 to 7, means-
 - (i) in relation to timber and forest pests in England, the Forestry Commissioners;
 - (ii) otherwise in relation to England, the Secretary of State;

- (iii) in relation to Wales, the Welsh Ministers;
- (iv) in relation to Scotland, the Scottish Ministers;
- (v) in relation to Northern Ireland, the Department of Agriculture, Environment and Rural Affairs;
- (b) in Schedules 8 to 16, has the meaning given in regulation 3;

"bark-free" means wood from which all bark, excluding the vascular cambium, ingrown bark around knots and bark pockets between rings of annual growth, has been removed;

"consignment" means a quantity of goods that are covered by a single document required for customs formalities or other formalities, such as a single phytosanitary certificate or a single alternative document or mark;

"Decision 2012/138/EU" means Commission Implementing Decision 2012/138/EU as regards emergency measures to prevent the introduction into and the spread within the Union of *Anoplophora chinensis* (Forster)(**2**), as amended from time to time, before and after exit day;

"Decision 2012/270/EU" means Commission Implementing Decision 2012/270/EU as regards emergency measures to prevent the introduction into and the spread within the Union of *Epitrix cucumeris* (Harris), *Epitrix papa* sp. n, *Epitrix subcrinita* (Lec.) and *Epitrix tuberis* (Gentner)(**3**), as amended from time to time, before and after exit day;

"Decision 2012/535/EU" means Commission Implementing Decision 2012/535/EU on emergency measures to prevent the spread within the Union *Bursaphelenchus xylophilus* (Steiner et Buhrer) Nickle et al. (the pinewood nematode)(4), as amended from time to time, before and after exit day;

"Decision 2012/697/EU" means Commission Implementing Decision 2012/697/EU as regards measures to prevent the introduction into and the spread within the Union of the genus *Pomacea* (Perry)(**5**), as amended from time to time, before and after exit day;

"Decision (EU) 2015/789" means Commission Implementing Decision (EU) 2015/789 as regards measures to prevent the introduction into and the spread within the Union of *Xylella fastidiosa* (Wells et al.)(6), as amended from time to time, before and after exit day;

"Decision (EU) 2015/893" means Commission Implementing Decision (EU) 2015/893 as regards measures to prevent the introduction into and the spread within the Union of *Anoplophora glabripennis* (Motschulsky)(7), as amended from time to time, before and after exit day;

"Euro-Mediterranean area" means the geographical area comprising Europe, Algeria, Egypt, Israel, Jordan, Lebanon, Libya, Morocco, Syria, Tunisia and the area of Turkey east of the Bosphorus Strait known as Anatolia;

"Europe" includes Belarus, the Canary Islands, Georgia, Kazakhstan (except the area east of the Ural river), Russia (except the regions of Tyumen, Chelyabinsk, Irkutsk, Kemerovo, Kurgan, Novossibirsk, Omsk, Sverdlovsk, Tomsk, Chita, Kamchatka, Magadan, Amur and Skhalin, the territories of Krasnoyarsk, Altay, Khabarovsk and Primarie, and the republics of

⁽²⁾ OJ No. L 64, 3.3.2012, p. 38, as amended by Commission Implementing Decision 2014/356/EU (OJ No. L 175, 14.6.2018, p. 38).

 ⁽³⁾ OJ No. L 132, 23.5.2012, p. 18, as last amended by Commission Implementing Decision (EU) 2018/5 (OJ No. L 2, 5.1.2018, p.11.

 ⁽⁴⁾ OJ No. L 266, 2.10.2012, p. 42, as last amended by Commission Implementing Decision (EU) 2018/618 (OJ No. L 102, 23.4.2018, p. 17).

⁽⁵⁾ OJ No. L 311, 10.11.2012, p. 14.

⁽⁶⁾ OJ No. L 125, 21.5.2015, p. 36, as last amended by Commission Implementing Decision (EU) 2018/1511 (OJ No. L 255, 11.10.2018, p.16).

⁽⁷⁾ OJ No. L 146, 11.6.2015, p. 16.

Sakha, Tuva and Buryatia), Ukraine and Turkey (except the area east of the Bosphorus Strait known as Anatolia);

"European Union" means the territories of the member States, but excluding the Canary Islands, Ceuta, Melilla and the French Overseas Departments;

"fruit" means fruit in the botanical sense but does not include dried, dehydrated, lacquered or deep frozen fruit;

"IPPC" means the International Plant Protection Convention 1951(8);

"isolated bark" means bark which has been removed or become detached from a living, felled or fallen tree or from any part of such tree;

"ISPMNo. 4" means International Standard for Phytosanitary Measures No. 4 of November 1995 on the requirements for the establishment of pest free areas, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations(**9**);

"ISPM No. 9" means International Standard for Phytosanitary Measures No. 9 of November 1998 on the guidelines for pest eradication programmes, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations(10);

"ISPM No. 10" means International Standard for Phytosanitary Measures No. 10 of October 1999 on requirements for the establishment of pest free places of production and pest free production sites, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations(11);

"ISPM No. 14" means International Standard for Phytosanitary Measures No. 14 of March 2002 on the use of integrated measures in a systems approach for pest risk management, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations(12);

"ISPM No. 15" means International Standard for Phytosanitary Measures No. 15 of March 2002 on the regulation of wood packaging material in international trade, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations(13);

"ISPM No. 31" means International Standard for Phytosanitary Measures No. 31 of April 2008 on methodologies for sampling consignments, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations(14);

"list of *Xylella* host plants" means the list of relevant material contained in the database maintained by the European Commission of host plants found to be susceptible to *Xylella fastidiosa* in the EU, as amended from time to time(**15**);

⁽⁸⁾ Adopted in 1951 (Treaty Series No.16 (1954), Cmd 9077) and last revised in 1997 (Miscellaneous Series No.15 (2003), Cmd 5945).

 ⁽⁹⁾ Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://www.ippc.int/int.
 (10) Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://

 ⁽¹⁰⁾ Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://
 (11) Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://

 ⁽¹¹⁾ Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://
 (12) Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://

⁽¹³⁾ Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://

www.ippc.int/int. (14) Available from the IPPC Secretariat, AGPP-FAO, Viale Delle Terme di Caracalla, 00153, Rome, Italy and at https://

 ⁽¹⁴⁾ Available from Plant Health Team, the Department for Environment, Food and Rural Affairs, National Agri (15) A copy of the list is available from Plant Health Team, the Department for Environment, Food and Rural Affairs, National Agri-

Food Innovation Campus, Sand Hutton, York YO41 1LZ and at https://ec.europa.eu/food/plant/plant_health_biosecurity/ legislation/emergency_measures/xylella-fastidiosa/susceptible_en.

"national plant protection organisation" means the service established by the government of a third country to discharge the functions specified in Article 4(1)(a) of the IPPC, details of which have been notified—

- (a) in the case of contracting parties to the IPPC, to the Director of the Food and Agriculture Organisation of the United Nations; and
- (b) in all other cases, to the national plant protection organisation of the United Kingdom;

"North America" means the geographical area comprising Canada, Mexico and the USA;

"nursery" means premises wholly or partly used for the cultivation or keeping of plants for the purpose of transplantation or removal to other premises;

"official", in relation to any testing or other procedure to be carried out in respect of any relevant material, means carried out by or under the supervision of the appropriate UK plant health authority or the national plant protection organisation of the country in which the testing or other procedure is carried out and "officially" is to be construed accordingly;

"official statement" means-

- (a) in relation to a phytosanitary certificate or phytosanitary certificate for re-export, a statement issued by an authorised representative of, or a public officer acting, under the national plant protection organisation of the country in which the phytosanitary certificate or phytosanitary certificate for re-export or a translation of the phytosanitary certificate or phytosanitary certificate for re-export is issued; or
- (b) a statement included in a UK plant passport;

"OPM excluded zone" means the local authority areas mentioned in column 3 of item 5 of Part C of Schedule 1 (which are listed as exceptions to the UK pest free area in relation to *Thaumetopoea processionea* L.);

"OPM pest free area" means the area described in column 3 of item 5 of Part C of Schedule 1;

"phytosanitary certificate" and "phytosanitary certificate re-export", in relation to any relevant material consigned to a relevant UK territory, has the same meaning as it has in the relevant Plant Health Order;

"place of production" means any premises, normally worked as a unit, together with any contiguous land in the same ownership or occupation as such premises;

"plant" means a living plant (including a fungus or shrub) or a living part of a plant (including a living part of a fungus or shrub), at any stage of growth, and living parts of a plant include—

- (a) fruit;
- (b) seed;
- (c) vegetables, other than those preserved by deep freezing;
- (d) tubers, corms, bulbs or rhizomes;
- (e) cut flowers;
- (f) branches with or without foliage;
- (g) a plant or shrub that has been cut and which retains any foliage;
- (h) leaves or foliage;
- (i) a plant or shrub growing in a clear liquid or clear solid aseptic culture medium in a closed transparent container;
- (j) live pollen;
- (k) bud wood;
- (l) cuttings; and

(m) scions;

"planting" means any operation for the placing of plants to ensure their subsequent growth, reproduction or propagation;

"plant or shrub in tissue culture" means;

"plant pest" means any living organism, other than a vertebrate animal, in any stage of its existence which is injurious or likely to be injurious to any plant or plant product;

"potato" means any tuber or true seed or any other plant of Solanum tuberosum L. or other tuber-forming species of the genus Solanum L.;

"relevant material" means any plant, plant product, soil or growing medium;

"relevant Plant Health Order" means-

- (a) in relation to England, the Plant Health (England) Order 2015(16) or the Plant Health (Forestry) Order 2005(17) as it applies in relation to England;
- (b) in relation to Wales, the Plant Health (Wales) Order 2018(18) or the Plant Health (Forestry) Order 2005 as it applies in relation to Wales;
- (c) in relation to Northern Ireland, the Plant Health (Wood and Bark) (*Phytophthora ramorum*) Order (Northern Ireland) 2005(19), the Plant Health (Wood and Bark) Order (Northern Ireland) 2006(20) or the Plant Health Order (Northern Ireland) 2018(21);

"relevant UK territories" means England, Wales and Northern Ireland;

"seed" means seed in the botanical sense other than seed not intended for planting;

"South America" means the geographical area comprising Argentina, Bolivia, Brazil, Chile, Colombia, Ecuador, French Guyana, Guyana, Paraguay, Peru, Suriname, Uruguay and Venezuela;

"Scotland Orders" means the Plant Health (Scotland) Order 2005(22) and the Plant Health (Forestry) Order 2005 in its application to Scotland;

"third country" means a country or territory other than one within the United Kingdom;

"UK plant passport", in relation to the movement of any relevant material within a relevant UK territory, has the same meaning as it has in the relevant Plant Health Order;

"the USA" means the United States of America except the state of Hawaii;

"wood", save where expressly provided otherwise, means-

- (a) any wood which retains part or all of its natural round surface, with or without bark;
- (b) wood in the form of chips, particles, shavings, sawdust, wood waste or scrap; and
- (c) whether or not satisfying the requirements of paragraph (a) or (b), wood packaging material;

"wood packaging material" means wood in the form of packing cases, boxes, crates, drums or similar packings, pallets, box pallets or other load boards, pallet collars or dunnage, whether or nor actually in use in the transport of objects of any kind.

⁽¹⁶⁾ S.I. 2015/610, as amended by S.I. 2015/1827, 2016/104, 2017/8, 2017/1220, 2018/71, 320, 910, 1051, 2019/526.

⁽¹⁷⁾ S.I. 2005/2517, as amended by S.I. 2006/2696, 2008/644, 2009/594, 2009/3020, 2012/2707, 2013/755 (W.90), 2691, 2014/2420, 2016/1167, 2017/1178, 2018/1048, 2019/498 (W.115).

⁽¹⁸⁾ S.I. 2018/1064 (W.223), amended by S.I. 2019/132 (W.33)463 (W.111).

⁽¹⁹⁾ S.R. 2005 No. 252.

⁽²⁰⁾ S.R. 2006 No. 66, as amended by S.R. 2009 No. 340, S.R 2010 No. 48, S.R. 2012 No. 400, S.R. 2015 No. 129, S.R.2019 No. 41.

⁽²¹⁾ S.R. 2018 No. 184, amended by S.R.2019 No. 41.

 ⁽²²⁾ S.S.I. 2005/613, as amended by S.S.I. 2006/474, 2007/415, 498, 2008/300, 350, 2009/153, 2010/206, 342, 2012/266, 326, 2013/5, 187, 366, 2014/140, 2015/10, 2016/83, 2018/112, 283.

(2) Unless expressly provided otherwise, any reference in these Regulations to a genus or species is to be construed as a reference to that genus or species or to any of its hybrids.

(3) Any reference in these Regulations to the European Union, to a member State or a third country includes a reference to a state, country, principality, province or region within the European Union, member State, or third country, as the case may be.

(4) Any reference to a numbered CN Code is a reference to the code set out in Annex 1 to Council Regulations 2658/87 on the tariff and statistical nomenclature and on the Common Customs Tariff(23) as it has effect in EU law immediately before exit day.

UK plant health authorities

3.—(1) The appropriate UK plant health authorities for the purposes of Schedules 8 to 16 are—

- (a) in relation to timber and forest pests in England, the Forestry Commissioners;
- (b) otherwise in relation to England, the Secretary of State;
- (c) in relation to Wales, the Welsh Minsters;
- (d) in relation to Northern Ireland, the Department of Agriculture, Environment and Rural Affairs.

(2) But for the purposes of Schedules 10 to 16, "appropriate UK plant health authority", in relation to England, means the Secretary of State.

(3) The Secretary of State may delegate any functions of the Secretary of State under Schedules 10, 11, 13, 15 or 16 to the Forestry Commissioners on any terms and conditions as the Secretary of State considers appropriate.

Relevant Plant Health Orders: regulated plant pests and relevant material and derogations

4.—(1) The following Schedules make provision for the purposes of the relevant Plant Health Orders.

(2) Schedule 1 makes provision about prohibited plant pests.

- (3) Schedule 2 makes provision about prohibited infested relevant material.
- (4) Schedule 3 makes provision about prohibited imported relevant material.
- (5) Schedule 4 makes provision about regulated relevant material.
- (6) Schedule 5 makes provision about notifiable relevant material.
- (7) Schedule 6 makes provision about controlled relevant material.
- (8) Schedule 7 makes provision about notifiable relevant material destined for a UK pest free area.

(9) Schedule 8 makes provision about derogations from specific prohibitions and requirements under the relevant Plant Health Orders.

Emergency measures

5.—(1) The following Schedules make provision about emergency measures.

(2) Schedule 9 makes miscellaneous provision about emergency measures.

(3) Schedule 10 makes provision about emergency measures in respect of *Gibberella circinata* Nirenberg & O'Donnell.

⁽²³⁾ OJ No. L 256, 7.9.1987, p. 1, as last amended by Regulation (EU) No 952/2013 of the European Parliament and of the Council (OJ No. L 269, 10.10.2013, p. 1).

(4) Schedule 11 makes provision about emergency measures in respect of *Anoplophora chinensis* (Forster).

(5) Schedule 12 makes provision about emergency measures in respect of *Epitrix cucumeris* (Harris), *Epitrix papa* Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) and *Epitrix tuberis* (Gentner).

(6) Schedule 13 makes provision about emergency measures in respect of *Bursaphelenchusxylophilus* (Steiner et Buhrer) Nickle et al. (the pinewood nematode).

(7) Schedule 14 makes provision about emergency measures in respect of *Pomacea* (Perry).

(8) Schedule 15 makes provision about emergency measures in respect of *Xylella fastidiosa* (Wells et al.).

(9) Schedule 16 makes provision about emergency measures in respect of *Anoplophoraglabripennis* (Motschulsky).

Revocation of retained direct EU legislation

6. The instruments listed in Schedule 17 (revocation of retained direct EU legislation) are revoked.

Gardiner of Kimble Parliamentary Under Secretary of State Department for Environment, Food and Rural Affairs

2nd April 2019

SCHEDULE 1

Regulation 4(2)

Prohibited plant pests

PART A

Plant pests not known to occur in any part of the United Kingdom

Insects, mites and nematodes

1. Ac	<i>leris</i> spp.	(non-European)
-------	-------------------	----------------

- 2. *Agrilus anxius* Gory
- 3. *Agrilus plannipennis* Fairmaire
- 4. *Amauromyza maculosa* (Malloch)
- 5. Anomala orientalis Waterhouse
- 6. *Anoplophora chinensis* (Forster)
- 7. *Anoplophora glabripennis* (Motschulsky)
- 8. Anthonomus eugenii Cano
- 9. *Arrhenodes minutus* Drury
- 10. Bactericera cockerelli (Sulc.)
- 11. *Bemisia tabaci* Genn., a vector of viruses such as: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, Squash leaf curl virus, Euphorbia mosaic virus or Florida tomato virus
- 12. Bursaphelenchus xylophilus (Steiner & Bührer) Nickle et al.
- 13. Cicadellidae (non-European) known to be vectors of Pierce's disease (caused by *Xylellafastidiosa*), such as: *Carneocephala fulgida* Nottingham, *Draeculacephala minerva* Ball or *Graphocephala atropunctata* (Signoret)
- 14. *Choristoneura* spp. (non-European)
- 15. *Conotrachelus nenuphar* (Herbst)
- 16. *Dendrolimus sibiricus* Tschetverikov
- 17. Diabrotica barberi Smith and Lawrence
- 18. Diabrotica undecimpunctata howardi Barber
- 19. Diabrotica undecimpunctata undecimpunctata Mannerheim
- 20. Diabrotica virgifera zeae Krysan & Smith
- 21. Diaphorina citri Kuway
- 22. Dryocosmus kuriphilus Yasumatsu
- 23. *Heliothis zea* (Boddie)
- 24. *Hirschmanniella* spp., other than *Hirschmanniella gracilis* (de Man) Luc and Goodey
- 25. Keiferia lycopersicella (Walsingham)

- 26. Leptinotarsa decemlineata Say
- 27. *Liriomyza sativae* Blanchard
- 28. *Longidorus diadecturus* Eveleigh and Allen
- 29. *Meloidogyne chitwoodi* Golden et al. (all populations)
- 30. *Monochamus* spp. (non-European)
- 31. *Myndus crudus* Van Duzee
- 32. *Nacobbus aberrans* (Thorne) Thorne and Allen
- 33. *Naupactus leucoloma* Boheman
- 34. *Popillia japonica* Newman
- 35. *Premnotrypes* spp. (non-European)
- 36. *Pseudopityophthorus minutissimus* (Zimmermann)
- 38. *Rhizoecus hibisci* Kawai and Takagi
- 39. *Rhynchophorus ferrugineus* (Olivier)
- 40. *Rhynchophorus palmarum* (L.)
- 41. *Saperda candida* Fabricius
- 42. *Scaphoideus luteolus* Van Duzee
- 43. *Spodoptera eridania* (Cramer)
- 44. *Spodoptera frugiperda* (J E Smith)
- 45. *Spodoptera littoralis* (Boisduval)
- 46. *Spodoptera litura* (Fabricus)
- 47. *Thrips palmi* Karny
- 48. Tephritidae (non-European) such as Anastrepha fraterculus (Wiedemann), Anastrephaludens (Loew), Anastrepha obliqua Macquart, Anastrepha suspensa (Loew), Dacus ciliatus Loew, Dacus curcurbitae Coquillet, Dacus dorsalis Hendel, Dacus tryoni (Froggatt), Dacus tsuneonis Miyake, Dacus zonatus Saund., Epochra canadensis (Loew), Pardalaspis cyanescens Bezzi, Pardalaspis quinaria Bezzi, Pterandrus rosa (Karsch), Rhacochlaena japonica Ito, Rhagoletis cingulata (Loew), Rhagoletis completa Cresson, Rhagoletis fausta (Osten-Sacken), Rhagoletis indifferens Curran, Rhagoletis mendax Curran, Rhagoletis pomonella Walsh, Rhagoletis ribicola Doane or Rhagoletis suavis (Loew)
- 49. *Thaumatotibia leucotreta* (Meyrick)
- 50. *Trioza erytreae* Del Guercio
- 51. *Xiphinema americanum* Cobb *sensu* lato (non-European populations)
- 52. *Xiphinema californicum* Lamberti and Bleve-Zacheo

Bacteria

1. *Candidatus Liberibacter* spp., a causal agent of Huanglongbing disease of citrus/citrus greening

- 2. *Clavibacter michiganensis* (Smith) Davis et al. spp. *sepedonicus* (Spieckermann and Kotthoff) Davis et al.
- 3. *Xylella fastidiosa* (Wells et al.)
- 4. Xanthomonas citri pv. aurantifolii
- 5. Xanthomonas citri pv. citri

Fungi

- 1. *Ceratocystis fagacearum* (Bretz) Hunt
- 2. *Chrysomyxa arctostaphyli* Dietel
- 3. *Cronartium* spp. (non-European)
- 4. *Endocronartium* spp. (non-European)
- 5. *Guignardia laricina* (Sawada) Yamamoto and Ito
- 6. *Gymnosporangium* spp. (non-European)
- 7. Inonotus weirii (Murrill) Kotlaba and Pouzar
- 8. *Melampsora farlowii* (Arthur) Davis
- 9. Melampsora medusa Thümen
- 10. *Mycosphaerella larici-leptolepis* Ito et al.
- 11. *Mycosphaerella populorum* G E Thompson
- 12. *Phoma andina* Turkensteen
- 13. *Phyllosticta citricarpa* (McAlpine) Van der Aa
- 14. *Phyllosticta solitaria* Ellis & Everhart
- 15. Septoria lycopersici Speg. var malagutii Ciccarone and Boerema
- 16. Thecaphora solani Barrus
- 17. *Tilletia indica* Mitra
- 18. *Trechispora brinkmannii* (Bresad.) Rogers

Viruses and virus-like organisms

- 1. Apple proliferation mycoplasm
- 2. Apricot chlorotic leaf roll mycoplasm
- 3. Candidatus Phytoplasma ulmi
- 4. Potato viruses or virus-like organisms such as: Andean potato latent virus, Andean potato mottle virus, Arracacha virus B oca strain, Potato black ringspot virus, Potato spindle tuber viroid, Potato virus T or non-European isolates of potato viruses A, M, S, V, X and Y (including Y^o, Yⁿ and Y^c) or Potato leafroll virus
- 5. Tobacco ringspot virus
- 6. Tomato ringspot virus

- 7. Viruses or virus-like organisms of *Cydonia* Mill, *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L., or *Vitis* L., such as: Blueberry leaf mottle virus, Cherry rasp leaf virus (American), Peach mosaic virus (American), Peach phony rickettsia, Peach rosette mosaic virus, Peach rosette mycoplasm, Peach X-disease mycoplasm, Peach yellows mycoplasm, Plum line pattern virus (American), Raspberry leaf curl virus (American), Strawberry latent "C" virus, Strawberry vein banding virus, Strawberry witches' broom mycoplasma or non-European viruses or virus-like organisms of *Cydonia* Mill., *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L. or *Vitis* L.
- 8. Viruses transmitted by *Bemisia tabaci* Genn., such as: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, Squash leaf curl virus, Euphorbia mosaic virus or Florida tomato virus

Parasitic plants

1.	Arceuthobium spp.	(non-European)
1.	meennoonni opp.	(non European)

PART B

Plant pests known to occur in the United Kingdom

Insects, mites and nematodes

1. <i>Globodera pallida</i> Stone Behren
--

- 2. *Globodera rostochiensis* (Wollenweber) Behrens
- 3. *Meloidogyne fallax* Karssen
- 4. *Opogona sacchari* (Bojer)

Bacteria

1. Ralstonia solanacearum (Smith) Yabuuchi et al.

Fungi

1. *Synchytrium endobioticum* (Schilbersky) Percival

Viruses and virus-like organisms

1. Pear decline mycoplasm

PART C

Plant pests which must not be introduced into, or spread within, a relevant UK pest free area

Item	Plant pest	Description of UK pest free area
1.	Beet necrotic yellow vein virus	Northern Ireland
2.	Liriomyza bryoniae (Kaltenbach)	Northern Ireland
3.	Liriomyza huidobrensis (Blanchard)	Northern Ireland
4.	Liriomyza trifolii (Burgess)	Northern Ireland
5.	Thaumetopoea processionea L.	The United Kingdom, except the local authority areas of Barking and Dagenham, Barnet, Basildon, Basingstoke and Dene, Bexley, Bracknell Forest, Brent, Brentwood, Bromley, Broxbourne, Camden, Castle Point, Chelmsford, Chiltern, City of London, City of Westminster, Crawley, Croydon, Dacorum, Dartford, Ealing, East Hertfordshire, Elmbridge District, Enfield, Epping Forest, Epsom and Ewell District, Gravesham, Greenwich, Guildford, Hackney, Hammersmith & Fulham, Haringey, Harlow, Harrow, Hart, Havering, Hertsmere, Hillingdon, Horsham, Hounslow, Islington, Kensington & Chelsea, Kingston upon Thames, Lambeth, Lewisham, Littlesford, Medway, Merton, Mid Sussex, Mole Valley, Newham, North Hertfordshire, Reading, Redbridge, Reigate and Banstead, Richmond Upon Thames, Runnymede District, Rushmoor, Sevenoaks, Slough, South Bedfordshire, South Bucks, South Oxfordshire, Southwark, Spelthorne District, St Albans, Sutton, Surrey Heath, Tandridge, Three Rivers, Thurrock, Tonbridge and Malling, Tower Hamlets, Waltham Forest, Wandsworth, Watford, Waverley, Welwyn, Hatfield, West Berkshire, Windsor and Maidenhead, Woking, Wokingham and Wycombe

PART D

Plant pests which are subject to emergency control measures and must not be introduced into, or spread within, the relevant UK territories

1.	Chalara fraxinea T. Kowalski, including its teleomorph Hymenoscyphus pseudoalbidus
2.	<i>Epitrix cucumeris</i> (Harris), <i>Epitrix papa</i> . Orlova-Bienkowskaja, <i>Epitrix subcrinita</i> (Lec.) or <i>Epitrix tuberis</i> (Gentner)
3.	Gibberella circinata Nirenberg & O'Donnell
4.	Pomacea (Perry)
5.	Phytophthora ramorum Werres, De Cock & Man in't Veld sp. nov.
6.	Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto

SCHEDULE 2

Regulation 4(3)

Prohibited infested material

PART A

Relevant material which may not be brought into or moved within the relevant UK territories if the material is carrying or infected with plant pests that are not known to occur in the United Kingdom

Insects, mites and nematodes

(l)	(2)	(3)
Item	Description of relevant material	Plant pest
1.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Aleurocanthus spp.
2.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting	Anthonomus bisignifer (Schenkling)
3.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting	Anthonomus signatus (Say)
4.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Aonidiella citrina Coquillett
5.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting or seeds of <i>Oryza</i> spp.	Aphelenchoides besseyi Christie
6.	Plants, other than fruit or seeds, of <i>Juniperus</i> L., originating in any country outside Europe	Aschistonyx eppoi Inouye

(1) Item	(2) Description of relevant material	(3) Plant pest
7.	Plants, other than seeds, of <i>Cydonia</i> Mill. <i>Malus</i> Mill, <i>Prunus</i> L. or <i>Pyrus</i> L., originating in any country outside Europe	Carposina niponenis Walsingham
8.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Circulifer haematoceps (Mulsant and Rey)
9.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Circulifer tenellus (Baker)
10.	Plants, other than seeds of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. or <i>Rosa</i> L., originating in any country outside Europe	Enarmonia packardi (Zeller)
11.	Plants, other than seeds, of <i>Crataegus</i> L., <i>Malus</i> Mill., <i>Photinia</i> LdL., <i>Prunus</i> L. or <i>Rosa</i> L., or fruit of <i>Malus</i> Mill. or <i>Prunus</i> L., originating in any country outside Europe	Enarmonia prunivora Walsh
12.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Eotetranychus lewisi (McGregor)
13.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Eutetranychus orientalis Klein
14.	Plants, other than seeds of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. or <i>Pyrus</i> L., originating in any country outside Europe	Grapholita inopinata Heinrich
15.	Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L., <i>Pelargonium</i> L'Herit ex Ait. or the family Solanaceae, intended for planting	Helicoverpa armigera (Hübner)
16.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Hishomonus phycitis (Distant)
17.	Plants, other than fruit or seeds, of <i>Abies</i>	Ips amitinus (Eichoff)
	Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr. or <i>Pinus</i> L., over 3m in height, wood of conifers (Coniferales) retaining any bark or isolated bark of conifers	Ips duplicatus (Sahlberg)
18.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. or <i>Pseudotsuga</i> Carr., over 3m in height, or wood of conifers (Coniferales) retaining any bark or isolated bark of conifers	Ips typographus (Heer)
19.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Leucaspis japonica Ckll.
20.	Seeds of Cruciferae, Gramineae or Trifolium spp., originating in Argentina, Australia, Bolivia, Chile, New Zealand or Uruguay	Listronotus bonariensis (Kuschel)

(l)	(2)	(3)
Item	Description of relevant material	Plant pest
21.	Cut flowers or leafy vegetables of <i>Apium</i> graveolens L. or plants of herbaceous species, intended for planting, other than: — bulbs, — corms, — plants of the family Gramineae, — rhizomes, or — seeds	Liriomyza huidobrensis (Blanchard)
22.	Cut flowers or leafy vegetables of <i>Apium</i> graveolens L. or plants of herbaceous species, intended for planting, other than: — bulbs, — corms, — plants of the family Gramineae, — rhizomes, or — seeds	Liriomyza trifolii (Burgess)
23.	Plants, other than fruit or seeds, of Vitis L.	Margarodes, non-European species, such as: — Margarodes vitis (Philippi) — Margarodes vredendalensis de Klerk — Margarodes prieskaensis Jakubski
24.	Plants, other than seeds, of <i>Pyrus</i> L., originating in any country outside Europe	Numonia pyrivorella (Matsumura)
25.	Plants, other than fruit or seeds, of <i>Juniperus</i> L., originating in any third country outside Europe	Oligonychus perditus Pritchard and Baker
26.	Plants of <i>Palmae</i> , intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i> Mart., <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth., <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart. or <i>Washingtonia</i> Raf.	Paysandisia archon (Burmeister)
27.	Plants, other than fruit or seeds, of conifers, wood of conifers (Coniferales) retaining any bark or isolated bark of conifers, originating in any country outside Europe	Pissodes spp. (non-European)
28.	Plants of Araceae, Marantaceae, Musaceae, Persea spp., or Strelitziaceae, rooted or with growing medium attached or which appear to have been in contact with growing medium	Radopholus similis (Cobb) Thorne
29.	Plants of <i>Palmae</i> , intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following	

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
	taxa: Areca catechu L., Arenga pinnata (Wurmb) Merr., Bismarckia Hildebr. & H. Wendl., Borassus flabellifer L., Brahea armata S. Watson, Brahea edulis H. Wendl., Butia capitata (Mart.) Becc., Calamus merrillii Becc., Caryota maxima Blume, Caryota cumingii Lodd. Ex Mart., Chamaerops humilis L., Cocos nucifera L., Copernicia Mart., Corypha utan Lam., Elaeis guineenis Jacq., Howea forsteriana Becc., Jubaea chilensis (Molina) Baill, Livistona australis C. Martius, Livistona decora (W. Bull) Dowe, Livistonia rotundifolia (Lam.) Mart., Metroxylon sagu Rottb., Phoenix canariensis Chabaud, Phoenix dactylifera L., Phoenix reclinata Jacq., Phoenix roebelenii O'Brien, Phoenix sylvestris (L.) Roxb., Phoenix theophrasti Greuter, Pritchardia Seem. & H. Wendl., Ravenea rivularis Jum. & H. Perrier, Roystonea regia (Kunth) O.F. Cook, Sabal palmetto (Walter) Lodd. ex Schult. & Schult. f., Syagrus roman-zoffiana (Cham.) Glassman, Trachycarpus fortunei (Hook.) H. Wendl. or Washingtonia Raf.	
30.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.; or plants of Araceae, Marantaceae, Musaceae, Persea spp. or Strelitziaceae, in any case rooted or with growing medium attached or which appear to have been in contact with growing medium	<i>Radopholus citrophilus</i> Huettel Dickson and Kaplan
31.	Plants, other than seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Scirtothrips aurantii Faure
32.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Scirtothrips dorsalis Hood
33.	Plants, other than seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Scirtothrips citri (Moultex)
34.	Plants, other than fruit or seeds, of conifers (Coniferales) over 3 m in height, wood of conifers retaining any bark, or isolated bark of conifers, in any case, originating in any country outside Europe	Scolytidae spp. (non-European)
35.	Tubers of Solanum tuberosum L.	Scrobipalpopsis solanivora Povolny
36.	Plants, other than seeds, of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. or <i>Pyrus</i> L., originating in any country outside Europe	Tachypterellus quadrigibbus Say

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
37.	Plants, other than fruit or seeds, of <i>Pinus</i> L., intended for planting	<i>Thaumetopoea pitycampa</i> Denis & Schiffermüller
38.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Toxoptera citricida (Kirk.)
39.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Unaspis citri Comstock

Bacteria

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
1.	Plants, other than fruit or seeds, of Citrus L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Citrus variegated chlorosis
2.	Plants of <i>Solanum lycopersicum</i> L., intended for planting	<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis et al.
3.	Seeds of Zea mays L.	Erwinia stewartii (Smith) Dye
4.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting	<i>Pseudomonas caryophylli</i> (Burkholder) Starr and Burkholder
5.	Plants, other than seeds, of <i>Prunus</i> persica (L.) Batsch or <i>Prunus persica</i> var. <i>nectarina</i> (Ait.) Maxim, intended for planting	, , , ,
6.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Spiroplasma citri Saglio et al.
7.	Plants, other than seeds, of <i>Prunus</i> L., intended for planting	<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin et al.
8.	Seeds of Phaseolus L.	<i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye
9.	Plants of <i>Solanum lycopersicum</i> L. or <i>Capsicum</i> spp., intended for planting	Xanthomonas campestris pv. vesticatoria (Doidge) Dye
10.	Plants, other than fruit or seeds, of Vitis L.	<i>Xylophilus ampelinus</i> (Panagopoulos) Willems et al.
11.	Seeds of <i>Oryza</i> spp.	<i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye and pv. <i>oryzicola</i> (Fang. et al.) Dye

Fungi

(1)	(2)	(3)
(1) Itom	(2) Description of valours material	(J) Plant post
nem	Description of relevant material	Plant pest

1. Plants, other than seeds, of *Cydonia* Mill., *Alternaria alternata* (Fr.) Keissler (non-*Malus* Mill. or *Pyrus* L., intended for European pathogenic isolates)

(l)	(2)	(3) Dia 1 and 1	
Item	Description of relevant material planting, originating in any country outside Europe	Plant pest	
2.	Plants, other than seeds, of <i>Corylus</i> L., intended for planting, originating in Canada or the USA		
3.	Plants, other than seeds, of <i>Prunus</i> L., intended for planting	Apiosporina morbosa (Schwein.) v. Arx	
4.	Plants, other than fruit or seeds, of <i>Pinus</i> L., intended for planting; wood or isolated bark of <i>Pinus</i> L.		
5.	Plants, other than seeds, of <i>Platanus</i> L., intended for planting, or wood of <i>Platanus</i> L., including wood which has not kept its natural round surface	<i>Ceratocystis platani</i> (J.M. Walter) Engelbr. & T.C. Harr.	
6.	Plants, other than fruit or seeds, of <i>Acer saccharum</i> Marsh, or wood of <i>Acer saccharum</i> Marsh, including wood which has not kept its natural round surface, originating in Canada or the USA		
7.	Plants, other than fruit or seeds, of Pinus L., or wood of <i>Pinus</i> L.	<i>Cercoseptoria pini-densiflorae</i> (Hori and Nambu) Deighton	
8.	Plants, other than seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Cercospora angolensis Carv. and Mendes	
9.	Plants, other than seeds, of <i>Vaccinium</i> spp., intended for planting	Diaporthe vaccinii Shaer	
10.	Plants, other than fruit or seeds, of <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.; or plants, other than fruit or seeds (except fruit of <i>Citrus reticulata</i> Blanco and <i>Citrus sinensis</i> (L.) Osbeck) of <i>Citrus</i> L., originating in any country in South America		
11.	Plants, other than fruit or seeds, of <i>Phoenix</i> spp.	<i>Fusarium oxysporum</i> f. sp. albedinis (Kilian and Maire) Gordon	
12.	Plants, other than seeds, of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. or <i>Pyrus</i> L., originating in any country outside Europe		
13.	Plants, other than seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Phoma tracheiphila (Petri) Kanchaveli and Gikashvili	
14.	Seeds of Helianthus annuus L.	<i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni	
15.	Plants, other than fruit or seeds, of Solanaceae	Puccinia pittieriana Hennings	

(1)	(2)	(3)	
Item	Description of relevant material	Plant pest	
16.	Plants, other than fruit or seeds, of Pinus L.	Scirrhia acicola (Dearn.) Siggers	
17.	Plants, other than seeds, of <i>Pinus</i> L., intended for planting	<i>Pinus</i> L., <i>Scirrhia pini</i> Funk and Parker	
18.	Plants, other than seeds, of <i>Ulmus</i> L. or <i>Zelkova</i> L., intended for planting	Stegophora ulmea (Schweintz: Fries) Sydow & Sydow	
19.	Plants, other than seeds, of <i>Pyrus</i> L., intended for planting, originating in any country outside Europe	Venturia nashicola Tanaka and Yamamoto	

Viruses and virus-like organisms

(1) Item	(2) Description of relevant material	(3) Plant pest	
1.	Plants, other than seeds, of <i>Beta vulgaris</i> L., intended for planting		
2.	Plants, other than seeds, of Beta vulgaris L., intended for planting	Beet leaf curl virus	
3.	Plants of Rubus L., intended for planting	Black raspberry latent virus	
4.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Blight or blight-like	
5.	Plants, other than seeds, of <i>Palmae</i> , intended for planting, originating in any country outside Europe		
6.	Plants, other than seeds, of <i>Ulmus</i> L., intended for planting	Candidatus Phytoplasma ulmi	
7.	Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul. or Solanum lycopersicum L., intended for planting		
8.	Plants, other than fruit or seeds, of <i>Citrus</i> L., Fortunella Swingle or <i>Poncirus</i> Raf.	s Citrus mosaic virus	
9.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	s Citrus tristeza virus	
10.	Plants, other than fruit or seeds, of Vitis L.	Grapevine flavescence dorée MLO	
11.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	s Leprosis	
12.	Plants, other than seeds, of <i>Prunus cerasus</i> L., <i>Prunus avium</i> L., <i>Prunus incisa</i> Thunb., <i>Prunus sargentii</i> Rehd., <i>Prunus</i> <i>serrula</i> Franch., <i>Prunus serrulata</i> Lindl., <i>Prunus speciosa</i> (Koidz.) Ingram, <i>Prunus</i> <i>subhirtella</i> Miq. or Prunus yedoensis		

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
	Matsum., or their cultivars, intended for planting	
13.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Naturally spreading psorosis
14.	Plants, other than seeds, of <i>Palmae</i> , intended for planting, originating in any third country outside Europe	Palm lethal yellowing mycoplasm
15.	Plants of <i>Solanum lycopersicum</i> L., <i>Capsicum annum</i> L. or <i>Capsicum frutescens</i> L., intended for planting, or plants of <i>Solanum tuberosum</i> L.	Potato spindle tuber viroid
16.	Plants, other than seeds, of Solanaceae, intended for planting	Potato stolbur mycoplasm
17.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Satsuma dwarf virus
18.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Tatter leaf virus
19.	Plants, other than seeds, of <i>Solanum lycopersicum</i> L., intended for planting	Tomato yellow leaf curl virus
20.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	Witches' broom (MLO)

PART B

Relevant material which may not be brought into or moved with the relevant UK territories if the material is carrying or infected with regulated plant pests known to occur in the United Kingdom

Insects, mites and nematodes

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
1.	Plants, other than seeds, of <i>Fuchsia</i> L., intended for planting	Aculops fuchsiae Keifer
2.	Plants, other than fruit or seeds, of Vitis L.	Daktulosphaira vitifoliae (Fitch)
3.	Flowers, bulbs or corms of Crocus L., miniature cultivars of the genus <i>Gladiolus Tourn</i> . ex. L. including <i>Gladiolus</i> <i>callianthus</i> Marais, <i>Gladiolus colvillei</i> Sweet, <i>Gladiolus nanus</i> hort., <i>Gladiolus</i> <i>ramosus</i> hort., <i>Gladiolus tubergenii</i> hort., <i>Hyacinthus</i> L., <i>Iris</i> L., <i>Trigridia</i> Juss. or <i>Tulipa</i> L., intended for planting; or potato	Ditylenchus destructor Thorne

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
	tubers (Solanum tuberosum L.), intended for planting	
4.	Seeds or bulbs of Allium ascalonicum L., Allium cepa L. or Allium schoenoprasum L., intended for planting; plants of Allium porrum L., intended for planting; bulbs or corms of Camassia Lindl., Chionodoxa Boiss., Crocus flavus Weston "Golden Yellow", Galanthus L., Galtonia candicans (Baker) Decne, Hyacinthus L., Ismene Herbert, Muscari Miller, Narcissus L., Ornithogalum L., Puschkinia Adams, Scilla L. or Tulipa L., intended for planting; or seeds of Medicago sativa L.	Ditylenchus dipsaci (Kühn) Filipjev
5	Diante athen then finite an and of Citana	$\mathbf{D}_{\text{restruction}}$ (Ni stars)

5. Plants, other than fruit or seeds, of *Citrus Parasaissetia nigra* (Nietner) L., *Fortunella* Swingle or *Poncirus* Raf.

Bacteria

(1)	(2)	(3)	
Item	Description of relevant material	Plant pest	
1.	Seeds of Medicago sativa L.	Clavibacter michiganensis ssp. insidiosus (McCulloch) Davis et al.	
2.	Plants, other than seeds, of Amelanchier Med., Chaenomeles Lindl., Cotoneaster Ehrh., Crataegus L., Cydonia Mill., Eriobotrya Lindl., Malus Mill., Mespilus L., Photinia davidiana (Dene.) Cardot, Pyracantha Roem., Pyrus L. or Sorbus L., intended for planting	, , , , , , , , , , , , , , , , , , ,	
3.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting	<i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> (Hellmers) Dickey	
4.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting	Xanthomonas fragariae Kennedy and King	

Fungi

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
1.	Plants of <i>Castanea</i> Mill., intended for planting; plants, other than seeds, of <i>Quercus</i> L., intended for planting; wood, other than wood which is bark-free of <i>Castanea</i> Mill; or isolated bark of <i>Castanea</i> Mill	Cryphonectria parasitica (Murrill) Barr

(1)	(2)	(3)		
Item	<i>Description of relevant material</i>	(J) Plant pest		
2.	Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., intended for planting	<i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx		
3.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting	<i>Phialophora cinerescens</i> (Wollenweber) van Beyma		
4.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting	<i>Phytophthora fragariae</i> Hickman var. fragariae		
5.	Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., intended for planting	Puccinia horiana Hennings		
6.	Plants, other than seeds, of <i>Humulus lupulus</i> L., intended for planting	<i>Verticillium albo-atrum</i> Reinke and Berthold		
7.	Plants, other than seeds, of <i>Humulus lupulus</i> L., intended for planting	Verticillium dahliae Klebahn		

Viruses and virus-like organisms

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
1.	Plants, other than seeds, of <i>Fragaria</i> L. or <i>Rubus</i> L., intended for planting	Arabis mosaic virus
2.	Plants of Rubus L., intended for planting	Cherry leaf-roll virus
3.	Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., intended for planting	Chrysanthemum stunt viroid
4.	Plants of Rubus L., intended for planting	Prunus necrotic ringspot virus
5.	Plants, other than seeds, of <i>Prunus</i> L., intended for planting	Plum pox virus
6.	Plants, other than seeds, of <i>Fragaria</i> L. or Rubus L., intended for planting	Raspberry ringspot virus
7.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting	Strawberry crinkle virus
8.	Plants, other than seeds, of <i>Fragaria</i> L. or <i>Rubus</i> L., intended for planting	Strawberry latent ringspot virus
9.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting	Strawberry mild yellow edge virus
10.	Plants, other than seeds, of <i>Fragaria</i> L. or <i>Rubus</i> L., intended for planting	Tomato black ring virus
11.	Plants, other than seeds, of <i>Apium</i> graveolens L., <i>Capsicum annuum</i> L., <i>Cucumis melo</i> L., <i>Dendranthema</i> (DC.) Des Moul., any variety of New Guinea hybrids of <i>Impatiens</i> , <i>Lactuca sativa</i> L., <i>Solanum lycopersicum</i> L. or <i>Nicotiana</i> <i>tabacum</i> L. of which there must be	Tomato spotted wilt virus
	22	

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
	evidence that they are intended for sale to professional tobacco producers; <i>Solanum</i> <i>melongena</i> L. or <i>Solanum tuberosum</i> L., intended for planting	

PART C

Relevant material which may not be brought into or moved within a relevant UK pest free area if the material is carrying or infected with specified plant pests

(1)	(2)	(3)		(4)
Item	Description of relevant material	Plant pest		UK pest free area
1.	Plants, other than seeds, of <i>Larix</i> Mill., intended for planting	Cephalcia (Klug)	laricphila	Northern Ireland
2.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. or <i>Pseudotsuga</i> Carr., over 3 m in height; wood of conifers (Coniferales) with bark; or isolated bark of conifers	Kugelan	micans	Northern Ireland
3.	Plants, other than seeds, of <i>Picea</i> A. Dietr., intended for planting	<i>Gilphinia</i> (Hartig)	hercyniae	Northern Ireland
4.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. or <i>Pseudotsuga</i> Carr., over 3 m in height; wood of conifers (Coniferales) with bark; or isolated bark of conifers	-	r	Northern Ireland
5.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr. or <i>Pinus</i> L., over 3 m in height; wood of conifers (Coniferales) with bark; or isolated bark of conifers	<i>Ips sexdentatus</i> B	3örner	Northern Ireland
6.	Plants, other than seeds, of <i>Populus</i> L., intended for planting	Hypoxylon m. (Wahl.) J. Miller	ammatum	Northern Ireland

PART D

Relevant material which is subject to emergency measures and must not be brought into or moved within the relevant UK territories if the material is carrying or infected with specified plant pests

(1)	(2)	(3)
Item	Description of relevant material	Plant pest
1.		<i>Chalara fraxinea</i> T. Kowalski, including its teleomorph <i>Hymenoscyphus pseudoalbidus</i>

SCHEDULE 3

Regulation 4(4)

Prohibited imported material

PART A

Relevant material, originating in third countries, whose entry into the relevant UK territories is prohibited

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
1.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Chamaecyparis</i> Spach, <i>Juniperus</i> L., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr.	Any country outside Europe
2.	Plants with leaves, other than fruit or seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L.	Any country outside Europe
3.	Plants with leaves, other than fruit or seeds, of <i>Populus</i> L.	Any country in North America
4.	Isolated bark of Castanea Mill.	Any third country, other than the European Union or Switzerland
5.	Isolated bark of <i>Quercus</i> L., other than <i>Quercus suber</i> L.	Any country in North America
6.	Isolated bark of Acer saccharum Marsh.	Any country in North America
7.	Isolated bark of Populus L.	Any country in the American continent
8.	Plants, other than dormant plants free from leaves, flowers and fruit, of <i>Chaenomeles</i> Lindl., <i>Cydonia</i> Mill., <i>Crataegus</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. or <i>Rosa</i> L., intended for planting	Any country outside Europe
9.	Plants, other than dormant plants free from leaves, flowers and fruit, of <i>Photinia</i> Lindl., intended for planting	

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
10.	Tubers of Solanum tuberosum L. for planting	Any third country other than the European Union or Switzerland
11.	Plants of stolon- or tuber-forming species of <i>Solanum</i> L., intended for planting, other than tubers of <i>Solanum tuberosum</i> L. specified in item 10	
12.	Tubers of species of <i>Solanum</i> L., other than those specified in items 10 and 11	Any third country other than Algeria Bosnia and Herzegovina, Egypt the European Union, Israel, Libya Morocco, Serbia, Switzerland, Syria Tunisia or Turkey
13.	Plants of Solanaceae, intended for planting, other than seeds or relevant material specified in items 10 to 12	
14.	Soil or growing medium, which consists in whole or in part of soil or solid organic substances such as parts of plants or humus (including peat or bark), other than that composed entirely of peat	any third country not in mainland Europe, other than Egypt, Israel, Libya
15.	Plants, other than fruit, of Vitis L.	Any third country, other than the European Union or Switzerland
16.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	Any third country, other than the European Union
17.	Plants, other than fruit or seeds, of <i>Phoenix</i> spp.	Algeria or Morocco
18.	Plants, other than seeds, of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. or <i>Fragaria</i> L., intended for planting	
19.	Plants, other than seeds, of the family Graminacae, other than plants of the ornamental perennial grasses of the subfamilies Bambusoideae, Panicoideae or of the genera <i>Buchloe</i> , <i>Bouteloua</i> Lag., <i>Calamagrostis</i> , Cortaderia Stapf., Glyceria R. Br., <i>Hakonechloa</i> Mak. ex Honda, <i>Hystrix</i> , <i>Molinia</i> , <i>Phalaris</i> L., <i>Shibataea</i> , <i>Spartina</i> Schreb., <i>Stipa</i> L. or <i>Uniola</i> L., intended for planting	Any third country, other than a country in the Euro-Mediterranean area

PART B

Other relevant material which is subject to emergency control measures and whose entry into the relevant UK territories is prohibited

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
1.	Plants, other than seeds, of <i>Coffea</i> , intended for planting	Costa Rica or Honduras
2.	Isolated bark of <i>Acer macrophyllum</i> Pursh, <i>Aesculus californica</i> (Spach) Nutt., <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd., <i>Quercus</i> spp. L. or <i>Taxus brevifolia</i> Nutt.	The USA

SCHEDULE 4

Regulation 4(5)

Regulated material

Interpretation

In this Schedule-

"associated controlled dunnage", in items 1 to 3, 5, 6, 8, 9 or 12 to 14 of Part A, means wood which supports a consignment of wood of a genus or species specified in that item and which—

- (a) is constructed from wood of the same type and quality as the wood in the consignment; and
- (b) meets the requirements specified in column 3 of that item;

"debarked" means wood which has undergone a process by which some, but not necessarily all, of its bark has been removed;

"Directive 69/464/EEC" means Council Directive on control of Potato Wart Disease 69/464/ EEC(24);

"Directive 93/85/EEC" means Council Directive 93/85/EEC on the control of potato ring rot(25);

"Directive 2007/33/EC" means Council Directive 2007/33/EC on the control of potato cyst nematodes and repealing Directive 69/465/EEC(26);

"EPPO PM 10/18" means the standard describing a hot water treatment of grapevine to control Grapevine flavescence doré e phytoplasma approved by the European and Mediterranean Plant Protection Organization(**27**);

"EU protected zone" means a member State or an area in a member State which is recognised as a protected zone exposed to particular plant health risks in the European Union;

"phytosanitary certificate" includes a phytosanitary certificate for re-export;

⁽²⁴⁾ OJ No. L 323, 24.12.1969, p. 1.

⁽²⁵⁾ OJ No. L 259, 18.10.1993, as amended by Commission Directive 2006/56/EC (OJ No. L 182, 4.7.2006, p. 1).

⁽²⁶⁾ OJ No. L 156, 16.6.2007, p. 12.

⁽²⁷⁾ First approved by the European and Mediterranean Plant Protection Organization in September 2012 and available from its Secretariat at 21 Boulevard Richard Lenoir, 75011, Paris, France and at https://www.eppo.int/RESOURCES/eppo_standards/ pm10_phytosanitary_treatments.

"relevant PCN Schedule" means-

- (a) in relation to relevant material produced in England, Schedule 14 to the Plant Health (England) Order 2015;
- (b) in relation to relevant material produced in Wales, Schedule 14 to the Plant Health (Wales) Order 2018;
- (c) in relation to relevant material produced in Scotland, Schedule 15 to the Plant Health (Scotland) Order 2005;
- (d) in relation to relevant material produced in Northern Ireland, Schedule 14 to the Plant Health Order (Northern Ireland) 2018;

"relevant Potato Wart Disease Schedule" means-

- (a) in relation to potatoes produced in England, Schedule 13 to the Plant Health (England) Order 2015;
- (b) in relation to potatoes produced in Wales, Schedule 13 to the Plant Health (Wales) Order 2018;
- (c) in relation to potatoes produced in Scotland, Schedule 14 to the Plant Health (Scotland) Order 2005;
- (d) in relation to potatoes produced in Northern Ireland, Schedule 13 to the Plant Health Order (Northern Ireland) 2018;

"relevant Seed Marketing Regulations" means-

- (e) in relation to seed produced in England, the Seed Marketing Regulations 2011(28);
- (f) in relation to seed produced in Wales, the Seed Marketing (Wales) Regulations 2012(29);
- (g) in relation to seed produced in Scotland, the Fodder Plant Seed (Scotland) Regulations 2005(**30**);
- (h) in relation to seed produced in Northern Ireland, the Seed Marketing Regulations (Northern Ireland) 2016(**31**);

"relevant Seed Potatoes Regulations" means-

- (a) in the case of seed potatoes produced in England, the Seeds Potatoes (England) Regulations 2015(**32**);
- (b) in the case of seed potatoes produced in Wales, the Seed Potatoes (Wales) Regulations 2016(**33**);
- (c) in the case of seed potatoes produced in Scotland, the Seed Potatoes (Scotland) Regulations 2015(34);
- (d) in the case of seed potatoes produced in Northern Ireland, the Seed Potatoes Regulations (Northern Ireland) 2016(**35**);

"round wood" means wood which is not sawn lengthwise;

⁽²⁸⁾ S.I. 2011/463; relevant amending instruments are S.I. 2011/2992, S.I. 2012/3035, S.I. 2016/613, S.I. 2019/131.

⁽²⁹⁾ S.I. 2012/245; relevant amending instruments are S.I. 2016/1242 (W.294), S.I. 2019/368 (W.90).

⁽³⁰⁾ S.S.I. 2005/329; relevant amending instruments are S.S.I. 2009/223, S.S.I. 2010/219, S.S.I. 2012/5, S.S.I. 2016/68, S.S.I. 2019/59.

⁽³¹⁾ S.R. 2016 No. 244, amended by S.R. 2019 No.211 there are other amending instruments but none is relevant.

⁽³²⁾ S.I. 2015/1953, amended by S.I. 2019/472; there are other amending instruments but non is relevant.

⁽³³⁾ S.I. 2016/106 (W.52), amended by S.I. 2019/738 (W.141) there are other amending instruments but none is relevant.

⁽³⁴⁾ S.S.I. 2015/395, amended by S.S.I. 2019/59 there are other amending instruments but none is relevant.

⁽³⁵⁾ S.R. 2016 No. 190, there are other amending instruments but non is relevant.

PART A

Relevant material, originating in third countries, which may only be brought into the relevant UK territories if specified requirements are met

(1)	(2)	(3)
Item	Description of relevant material	Requirements
1.	 Wood of conifers (Coniferales), except that of <i>Thuja</i> L. or <i>Taxus</i> L., other than in the form of: — chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from these conifers, — wood packaging material, except associated controlled dunnage, — wood of <i>Libocedrus decurrens</i> Torr. where there is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 #C for a seven to eight day period, but including that which has not kept its natural round surface, originating in Canada, China, Japan, the Republic of Korea, Mexico, Taiwan or the USA, where Bursaphelenchus xylophilus (Steiner & Bührer) Nickle et al. is known to occur 	 The wood must be accompanied by an official statement: (a) that the wood has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), and (b) that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, <i>Monochamus</i> spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, except in the case of wood free from any bark, with a protective covering ensuring that infestation with <i>Bursaphelenchus xylophilus</i> (Steiner & Bührer) Nickle et al. cannot occur.
2.	 Wood of conifers (Coniferales), other than in the form of: chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from these conifers, wood packaging material, except associated controlled dunnage, but including that which has not kept its natural round surface, originating in Russia, Kazakhstan or Turkey 	 There must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate The wood must be accompanied by: (a) an official statement that it originates in an area* known to be free from: <i>Monochamus</i> spp. (non-European), <i>Pissodes</i> spp. (non-European), <i>Scolytidae</i> spp. (non-European), (b) an official statement that it is bark-free and free from grub holes, caused by its vectors, <i>Monochamus</i> spp., defined for this purpose as those which are larger than 3 mm across, (c) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter,

(1)	(2)	(3)	
Item	Description of relevant material	Requirements	
		 (d) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core). 	
		Where the phytosanitary certificate includes the official statement referred to in paragraph (c), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.	
		Where the phytosanitary certificate includes the official statement referred to in paragraph (d), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.	
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"	
3.	 Wood of conifers (Coniferales), other than in the form of: — chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from these conifers, — wood packaging material, except associated controlled dunnage, 	 The wood must be accompanied by: (a) an official statement that it is bark-free and free from grub holes, caused by its vectors, <i>Monochamus</i> spp., defined for this purpose as those which are larger than 3 mm across, (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, or 	
	 but including that which has not kept its natural round surface, originating in any third country other than: — Russia, Kazakhstan or Turkey, — a European country, — Canada, China, Japan, the 	 (c) an official statement that has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core). 	
	 Canada, China, Japan, the Republic of Korea, Mexico, Taiwan or the USA, where Bursaphelenchus xylophilus (Steiner & Bührer) Nickle et al.is known to occur 	Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage	

usage.

(1)	(2)	(3)
Item	Description of relevant material	Requirements Where the phytosanitary certificate includes the official statement referred to in paragraph (c), there must also be evidence of that heat treatmen by a mark "HT" put on the wood or on any wrapping in accordance with current usage and o the phytosanitary certificate
4.	Wood of conifers (Coniferales), originating in any third country	 The wood must: (a) be bark-free, (b) be accompanied by an official statement that it originates in an area* which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Ips duplicatus</i> (Sahlberg), <i>Ips typographus</i> (Heer) and <i>Ips amitinus</i> (Eichhoff), or (c) have evidence by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule. * The name of the area(s) must be included in
		the phytosanitary certificate under the heading "Additional declaration"
5.	 Wood of <i>Thuja</i> L. or <i>Taxus</i> L., other than in the form of: chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from these conifers, wood packaging material, except associated controlled dunnage, but including that which has not kept its natural round surface, originating in Canada, China, Japan, the Republic of Korea, Mexico, Taiwan or the USA, where where 	 The wood must be accompanied by: (a) an official statement that the wood is barkfree, (b) an official statement that it has undergone kiln-drying to below 20% moisture content expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, or (c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minute throughout the entire profile of the wood (including at its core).
	Bursaphelenchus xylophilus (Steiner & Bührer) Nickle et al. is known to occur	official statement referred to in paragraph (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current

usage.

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		Where the phytosanitary certificate includes the official statement referred to in paragraph (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate
6.	 Wood of Acer saccharum Marsh., including wood which has not kept its natural round surface, other than in the form of: wood intended for the production of veneer sheets, chips, particles, sawdust, shavings, wood waste or scrap wood packaging material, except associated controlled dunnage, originating in Canada or the USA 	The wood must be accompanied by an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, and there must be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage
7.	intended for the production of veneer	The wood must be accompanied by an official statement that it originates in an area* which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Ceratocystis virescens</i> (Davidson) Moreau and is intended for the production of veneer sheets.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
8.	 Wood of Fraxinus L., Juglans ailantifolia Carr., Juglans mandshurica Maxim., Ulmus davidiana Planch. or Pterocarya rhoifolia Siebold & Zucc., other than in the form of: chips, particles, sawdust, shavings, wood waste or scrap, obtained in whole or part from these trees, or wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, furniture or other objects made of untreated 	 The wood must be accompanied by: (a) an official statement that its bark and at least 2.5 cm of the outer sapwood have been removed in a facility authorised and supervised by the national plant protection organisation in the country of origin, (b) an official statement that the wood has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood, (c) an official statement that the wood originates in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire. A phytosanitary certificate may not include the official statement referred to in paragraph (c)
	wood, originating in Canada, China, Democratic People's Republic of Korea, Japan,	unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the 31

(2)	(3)
Description of relevant material Mongolia, Republic of Korea, Russia, Taiwan or the USA	Requirements United Kingdom with written details of the area or areas. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
 Wood of <i>Quercus</i> L., other than wood or wood in the form of: chips, particles, sawdust, shavings, wood waste or scrap, casks, barrels, vats, tubs or other coopers' products, or parts thereof, of wood, including staves, where there is documented evidence that the wood has been produced or manufactured using heat treatment to achieve a minimum temperature of 176 #C for 20 minutes, or wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, originating in the USA 	 The wood must be accompanied by: (a) an official statement that it is squared so as to remove entirely the rounded surface, (b) an official statement that it is bark-free and the water content is less than 20% expresses as a percentage of the dry matter, (c) an official statement that it is bark-free and has been disinfected by an appropriate hota or hot water treatment, or (d) in the case of sawn wood, with or without residual bark attached, an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule. Where the phytosanitary certificate includes the official statement referred to in paragraph (d), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage
Wood of <i>Castanea</i> Mill., originating in any third country	 The wood must: (e) be bark-free, or (f) be accompanied by: (i) an official statement that it originates in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr, or (ii) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time temperature schedule.
	 Description of relevant material Mongolia, Republic of Korea, Russia, Taiwan or the USA Wood of <i>Quercus</i> L., other than wood or wood in the form of: chips, particles, sawdust, shavings, wood waste or scrap, casks, barrels, vats, tubs or other coopers' products, or parts thereof, of wood, including staves, where there is documented evidence that the wood has been produced or manufactured using heat treatment to achieve a minimum temperature of 176 #C for 20 minutes, or wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, originating in the USA

official statement referred to in paragraph (b) (ii), there must also evidence of that kiln drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood 32

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		or on any wrapping in accordance with current usage.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
1.	Wood of <i>Platanus</i> L., including wood which has not kept its natural round surface, originating in Armenia, the European Union, Switzerland or the USA	· ·
		Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also and there must be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
12.	 Wood of <i>Betula</i> L., other than in the form of: chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or in part from these trees, or wood packaging material, except associated controlled dunnage, 	 The wood must be accompanied by: (a) an official statement that its bark and at least 2.5 cm of the outer sapwood have been removed in a facility authorised and supervised by the national plant protection organisation in the country of origin, or (b) an official statement that it has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood
	but including wood which has not kept its natural round surface, furniture or other objects made of untreated wood, originating in Canada	
		33

<i>(l)</i>	(2)	(3)
Item	Description of relevant material	Requirements
	or the USA where <i>Agrilus anxius</i> Gory is known to occur	
13.	 Wood of <i>Populus</i> L., other than in the form of: chips, particles, sawdust, shavings, wood waste or scrap, or wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, originating in any country of the American continent 	 The wood must be accompanied by: (a) an official statement that it is bark-free, or (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule. Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage
14.	 Wood of Amelanchier Medik., Aronia Medik., Cotoneaster Medik., Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. or Sorbus L., other than in the form of: chips, particles, sawdust, shavings, or wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, originating in Canada or the USA 	 The wood must be accompanied by: (a) an official statement that it originates in an area* which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Saperda candida</i> Fabricius, (b) an official statement that it has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minute throughout the entire profile of the wood, or (c) an official statement that it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and of the phytosanitary certificate. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
15.	Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from of conifers (Coniferales), originating in — Russia, Kazakhstan or Turkey,	

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	 a non-European country other than Canada, China, Japan, the Republic of Korea, Mexico, Taiwan or the USA, where <i>Bursaphelenchus xylophilus</i> (Steiner & Bührer) Nickle et al. is known to occur 	— Scolytidae spp. (non-European),
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
16.	Wood of conifers (Coniferales) in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from these conifers, originating in Canada, China, Japan, the Republic of Korea, Mexico, Taiwan or the USA, where <i>Bursaphelenchus xylophilus</i> (Steiner & Bührer) Nickle et al. is known to occur	 (a) that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), and
17.	 Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from: — Acer saccharum Marsh., originating in Canada or the USA, 	 There must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate The wood must be accompanied by: (a) an official statement that it has been produced from debarked round wood, (b) an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, or

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	 <i>Populus</i> L., originating in any country of the American continent 	(c) an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).
		Where the phytosanitary certificate includes the official statement referred to in paragraph (c), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate
18.	Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from <i>Platanus</i> L., originating in Armenia, the European Union, Switzerland or the USA	
		Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate
19.	sawdust, shavings, wood waste or scrap obtained in whole or part from	The wood must be accompanied by a phytosanitar certificate which includes an official statement that it originates in a country which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Agrilus anxius</i> Gory
20.	Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from <i>Quercus</i> L, originating in the USA	
		Where the phytosanitary certificate includes the official statement referred to in paragraph (b), 36

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate
	Wood in the form of chips obtained in whole or part from <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. or <i>Sorbus</i> L., originating in Canada or the USA	(a) an official statement that it originates in an area* which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Saperda candida</i> Fabricius,
		Where the phytosanitary certificate includes the official statement referred to in paragraph (c), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
22.	Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or part from <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. or <i>Pterocarya rhoifolia</i> Siebold & Zucc., originating in Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan or the USA	The wood must be accompanied by an official statement that it originates in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire.
		A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
23.		The bark or objects made out of bark must be accompanied by an official statement confirming that it is free from wood
24.	out of bark of <i>Fraxinus</i> L., Juglans ailantifolia Carr., Juglans mandshurica Maxim.,	The bark or objects made out of bark must be accompanied by a phytosanitary certificate which includes an official statement that the bark or objects made out of bark originate in an area* established by the national plant protection 37

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		organisation in accordance with ISPM No. 4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire.
	Korea, Russia, Taiwan or the USA	A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
25.	Isolated bark of conifers (Coniferales) originating in any third country	 The bark must be accompanied by: (a) an official statement that it has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) an official statement that it originates in an area* which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Ips amitinus</i> (Eichhoff), <i>Ips duplicatus</i> (Sahlberg) and <i>Ips typographus</i> (Heer).
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
26.	Isolated bark of Castanea Mill. originating in any third country	The bark must be accompanied by official statement that it originates in an area* which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
27.	Isolated bark of conifers (Coniferales), originating in any third country outside Europe	 The bark must be accompanied by an official statement: (a) that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire
		 profile of the bark; and (b) that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, <i>Monochamus</i> spp., taking into account a safety margin of four

(1)	(2)	(3)
Item	Description of relevant material	Requirementsadditional weeks at the beginning and at the end of the expected flight season or with a protective covering ensuring that infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle et al. or its vectors, Monochamus spp. cannot occur.
		There must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate
28.	 Wood packaging material, except: raw wood of 6 mm thickness or less, processed wood produced by glue, heat or pressure or a combination of glue, heat or pressure, dunnage which is associated controlled dunnage for the purposes of items 1 to 3, 5, 6, 8, 9 or 12 to 14, 	 The wood packaging material: (a) must be made of debarked wood and been subject to one of the treatments specified in Annex 1 to ISPM No. 15, and (b) must display a mark in accordance with Annex 2 to ISPM No. 15 indicating that it has been subject to an approved phytosanitary treatment in accordance with this international standard
	coming from any third country	
29.	of conifers (Coniferales), over 3 m	The plants must be accompanied by an official statement that they have been produced in a nursery and that they originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Scolytidae</i> spp. (non-European)
30.	Abies Mill., Larix Mill., Picea A.	The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Ips duplicatus</i> (Sahlberg) and <i>Ips amitinus</i> (Eichhoff)
31.	Abies Mill., Larix Mill., Picea A. Dietr., Pinus L. or Pseudotsuga Carr.,	The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Ips typographus</i> (Heer)
32.		The plants must be accompanied by an official statement that the plants have been produced in a nursery and that they originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM No. 10 as a place of

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		production that is free from <i>Pissodes</i> spp. (non-European)
33.	L., intended for planting, originating	The plants must be accompanied by an official statement that no symptoms of <i>Scirrhia</i> acicola (Dearn.) Siggers have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation
34.		The plants must be accompanied by an official statement that no symptoms of <i>Scirrhia</i> pini Funk and Parker have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation
35.	Plants, other than fruit or seeds, of <i>Pinus</i> L., intended for planting, originating in any third country	 The plants must be accompanied by: (c) an official statement that have been grown throughout their life in a place of production in a country in which <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller is not known to occur, (d) an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller, (e) an official statement that they have been produced in nurseries which, along with their vicinity, have been found free from <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller on the basis of official inspections and official surveys carried out at appropriate times, or (f) an official statement that they have been grown throughout their life in a site with complete physical protection against the introduction of <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller and have been inspected at appropriate times and found to be free from <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
36.	Mill., Larix Mill., Picea A. Dietr.,	The plants must be accompanied by an official statement that no symptoms of <i>Melampsora medusa</i> Thümen have been observed at their place of production or in the immediate vicinity of the 40

(2)	(3)
Description of relevant material	Requirements
<i>Tsuga</i> Carr., intended for planting, originating in any third country	place of production since the beginning of the last complete cycle of vegetation
Plants, other than fruit or seeds, of <i>Quercus</i> L., originating in the USA	The plants must be accompanied by an official statement that the plants originate in an area* which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Ceratocystis fagacearum</i> (Bretz) Hunt. * The name of the area(s) must be included in
	the phytosanitary certificate under the heading "Additional declaration"
Plants, other than seeds, of <i>Quercus</i> L., intended for planting, originating in any third country	
	* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
of Castanea Mill. or Quercus L.,	The plants must be accompanied by an official statement that no signs of <i>Cronartium</i> spp. (non-European) have been observed at their place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
	 The plants must be accompanied by: (a) an official statement that they have been grown throughout their life in a place of production in a country where <i>Cryphonectria parasitica</i> (Murrill) Barr is known not to occur, (b) an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Cryphonectria parasitica</i> (Murrill) Barr, or (c) in the case of plants originating in the European Union, an official statement that they have been grown throughout their
	life, in a part of the European Union which is recognised as an EU protected zone
	 Description of relevant material Tsuga Carr., intended for planting, originating in any third country Plants, other than fruit or seeds, of Quercus L., originating in the USA Plants, other than seeds, of Quercus L., intended for planting, originating in any third country Plants, other than fruit or seeds, of Castanea Mill. or Quercus L., originating in any country outside Europe Plants, other than seeds, of Castanea Mill., intended for planting, originating in any third

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		in relation to <i>Cryphonectria parasitica</i> (Murrill) Barr.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
41.	Plants of <i>Castanea</i> Mill., other than plants in tissue culture, fruit or seeds, originating in any third country	
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
42.	Plants, other than seeds, of <i>Corylus</i> L., intended for planting, originating in Canada or the USA	
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

(1)	(2)	(3)
Item	Description of relevant material	<i>Requirements</i> ** The name of the place of production(s) must be included in the phytosanitary certificate under
43.	Plants, other than fruit or seeds, including cut branches with or without foliage, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. or <i>Pterocarya rhoifolia</i> Siebold & Zucc., originating in Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan or the USA	the heading "Additional declaration" The plants must be accompanied by an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire.
		A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
44.	but including cut branches, with or without foliage, of <i>Betula</i> L.,	The plants must be accompanied by a phytosanitary certificate which includes an official statement that they originate in a country which, in accordance with the measures specified in ISPM No. 4, in known to be free from <i>Agrilus anxius</i> Gory
45.	Plants, other than seeds, of <i>Platanus</i> L., intended for planting, originating in Armenia, the European Union, Switzerland or the USA	
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
46.		The plants must be accompanied by an official statement that no symptoms of <i>Melampsormedusa</i> Thümen have been observed at their plac of production or in the immediate vicinity of the

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		place of production since the beginning of the last complete cycle of vegetation
47.	L., intended for planting, originating	The plants must be accompanied by a phytosanitary certificate which includes an official statement that no symptoms of <i>Mycosphaerella populorum</i> G.E. Thompson have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation
48.	of Ulmus L., intended for planting,	The plants must be accompanied by an official statement that no symptoms of <i>Candidatus</i> Phytoplasma ulmi have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation
49.	Plants, other than scions, cuttings, plants in tissue culture, pollen or seeds, of <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. or <i>Sorbus</i> L., intended for planting, originating in Canada or the USA	 (a) an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Saperda candida</i> Fabricius, or

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 Saperda candida Fabricius has been confirmed by official surveys carried out annually at appropriate times, and immediately prior to export, the plants, and in particular their stems, have been subjected to a meticulous inspection for the presence of Saperda candida Fabricius, which included destructive sampling, where appropriate.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
50.	Swingle or Poncirus Raf.,	The fruits must be free from peduncles and leaves and the packaging, any label attached to the packaging or any document normally used for trade purposes which accompanies the consignment must bear an appropriate origin mark (which may be a reference to the name of the country of origin)
51.		The packaging, any label attached to the packaging or any document normally used for trade purposes which accompanies the consignment of fruits must bear an appropriate origin mark (which may be a reference to the name of the country of origin)
52.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans., or <i>Swinglea</i> Merr., originating in any third country other than the European Union	
		45

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 effective treatment which has been previously notified in writing to the national plant protection organisation of the United Kingdom by the relevant national plant protection organisation, (ii) that they originate in a site of production, which along with the immediate vicinity, are subject to appropriate treatments and cultural practices against <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i>, and
		 (iii) that they are free from symptoms of Xanthomonas citri pv. citri and Xanthomonas citri pv. aurantifolii, as shown from official inspections carried out at appropriate times prior to export, and
		(iv) that includes information on traceability.
		 A phytosanitary certificate may not include: the official statement referred to in paragraph (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, or the official statement referred to in paragraph (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the country of an approximation of the United Kingdom with written details of the area or areas.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
53.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., originating in any third country, other than the European Union	· ·

et Mendes,

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (b) an official statement that the fruits originated in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Cercospora angolensis</i> Carv. et Mendes, or (c) an official statement that no symptoms of <i>Cercospora angolensis</i> Carv. et Mendes have been observed in the site of production of the fruits or in the immediate vicinity of the site since the beginning of the last cycle of vegetation and none of fruits harvested in the site of production has shown, in appropriate official examination, symptoms of <i>Cercospora angolensis</i> Carv. et Mendes.
		 A phytosanitary certificate may not include: the official statement referred to in paragraph (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, or the official statement referred to in paragraph (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the united Kingdom with written details of the area or areas.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
54.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., other than fruits of <i>Citrus aurantium</i> L. or <i>Citrus latifolia</i> Tanaka, originating in any third country, other than Argentina, Brazil, the European Union, South Africa or Uruguay	 The fruits must be accompanied by: (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM No. 4, is know to be free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa, (b) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa, (c) an official statement that they: (i) originate in a place of production** established by the national plant protection organisation in accordance with ISPM No. 10 as a place

(1)	(2)	(3)
ltem	Description of relevant material	Requirements
		of production that is free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa, and (ii) have been found free of symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa by official inspection of a representative sample, defined in accordance with international
		 standards, or (d) an official statement that: (i) they originate in a site of production which is subjected to appropriate treatments and cultural measures against <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa, (ii) official inspections have been carried out in the site of production during th growing season since the beginning of the last cycle of vegetation and no symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa have been detected in the fruits, and (iii) the harvested fruits from that site of production have been found free of symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa during official inspections prior to export of a representative sample defined in accordance with international standards.
		 A phytosanitary certificate may not include: the official statement referred to in paragraph (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, or the official statement referred to in paragraph (b) or (c) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area(s) or place(s) of production.
		Where the phytosanitary certificate includes the official statement referred to in paragraph (d), information on traceability must also be included in the phytosanitary certificate.

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The name of the place of production(s) must
		be included in the phytosanitary certificate under the heading "Additional declaration"
55.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., originating in any third country where Tephritidae (non-European) are known to occur on these fruits	 The fruits must be accompanied by: (a) an official statement that the fruits originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from Tephritidae (non-European); (b) if the requirements mentioned in paragraph (a) cannot be met, an official statement that no signs of Tephritidae (non-European) have been observed at the place of production of the fruits or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and that none of the fruits harvested at the place of production have shown, in appropriate official examination, signs of Tephritidae (non-European); (c) if the requirements mentioned in paragraphs (a) and (b) cannot be met, an official statement that the fruits have been shown, in appropriate official examination on representative samples, to be free from Tephritidae (non-European) in all stages of their development, or (d) if the requirements mentioned in paragraphs (a) to (c) cannot be met, an official statement that the fruits have been subjected to an appropriate treatment, any acceptable vapour heat treatment, cold treatment, or quick freeze treatment, which has been shown to be efficient against Tephritidae (non-European) without damaging the fruit, or, where not available, chemical treatment as far as it is acceptable under retained EU law relating to the maximum residue levels of pesticides in or on food and feed of plant and animal origin
56.	Fruits of <i>Capsicum</i> (L.), <i>Citrus</i> L., other than <i>Citrus limon</i> (L.) Osbeck. or <i>Citrus aurantii-folia</i> (Christm.) Swingle, <i>Prunus persica</i> (L.) Batsch	

(1)	(2)	(3)	
Item	Description of relevant material		uirements
Item	Description of relevant material or Punica granatum L., originating in any country of the African continent, Cape Verde, Israel, Madagascar, Mauritius, La Reunion or Saint Helena		 <i>uirements</i> to be free from <i>Thaumatotibia leucotreta</i> (Meyrick), an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Thaumatotibia leucotreta</i> (Meyrick), an official statement: (i) that they originate in a place of production established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Thaumatotibia leucotreta</i> (Meyrick), and (ii) that they are free from that plant pest as shown from official inspections carried out in the place of production at appropriate times during the growing season, which included a visual examination on representative samples of fruit, and which includes information on traceability, or in the case of fruits which have been subjected to an effective cold treatment or any other effective treatment to ensure freedom from <i>Thaumatotibia leucotreta</i> (Meyrick) which has previously been notified in writing to the national plant protection organisation, an official statement they have been subjected to such a
57	Plants other than seeds of	the p "Add	treatment, which includes the treatment data. e name of the area(s) must be included in hytosanitary certificate under the heading litional declaration"
57.	Plants, other than seeds, of Amelanchier Med., Chaenomeles Lindl., Cotoneaster Ehrh., Crataegus L., Cydonia Mill., Eriobotrya Lindl., Malus Mill., Mespilus L., Photinia davidiana (Dene.) Cardot, Pyracantha Roem., Pyrus L. or Sorbus L., intended for planting, originating in any third country	(a)	plants must be accompanied by: an official statement that they originate in a country which, in accordance with the measures specified in ISPM No. 4, is know to be free <i>Erwinia amylovora</i> (Burr.) Wins et al., an official statement that the plants in the field of production or its immediate vicinit which have shown symptoms of <i>Erwinia</i> <i>amylovora</i> (Burr.) Winsl. et al. have been removed,

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		(c) in the case of plants originating in the European Union, an official statement that they originate in an area established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Erwinia amylovora</i> (Burr.) Winsl. et al.
		A phytosanitary certificate may not include the official statement referred to in paragraph (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing
58.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., originating in the European Union	 The plants must be accompanied by: (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Spiroplasma citri</i> Saglio et al., Phoma tracheiphila (Petri) Kanchaveli and Gikashvili and Citrus tristeza virus (European strains), (b) an official statement that the plants derive from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, Citrus tristeza virus (European strains), using appropriate tests or methods in line with international standards, and have been growing permanently in an insect proof glasshouse or isolated cage on which no symptoms of Spiroplasma citri Saglio et al., <i>Phoma tracheiphila</i> (Petri) Kanchaveli and Gikashvili or Citrus tristeza virus (European strains) have been observed, or (c) an official statement that they: (i) have been derived from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, Citrus tristeza virus (European strains), using appropriate tests or methods in line with international standards, and has been found free from Citrus tristeza virus (European strains), and certified free from at least

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		Citrus tristeza virus (European strains) in official individual tests carried out according to the methods mentioned in this paragraph, and (ii) have been inspected and no symptoms of <i>Spiroplasma citri</i> Saglio et al., <i>Phoma tracheiphila</i> (Petri) Kanchaveli and Gikashvili or Citrus tristeza virus (European strains) have been observed since the beginning of the last complete cycle of vegetation
59.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf. or plants of Araceae, Marantaceae, Musaceae, Persea spp. or Strelitziaceae, rooted or with growing medium attached or which appear to have been in contact with growing medium, originating in any third country, other than the European Union	a country which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Radopholus citrophilus</i> Huettel et al. and <i>Radopholus similis</i> (Cobb) Thorne, or
60.		 The plants must be accompanied by: (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Radopholus similis</i> (Cobb) Thorne, (b) an official statement that representative samples of soil and roots from the place of production have been subjected, since the beginning of the last complete cycle of vegetation, to official nematological testing for at least <i>Radopholus similis</i> (Cobb) Thorne and have been found to be free from that plant pest, or (c) in the case of plants originating in the European Union, an official statement that no contamination by <i>Radopholus similis</i> (Cobb) Thorne has been observed at the place of production since the beginning of the last complete cycle of the last complete cycle of the statement that no contamination by <i>Radopholus similis</i> (Cobb) Thorne has been observed at the place of production since the beginning of the last complete cycle of the last
61.		The plants must be accompanied by an official statement that they originate in a country which,

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	Atalantia Corrêa, Balsamocitrus Stapf, Burkillanthus Swingle, Calodendrum Thunb., Choisya Kunth, Clausena Burm. f., Limonia L., Microcitrus Swingle, Murraya J. Koenig ex L., Pamburus Swingle, Severinia Ten., Swinglea Merr., Triphasia Lour. or Vepris Comm.,	_
62.		in a country in which <i>Trioza erytreae</i> Del Guercio is known not to occur,
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
63.	Plants, other than fruit or seeds, of Aegle Corrêa, Aeglopsis Swingle, Afraegle Engl., Amyris P. Browne, Atalantia Corrêa, Balsamocitrus	 The plants must be accompanied by: (a) an official statement that they originate in a country where <i>Diaphorina citri</i> Kuway is known not to occur, or

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (b) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Diaphorina citri</i> Kuway. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
64.	Plants, other than fruits or seeds, of <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans. or <i>Swinglea</i> Merr., originating in any third country, other than the European Union	
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
65.	<i>Crataegus</i> L., intended for planting, originating in any third country	The plants must be accompanied by a phytosanitar certificate which includes an official statement than no symptoms of <i>Phyllosticta solitaria</i> Ell. an Ev. have been observed on plants at the place of

Ev. is known to occur

<i>Item</i> 66.	Description of relevant material	Requirements
66.		production since the beginning of the last complet cycle of vegetation
	 Plants, other than seeds, of <i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L. or <i>Rubus</i> L., intended for planting, originating in any third country where the following plant pests are known to occur on the following genera: in the case of <i>Fragaria</i> L.: <i>Phytophthora fragariae</i> Hickman var. fragariae, Arabis mosaic virus, Raspberry ringspot virus, Strawberry crinkle virus, Strawberry nild yellow edge virus, Strawberry mild yellow edge virus, Tomato black ring virus, <i>Xanthomonas fragariae</i> Kennedy and King; on <i>Malus</i> Mill.: <i>Phyllosticta solitaria</i> Ell. and Ev.; on <i>Prunus</i> L.: Apricot chlorotic leafroll mycoplasm, or <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin et al., on Prunus persica (L.) Batsch: <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al., on Pyrus L.: <i>Phyllosticta solitaria</i> Ell. and Ev., in the case of <i>Rubus</i> L.: <i>Tomato</i> black ring virus, Strawberry latent ringspot virus, <i>Stanthomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al., on Pyrus L.: <i>Phyllosticta solitaria</i> Ell. and Ev., 	 The plants must be accompanied by: (a) an official statement that no symptoms of diseases caused by the relevant plant pests listed in column 2 of this item have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, (b) in the case of plants of any genera listed in column 2 of this item originating in the European Union, an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from the relevant plant pests known to occur on the genera and listed in that column

(1)	(2)	(3)
Item	Description of relevant material	Requirements
67.	Plants, other than seeds, of <i>Cydonia</i> Mill. or <i>Pyrus</i> L., intended for planting, originating in any third country where Pear decline mycoplasm is known to occur	 The plants must be accompanied by: (a) an official statement that plants at the place of production and in its immediate vicinity, which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasm, have been rogued out at that place within the last three complete cycles of vegetation, or (b) in the case of plants originating in the European Union, an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from Pear decline mycoplasm
68.	 Plants, other than seeds, of <i>Fragaria</i> L., intended for planting, originating in any third country where the following plant pests are known to occur: Strawberry latent "C" virus, Strawberry vein banding virus, or Strawberry witches' broom mycoplasm 	 The plants must be accompanied by an official statement: (a) that the plants, other than those raised from seed, have been: (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, or (ii) derived in direct line from material which has been maintained under appropriate conditions and has been found free from those plant pests, or (ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, and (b) that no symptoms of diseases caused by the plant pests listed in column 2 of this item have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation
69.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting, originating in any third country where <i>Aphelenchoides besseyi</i> Christie is known to occur	 The plants must be accompanied by: (a) an official statement that no symptoms of <i>Aphelenchoides besseyi</i> Christie have been observed on plants at the place of

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 production since the beginning of the last complete cycle of vegetation, (b) in the case of plants in tissue culture, an official statement that the plants have been derived from plants which complied with paragraph (a) or have been officially tested by appropriate nematological methods and have been found free from <i>Aphelenchoides besseyi</i> Christie, or (c) in the case of plants originating in the European Union, an official statement they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from from <i>Aphelenchoides besseyi</i> Christie
70.	L., intended for planting, originating	The plants must be accompanied by a phytosanitary certificate which includes an official statement tha they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Anthonomus signatus</i> Say and <i>Anthonomus bisignifer</i> (Schenkling)
71.	 Plants, other than seeds, of <i>Malus</i> Mill., intended for planting, originating in any third country where the following plant pests are known to occur on <i>Malus</i> Mill.: Cherry rasp leaf virus (American), Tomato ringspot virus 	 The plants must be accompanied by an official statement: (a) that they have been: (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, or (ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, and (b) that no symptoms of diseases caused by the plant pests listed in column 2 of this item have been observed on plants at the place of production, or on susceptible plants in its

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		immediate vicinity, since the beginning of the last complete cycle of vegetation
72.		
73.	 Plants, other than seeds, of the following species of <i>Prunus</i> L., intended for planting, originating in any third country where Plum pox virus is known to occur: — <i>Prunus amygdalus</i> Batsch, — <i>Prunus armeniaca</i> L., — <i>Prunus blireiana</i> Andre, — <i>Prunus brigantina</i> Vill., — <i>Prunus cerasifera</i> Ehrh., — <i>Prunus cistena</i> Hansen, — <i>Prunus curdica</i> Fenzl and Fritsch., 	 The plants must be accompanied by: (a) an official statement: (i) that the plants, other than plants raised from seed: (aa) have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been

(1)	(2)	(3)
Item	Description of relevant material — Prunus domestica spp.	<i>Requirements</i> found free from that plant pest,
	 <i>Prunus domestica</i> spp. <i>domestica</i> L., <i>Prunus domestica</i> spp. <i>insititia</i> (L.) C.K. Schneid., <i>Prunus domestica</i> spp. <i>italica</i> (Borkh.) Hegi., <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i> Batal., <i>Prunus hortulana</i> Bailey, <i>Prunus hortulana</i> Bailey, <i>Prunus mandshurica</i> (Maxim.) Koehne, <i>Prunus maritima</i> Marsh., <i>Prunus mume</i> Sieb and Zucc., <i>Prunus persica</i> (L.) Batsch, <i>Prunus sibirica</i> L., <i>Prunus sibirica</i> L., <i>Prunus sibirica</i> L., <i>Prunus tomentosa</i> Thunb., <i>Prunus triloba</i> Lindl., or other species of <i>Prunus</i> L. susceptible to Plum pox virus 	 (bb) have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has beer found free from that plant pest, (ii) that no symptoms of the diseases caused by Plum pox virus have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation, and (iii) that plants at the place of production which have shown symptoms of disease caused by other viruses or virus-like pathogens, have been rogued out, or (b) in the case of plants originating in the European Union, an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from Plum pox virus
74.	 Plants of <i>Prunus</i> L., intended for planting: originating in any third country where Tomato ringspot virus is known to occur on <i>Prunus</i> L., other than seeds, originating in any third country where the following plant pests are known to occur: Cherry rasp leaf virus (American), Peach mosaic virus (American), Peach phony rickettsia, Peach rosette mycoplasm, Plum line pattern virus (American), or 	 The plants must be accompanied by an official statement: (a) that they have been: (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the relevant plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, or (ii) derived in direct line from material which has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the relevant

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	 Peach X-disease mycoplasm; other than seeds, originating in any country outside Europe where Little cherry pathogen is known to occur 	 plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, and (b) that in either case, no symptoms of diseases caused by the relevant plant pests listed in column 2 of this item have been observed on the plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation
75.	Plants, other than seeds, of <i>Prunus</i> L., intended for planting, originating in any third country	 The plants must be accompanied by: (a) an official statement that they have been grown throughout their life in a place of production in a country where <i>Xanthomonas arboricola</i> pv. pruni (Smith) Vauterin et al. is not known to occur, (b) an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Xanthomonas arboricola</i> pv. pruni (Smith) Vauterin et al., (c) an official statement that they have been derived in direct line from mother plants which have shown no symptoms of <i>Xanthomonas arboricola</i> pv. pruni (Smith) Vauterin et al. during the last complete cycle of vegetation and no symptoms of that plant pest have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, or (d) in the case of plants of <i>Prunus laurocerasus</i> L. or <i>Prunus lusitanica</i> L. for which there is evidence from their packing or from other means that they are intended for sale to final consumers not involved in professional plant production, an official statement that no symptoms of <i>Xanthomonas arboricola</i> pv. pruni (Smith) vauterin et al. have been observed on plants at the place of production since the beginning of the last complete cycle of production, an official statement that no symptoms of <i>Xanthomonas arboricola</i> pv. pruni (Smith) vauterin et al. have been observed on plants at the place of production since the beginning of the last complete growing season.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
76.		The plants must be accompanied by an official statement that no symptoms of Grapevine flavescence dorée MLO or <i>Xylophilus ampelinus</i> 60

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		(Panagopoulos) Willems et al. have been observed on the mother-stock plants at the place of production since the beginning of the last two complete cycles of vegetation
77.	 Plants of <i>Rubus</i> L., intended for planting: originating in any third country where the following plant pests are known to occur on <i>Rubus</i> L.: Tomato ringspot virus, Black raspberry latent virus, Cherry leafroll virus, other than seeds, originating in any third country where the following plant pests are known to occur: Raspberry leaf curl virus (American), or Cherry rasp leaf virus (American) 	 The plants must be accompanied by an official statement: (a) that they have been: (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the relevant plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, or (ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the relevant plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the relevant plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests, and
		have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation
78.	Tubers of <i>Solanum tuberosum</i> L., intended for planting, originating in the European Union	 (a) that all of the relevant provisions in Directive 69/464/EEC to combat Synchytrium endobioticum (Schilbersky) Percival have been complied with,
		(b) that they originate in an area, which in accordance with the measures specified in ISPM No. 4 is known to be free

accordance with the measures specified in ISPM No. 4, is known to be free from *Clavibacter michiganensis* spp. *sepedonicus* (Spieckermann and Kottoff) Davis et al. or that all of the relevant provisions in Directive 93/85/EEC to combat *Clavibacter michiganensis* spp. *sepedonicus* (Spieckermann and Kottoff) Davis et al. have been complied with,

	(2)	(3)	
Item	Description of relevant material	Req	uirements
ltem	Description of relevant material	(d)	that they originate in an area in which Ralstonia solanacearum (Smith) Yabuuchi et al. (i) is known not to occur, or (ii) is known to occur, and the tubers originate from a place of production found free from Ralstonia solanacearum (Smith) Yabuuchi et al. or considered to be free from Ralstonia solanacearum (Smith) Yabuuchi et al. as a consequence of the implementation of an appropriate procedure aimed at eradicating Ralstonia solanacearum (Smith) Yabuuchi et al., and that: (i) they originate in an area in which Meloidogyne chitwoodi Golden et al. (all populations) or Meloidogyne falla Karssen are known not to occur or an area in which Meloidogyne chitwoodi Golden et al. (all populations) and Meloidogyne fallax Karssen are know to occur and: (a) they originate from a place of production which has been found free from Meloidogyne fallax Karssen based on an annual survey of host crops by visual inspection of host plants a appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production, or (bb) after harvest, they have been randomly sampled and checked for the presence of symptoms after an appropriate method to induce symptoms or laboratory tested, as well as inspected visually, both externally and by cutting the tubers, at appropriate times and in all cases at the time of sealing of the packages or containers before marketing in accordance with the provisions
			on sealing in Council Directive 2002/56/EC on the marketing

(1)	(2)	(3)
Item	Description of relevant material	Requirementsof seed potatoes(36), and no symptoms of Meloidogyne chitwoodi Golden et al. (all populations) or Meloidogyne fallax Karssen have been found
79.		The tubers must be accompanied by an official statement that all of the provisions in Directive 2007/33/EC to combat Globodera pallida (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are complied with
80.	Tubers of Solanum tuberosum L., intended for planting, other than tubers of those varieties accepted on to the UK National Lists pursuant to the Seeds (National Lists of Varieties) Regulations 2001(37) or accepted in one or more member States pursuant to Council Directive 2002/53/EC on the common catalogue of varieties of agricultural plant species(38), originating in the European Union	 (a) that they belong to advanced selections, such a statement being indicated in an appropriate way on the document accompanying the tubers, (b) that they have been produced within the European Union, and
81.	 Plants of stolon- or tuber-forming species of <i>Solanum</i> L., intended for planting, other than: those tubers of <i>Solanum tuberosum</i> L. specified in column 2 of items 78 to 80, culture maintenance material being stored in gene banks or genetic stock collections, or seeds of Solanum tuberosum L. specified in column 2 of item 82, originating in the European Union 	 The plants must have been held under quarantine conditions and: (a) must have been found free of any plant pests in quarantine testing which was: (i) supervised by the responsible official body of the member State concerned and executed by scientifically trained staff of that organisation or any officially approved body, (ii) executed at a site provided with appropriate facilities sufficient to contain plant pests and maintain the material including indicator plants in such a way as to eliminate any risk of plant pests spreading, (iii) executed on each unit of the material: (a) by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of

⁽³⁶⁾ OJ No. L 193, 20.7.2002, p. 60.
(37) S.I. 2001/3510; relevant amending instruments are S.I. 2009/1273, S.I. 2018/942, S.I. 2019/162.
(38) OJ No. L 193, 20.7.2002, p. 1, as amended by Regulation (EC) No 1829/2003 (OJ No. L 268, 18.10.2003, p. 1).

(1)	(2)	(3)
Item	Description of relevant material	Requirements
Item	Description of relevant material	 development during the testing programme, for symptoms caused by any plant pests, and (bb) by testing: in the case of all potato material at least for: Andean potato latent virus, Arracacha virus B. oca strain, Potato black ringspot virus, Potato spindle tuber viroid, Potato virus T, Andean potato mottle virus, Potato virus T, Andean potato viruses A, M, S, V, X and Y (including Y°, Yⁿ and Y°) and Potato leaf roll virus, <i>Clavibacter michiganensis</i> spp. <i>sepedonicus</i> (Spieckermann and Kottoff) Davis et al., <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al., in the case of true seed of potato at least for the viruses and viroid listed above, and (iv) included appropriate testing on any other symptom observed in the visual examination in order to identify the plant pests having caused such symptoms, (b) any material which has not been found free, under the testing referred to in paragraph was immediately destroyed or subjected to procedures which eliminate the plant pests, and
		this material must have informed their official member national plant protection organisation of the material held
82.	Seeds of <i>Solanum tuberosum</i> L., originating in the European Union	 The seeds must be accompanied by an official statement: (a) that they derive from plants which comply with the requirements specified in column 3 of items 78 to 81, and (b) that they:

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (i) originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Synchytrium endobioticum</i> (Schilbersky) Percival, <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis et al., <i>Ralstonia solanancearum</i> (Smith) Yabuuchi et al. and Potato spindle tuber viroid, or
		 (ii) have been produced in a site in which no symptoms of the disease caused by those plant pests have been observed since the beginning of the last cycle of vegetation and where the following actions have been taken: (aa) the site has been separated from other solanaceous plants and other host plants of Potato spindle tuber viroid, (bb) staff and other items, such as tools, machinery, vehicles, vessels and packaging material, from other sites producing solanaceous plants and other host plants of Potato spindle tuber viroid have been prevented from coming into contact with the site or other appropriate hygiene measures have been taken to prevent infection by staff working, or items used, at other sites producing solanaceous plants and other host plants of Potato spindle tuber viroid, (cc) only water free from those plant pests has been used
33.	other than those mentioned in	pests has been used There must be evidence by a registration number put on the packaging, or in the case of loose- loaded potatoes transported in bulk, on the vehic transporting the potatoes, that the potatoes have

There must be evidence by a registration number put on the packaging, or in the case of looseloaded potatoes transported in bulk, on the vehicle transporting the potatoes, that the potatoes have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating that the tubers are free from Ralstonia solanacearum (Smith) Yabuuchi et al. and that the following provisions are met:

(1)	(2)	(3)	
Item	Description of relevant material	 Requirements (a) the provisions in Directive 69/464/EEC to combat Synchytrium endobioticum (Schilbersky) Percival, (b) the provisions in Directive 93/85/EC to combat Clavibacter michiganensis spp. sepedonicus (Spieckermann and Kottoff) Davis et al, and (c) the provisions in Directive 2007/33/EC to combat Globodera pallida (Stone) Behrens and Globodera rostochiensis (Wollenweber) Behrens 	
84.	originating in any third country where <i>Synchytrium endobioticum</i> (Schilbersky) Percival is known to	The tubers must be accompanied by an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Synchytrium endobioticum</i> (Schilbersky) Percival (all races other than Race 1, the common European race), and no symptoms <i>Synchytrium endobioticum</i> (Schilbersky) Percival have been observed at the place of production or in its immediate vicinity since the beginning of an adequate period	
85.		The tubers must be accompanied by an official statement that they originate in a country which in accordance with the measures specified in ISPN No. 4, is known to be free from <i>Clavibacte michiganensis</i> spp. <i>sepedonicus</i> (Spieckermann and Kottoff) Davis et al.	
86.	Tubers of <i>Solanum tuberosum</i> L., other than early potatoes, originating in any third country, other than the European Union, where Potato spindle tuber viroid is known to occur	The faculty of germination in the tubers must hav been suppressed	
87.	Tubers of <i>Solanum tuberosum</i> L., intended for planting, originating in any third country, other than the European Union		

(1)	(2)	(3)		
Item	Description of relevant material	Req	quirem	ents
		(c)	that: (i)	with the measures specified in ISPM No. 10, has been found to be free from <i>Ralstonia solanacearum</i> (Smith Yabuuchi et al., they originate in an area in which <i>Meloidogyne chitwoodi</i> Golden et al. (all populations) and <i>Meloidogyne</i> <i>fallax</i> Karssen are known not to occu
			(ii)	or where they originate in an area in which <i>Meloidogyne chitwoodi</i> Golden et al. (all populations) and <i>Meloidogyne fallax</i> Karssen are know to occur:
				 (aa) they originate from a place of production which has been found free from <i>Meloidogyne</i> <i>chitwoodi</i> Golden et al. (all populations) or <i>M. fallax</i> based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production, or (bb) after harvest, they have been randomly sampled and, either checked for the presence of symptoms after an appropriate method to induce symptoms, or laboratory tested, as well as inspected visually both externally and by cutting the
				tubers, at appropriate times and in all cases at the time of sealin of the packages or containers before marketing in accordance with the provisions on sealing in the relevant Seed Potatoes Regulations, and no symptoms of <i>Meloidogyne chitwoodi</i> Golden et al. (all populations) of <i>M. fallax</i> have been found

88. Tubers of *Solanum tuberosum* L., The tubers must be accompanied by an official other than those intended for statement that they originate in an area in which planting, originating in any third

(1)	(2)	(3)		
Item	<i>Description of relevant material</i> country, other than the European Union	Requirements Ralstonia solanacearum (Smith) Yabuuchi et al. is not known to occur		
89.	Tubers of <i>Solanum tuberosum</i> L. originating in any third country, other than the European Union	 The tubers must be accompanied by: (a) an official statement that they originate in a country where <i>Scrobipalpopsis solanivora</i> Povolny is not known to occur, or (b) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Scrobipalpopsis solanivora</i> Povolny. 		
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"		
90.	Plants, other than seeds, of Solanaceae, intended for planting, other than those mentioned in column 2 of item 84, originating in the European Union	 The plants must be accompanied by: (a) an official statement that no symptoms of Potato stolbur mycoplasm have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, or (b) an official statement that they originate in an area known to be free from Potato stolbur mycoplasm 		
91.	Solanaceae, intended for planting, originating in any third country	The plants must be accompanied by an official statement that no symptoms of Potato stolbur mycoplasm have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation		
92.	for planting, other than tubers of <i>Solanum tuberosum</i> L. or	The plants must be accompanied by an official statement that no symptoms of Potato spindle tuber viroid have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation		
93.	Plants, other than seeds, of <i>Capsicum</i> annuum L., Solanum lycopersicum L., Musa L., Nicotiana L. or Solanum melongena L., intended for planting, originating in any third country where <i>Ralstonia</i> solanacearum (Smith) Yabuuchi et al. is known to occur, other than the the European Union	area which, in accordance with the measures specified in ISPM No. 4, has been found to be free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al., or		

(1)	(2)	(3)
Item	Description of relevant material	Requirements
94.	Plants, other than seeds, of <i>Capsicum</i> spp., <i>Solanum lycopersicum</i> L., <i>Musa</i> L., <i>Nicotiana</i> L. or Solanum melongena L., intended for planting, originating in the European Union	· · ·
95.	spp., Solanum lycopersicum L. or	The plants must be accompanied by an official statement that the provisions in Directive 2007/33/ EC to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are complied with
96.	Plants, other than fruits or seeds, of <i>Solanum lycopersicum</i> L. or <i>Solanum melongena</i> L., originating in any third country, other than the European Union	 The plants must be accompanied by: (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Keiferia lycopersicella</i> (Walsingham), or (b) an official statement they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Keiferia lycopersicella</i> (Walsingham).
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
97.	Fruits of <i>Solanum lycopersicum</i> L. or <i>Solanum melongena</i> L., originating in any third country, other than the European Union	 The fruits must be accompanied by: (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Keiferia lycopersicella</i> (Walsingham), (b) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Keiferia lycopersicella</i> (Walsingham), or (c) an official statement that they originate in a place of production** established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Keiferia lycopersicella</i> (Walsingham) on the basis of

69

D - d	D .		
Description of relevant material	Requirements		
	official inspections and surveys carried out during the last three months prior to export.		
	* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"		
	** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration"		
Plants, other than seeds, of <i>Humulus lupulus</i> L., intended for planting, originating in any third country	The plants must be accompanied by an official statement that no symptoms of <i>Verticillium alboatrum Reinke and Berthold or Verticillium dahlaat Klebahn</i> have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation		
Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L. or <i>Pelargonium</i> l'Hérit. ex Ait., originating in any third country	 The plants must be accompanied by: (a) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Helicoverpa armigera</i> (Hübner) and <i>Spodoptera littoralis</i> (Boisd.), (b) an official statement that no signs of <i>Helicoverpa armigera</i> (Hübner) or <i>Spodoptera littoralis</i> (Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or (c) an official statement that the plants have undergone appropriate treatment to protect them from those plant pests. 		
	* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"		
Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L. or <i>Pelargonium</i> l'Hérit. ex Ait., originating in any third country, other than the European Union	 The plants must be accompanied by: (a) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera frugiperda</i> Smith and <i>Spodoptera litura</i> (Fabricius), (b) an official statement that no signs of <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera frugiperda</i> Smith or <i>Spodoptera litura frugiperda</i> Smith or <i>Spodoptera litura</i> (Fabricius) have been observed at the place 		
	 <i>lupulus</i> L., intended for planting, originating in any third country Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L. or <i>Pelargonium</i> l'Hérit. ex Ait., originating in any third country Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L. or <i>Pelargonium</i> l'Hérit. ex Ait., originating in any third country 		

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 of production since the beginning of the last complete cycle of vegetation, or (c) an official statement that the plants have undergone appropriate treatment to protect them from those plant pests. * The name of the area(s) must be included in
		the phytosanitary certificate under the heading "Additional declaration"
101.	Plants, other than seeds, of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, originating in any third country	
		Dimock and Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or that, in the case of rooted cuttings, no symptoms of <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the rooting bed
102.	Plants, other than seeds, of Dendranthema (DC.) Des Moul. or <i>Solanum lycopersicum</i> L., intended for planting, originating in any third country, other than the European Union	The plants must be accompanied by:

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (b) an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from Chrysanthemum stem necrosis virus, or (c) an official statement that they have been grown throughout their life in a place of production** established by the national plant protection organisation in accordance with ISPM No.10 as a place of production that is free from Chrysanthemum stem necrosis virus and verified through official inspections and, where appropriate, testing.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
		** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
103.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting, originating in any third country	 The plants must be accompanied by an official statement: (a) that they have been derived in direct line from mother plants which have been found free from <i>Erwinia chrysanthemi</i> pv. dianthicola (Hellmers) Dickey, <i>Pseudomonas caryophylli</i> (Burkholder) Starr and Burkholder and <i>Phialophora cinerescens</i> (Wollenw.) Van Beyma on officially approved tests, carried out at least once within the two previous years, and (b) that no symptoms of these plant pests have been observed on the plants
104.	other than those for which there is evidence, by their packaging or by	The bulbs must be accompanied by an official statement that no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed on the plants since the beginning of the last complete cycle of vegetation
105.	 Plants, other than seeds, of <i>Pelargonium</i> l'Hérit. ex Ait., intended for planting, originating in any third country where: — Tomato ringspot virus is known to occur, and 	 The plants must be accompanied by: (a) an official statement that are directly derived from a place of production known to be free from Tomato ringspot virus, or (b) an official statement that they are of no more than fourth generation stock, derived

tion of relevant material	Req	uirements
Tomato ringspot virus are		from mother plants found to be free from Tomato ringspot virus under an officially approved system of virological testing
nium l'Hérit. ex Ait., for planting, originating in d country where: mato ringspot virus is own to occur, and <i>phinema americanum</i> Cobb <i>usu lato</i> (non-European pulations) or other vectors Tomato ringspot virus are	The (a)	plants must be accompanied by: an official statement that they are directly derived from a place of production known to be free from Tomato ringspot virus in the soil or plants, or an official statement that they are of no more than second generation stock, derived from mother plants found to be free from Tomato ringspot virus under an officially approved system of virological testing
lbs, rms, ints of the family amineae, zomes, eds, or bers, for planting, originating in d country where <i>Liriomyza</i> Blanchard) or <i>Amauromyza</i>	The (a)	 plants must be accompanied by: an official statement that they have been grown in a nursery, and that they originate: (i) in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Liriomyza sativae</i> (<i>Blanchard</i>) and Amauromyza maculosa (Malloch), or (ii) in a place of production** established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Liriomyza sativae</i> (Blanchard) and <i>Amauromyza maculosa</i> (Malloch), on the basis of official inspections carried out at least monthly during the three months prior to export,
	(b) (c)	an official statement that immediately prior to export, they have been subjected to an appropriate treatment ⁺ against <i>Liriomyza</i> sativae (Blanchard) and <i>Amauromyza</i> maculosa (Malloch) and have been officiall inspected and found free from <i>Liriomyza</i> sativae (Blanchard) and <i>Amauromyza</i> maculosa (Malloch), or an official statement that they originate from plant material (explant) which is free from <i>Liriomyza sativae</i> (Blanchard)
	pulations) or other vectors Tomato ringspot virus are t known to occur other than seeds, of <i>nium</i> l'Hérit. ex Ait., I for planting, originating in d country where: mato ringspot virus is own to occur, and <i>phinema americanum</i> Cobb <i>nsu lato</i> (non-European pulations) or other vectors Tomato ringspot virus are own to occur f herbaceous species, other lbs, rms, ants of the family amineae, izomes, eds, or pers, I for planting, originating in d country where <i>Liriomyza</i> Blanchard) or <i>Amauromyza</i> <i>a</i> (Malloch) are known to	pulations) or other vectors Tomato ringspot virus are t known to occur other than seeds, of The <i>nium</i> l'Hérit. ex Ait., (a) I for planting, originating in d country where: mato ringspot virus is own to occur, and (b) <i>phinema americanum</i> Cobb <i>nsu lato</i> (non-European pulations) or other vectors Tomato ringspot virus are own to occur f herbaceous species, other The (a) Ibs, rms, ants of the family amineae, izomes, eds, or bers, I for planting, originating in d country where <i>Liriomyza</i> Blanchard) or <i>Amauromyza</i> <i>a</i> (Malloch) are known to (b)

under sterile conditions that preclude the possibility of infestation with *Liriomyza*

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		sativae (Blanchard) or Amauromyza maculosa (Malloch) and are exported in transparent containers under sterile conditions.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		† Details of the treatment must be mentioned on the phytosanitary certificate or phytosanitary certificate for re-export
108.	Cut flowers of <i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L., <i>Gypsophila</i> L., <i>Solidago</i> L. or leafy vegetables of <i>Apium graveolens</i> L. or <i>Ocimum</i> L, originating in any third country, other than the European Union	
109.	Plants of herbaceous species, other than: — bulbs, — corms, — plants of the family Gramineae, — rhizomes, — seeds, or — tubers, intended for planting, originating in any third country	 The plants must be accompanied by: (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), (b) an official statement that no signs of <i>Liriomyza huidobrensis</i> (Blanchard) or Liriomyza trifolii (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting, (c) an official statement that immediately prior to their export, they have been officially inspected and found free from <i>Liriomyza trifolii</i> (Burgess) and have been subjected to an appropriate treatment against <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), or
		an appropriate treatment agains <i>huidobrensis</i> (Blanchard) and <i>I</i>

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (d) an official statement that they originate from plant material (explant) which is free from <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), are grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Liriomyza huidobrensis</i> (Blanchard) or <i>Liriomyza trifolii</i> (Burgess) and are exported in transparent containers under sterile conditions
110.	Plants with roots, planted or intended for planting, grown in the open air, originating in any third country, other than the European Union	
111.	Plants with roots, planted or intended for planting, grown in the open air, originating in the European Union	The plants must be accompanied by an official statement that the place of production has been established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis et al. and <i>Synchytrium endobioticum</i> (Schilbersky) Percival
112.	air of Allium porrum L., Asparagus officinalis L., Beta vulgaris L.,	rostochiensis (Wollenweber) Behrens are complied
113.	the open air, of <i>Allium ascalonicum</i> L., <i>Allium cepa</i> L., <i>Dahlia</i> spp.,	rostochiensis (Wollenweber) Behrens are complied
114.	Soil or growing medium that: — is attached to, or accompanies, plants for the purposes of	The soil or growing material must be accompanied by an official statement: (a) that at the time of planting it was:

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	 sustaining the vitality of those plants, consists wholly or partly of soil or any solid organic substance such as parts of plants or humus (including peat or bark) or partly of any solid inorganic substance, and originates in Belarus, Georgia, Moldova, Russia, Turkey, Ukraine or any country outside Europe, other than Algeria, Egypt, Israel, Libya, Morocco or Tunisia 	 (i) free from soil and organic matter; (ii) found to be free from insects and harmful nematodes and subjected to appropriate examination or heat treatment or fumigation to ensure that it was free from other plant pests, or (iii) subjected to appropriate heat treatment or fumigation to ensure freedom from plant pests, and (b) that since planting: (i) appropriate measures have been taken to ensure that the growing material has been maintained free from plant pests, or (ii) within two weeks prior to dispatch, the plants were shaken free from the material leaving the minimum amount necessary to sustain vitality during transport, and, if replanted, the growing material used for that purpose meets the requirements in paragraph (a)
115.	vulgaris L., intended for planting,	The plants must be accompanied by an official statement that no symptoms of Beet curly top virus (non-European isolates) have been observed since the beginning of the last complete cycle of vegetation
116.	Plants, other than seeds, of <i>Beta vulgaris</i> L., intended for planting, originating in any third country in which Beet leaf curl virus is known to occur	
117.	Plants, other than: — bulbs, — corms, — rhizomes, — seeds, or — tubers,	 The plants must be accompanied by: (a) an official statement that they have been grown in a nursery and that they originate in: (i) an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an
		76

(1)	(2)	(3)
Item	Description of relevant material	Requirements
Item	Description of relevant material intended for planting, originating in any third country, other than the European Union	 Requirements area that is free from <i>Thrips palmi</i> Karny, or (ii) a place of production** established by the national plant protection organisation in accordance with ISPM No. 10 as an area that is free from <i>Thrips palmi</i> Karny, on the basis of official inspections carried out at least monthly during the three months prior to export, (b) an official statement that they have been grown in a nursery and that immediately prior to export, they have been subjected to an appropriate treatment† against <i>Thrips palmi</i> Karny, or (c) an official statement that they have been grown in a nursery, they originate from plant Karny, or (c) an official statement that they have been grown in a nursery, they originate from plant material (explant) which is free from <i>Thrips palmi</i> Karny, have been grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Thrips palmi</i> Karny and are exported in transparent containers under sterile conditions.
		 * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration". † Details of the treatment must also be included
118.	Cut flowers of Orchidaceae or fruits of <i>Momordica</i> L. or <i>Solanum</i> <i>melongena</i> L., originating in any third country, other than the European Union	on the phytosanitary certificate The cut flowers and fruits must be accompanied by:
119.	Fruits of <i>Capsicum</i> L., originating in Belize, Costa Rica, Dominican Republic, El Salvador, Guatemala,	The fruits must be accompanied by:

77

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, the USA or French Polynesia where <i>Anthonomus eugenii</i> Cano is known to occur	 protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Anthonomus eugenii</i> Cano, or (b) an official statement that they originate in a place of production** established by the national plant protection organisation in accordance with ISPM No. 10 as a place of production that is free from <i>Anthonomus eugenii</i> Cano, which was declared free from <i>Anthonomus eugenii</i> Cano on official inspections carried out at least monthly during the two months prior to export at the place of production and its immediate vicinity.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
120.	Plants, other than seeds, of <i>Palmae</i> , intended for planting, originating in any country outside Europe	 The plants must be accompanied by: (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from Palm lethal yellowing mycoplasm and Cadang-Cadang viroid, and no symptoms have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation, (b) an official statement that no symptoms of Palm lethal yellowing mycoplasm or Cadang-Cadang viroid have been observed on the plants since the beginning of the last complete cycle of vegetation, and plants at the place of production which have shown symptoms giving rise to the suspicion of contamination by the diseases have been rogued out at that place and the plants have undergone appropriate treatment to rid them of Myndus crudus Van Duzee, or (c) in the case of plants in tissue culture, an official statement that the plants were derived from plants which have met the requirements in paragraphs (a) or (b)
121.	Plants of <i>Palmae</i> , intended for planting, originating in any third country, which have a diameter of	 The plants must be accompanied by: (a) an official statement that they have been grown throughout their life in a place of 78

(1)	(2)	(3)	
Item	Description of relevant material	Req	uirements
	 the stem at the base of over five cm and belong to the following genera: <i>Brahea</i> Mart, <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth, <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart., <i>Washingtonia</i> Raf. 	(b) (c)	 production in a country where <i>Paysandisia</i> archon (Burmeister) is not known to occur, an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Paysandisia</i> archon (Burmeister), or an official statement that they have, during a period of at least two years prior to export been grown in a place of production: (i) which is registered and supervised by the national plant protection organisation in the country of origin, (ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Paysandisia</i> archon (Burmeister), and (iii) where, during three official inspection per year carried out at appropriate times, including immediately prior to export, no signs of <i>Paysandisia</i> archon
122.	Plants of <i>Palmae</i> , intended for planting, originating in any third country, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: <i>Areca catechu</i> L., <i>Arenga pinnata</i> (Wurmb) Merr., <i>Bismarckia</i> Hildebr. & H. Wendl., <i>Borassus flabellifer</i> L., <i>Brahea armata</i> S. Watson, <i>Brahea edulis</i> H. Wendl., <i>Butia capitata</i> (Mart.) Becc., <i>Calamus merrillii</i> Becc., <i>Caryota maxima</i> Blume, <i>Caryota cumingii</i> Lodd. ex Mart., <i>Chamaerops humilis</i> L., <i>Cocos nucifera</i> L., Copernicia Mart., <i>Corypha utan</i> Lam., <i>Elaeis guineenis</i> Jacq., <i>Howea forsteriana</i> Becc., <i>Jubea chilensis</i> (Molina) Baill., <i>Livistona australis</i> C. Martius, <i>Livistona forstarias</i> C. Martius, <i>Livistona rotundifolia</i> (Lam.) Mart., <i>Metroxylon sagu</i> Rottb., <i>Phoenix canariensis</i> Chabaud,	the p "Add The j (a) (b)	 e name of the area(s) must be included in hytosanitary certificate under the heading ditional declaration" plants must be accompanied by: an official statement they have been grown throughout their life in a place of production in a country where <i>Rhynchophorus ferrugineus</i> (Olivier) is known not to occur, an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Rhynchophorus ferrugineus</i> (Olivier), or an official statement that they have, during a period of at least two years prior to export been grown in a place of production: (i) which is registered and supervised by the national plant protection organisation in the country of origin, (ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Rhynchophorus ferrugineus</i> (Olivier), and

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (iii) where, during three official inspections per year carried out at appropriate times, including immediately prior to movement from the place of production, no signs of <i>Rhynchophorus ferrugineus</i> (Olivier) have been observed. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
123.	Unrooted cuttings of <i>Euphorbia</i> <i>pulcherrima</i> Willd., intended for planting, originating in any third country	
124.	Plants of <i>Euphorbia pulcherrima</i> Willd., intended for planting,	The plants must be accompanied by an official statement: 80

(1)	(2)	(3)	
Item	Description of relevant material	Req	quirements
. ,		Req (a)	 that: (i) they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Bemisia tabaci</i> Genn. (European populations), (ii) no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed on plants at the place of production on official inspections carried out at least once every three weeks during the nine weeks prior to export, or (iii) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, the plants held or produced at the place of production have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production has been found free from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production has been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aimed at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in official inspections carried out weekly during the three weeks prior to the movement from th place of production, the last of which was carried out immediately prior to movement, and that evidence is available that they have been produced from cuttings which: (i) originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Bemisia tabaci</i> Genn. (European populations), (ii) have been grown at a place of
		(b)	 that evidence is available that they have been produced from cuttings which: (i) originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Bemisia tabaci</i> Genn. (European populations), (ii) have been grown at a place of production where no signs of <i>Bemisia</i>
			 <i>tabaci</i> Genn. (European populations) have been observed on official inspections carried out at least once each three weeks during the whole production period of these plants, or (iii) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production,
		81	r r

(1)	(2)	(3)
Item	Description of relevant material	Requirements have been grown on plants held or produced at the place of production having undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production has been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a
		consequence of the implementation of appropriate procedures aimed at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in official inspections carried out weekly during the three weeks prior to the movement from this place of production, the last of which was carried out immediately prior to movement, and in monitoring procedures throughout the period
125.	Plants, other than seeds, tubers or corms, of <i>Begonia</i> L., intended for planting, originating in any third country; or plants, other than seeds, of <i>Dipladenia</i> A.DC., <i>Ficus</i> L., <i>Hibiscus</i> L., <i>Mandevilla</i> Lindl. or <i>Nerium oleander</i> L., intended for planting, originating in any third country	area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Bemisia tabaci</i> Genn. (European populations),

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (f) in the case of plants for which there is evidence from their packing or their flower development or from other means that they are intended for direct sale to final consumers not involved in professional plant production, an official statement that they have been officially inspected and found free from <i>Bemisia tabaci</i> Genn. (European populations) immediately prior to their movement
126.		The plants must be accompanied by an official statement that no symptoms of <i>Aculops fuchsiae</i> Keifer have been observed at the place of production and that immediately prior to export the plants have been inspected and found free from <i>Aculops fuchsiae</i> Keifer
127.	Trees or shrubs, other than seeds or plants in tissue culture, intended for planting, originating in any third country other than a country in the Euro-Mediterranean area	(a) that have been grown in a nursery;
128.		The trees and shrubs must be accompanied by an official statement that they are dormant and free from leaves
129.	Annual or biennial plants, other than plants of Gramineae or seeds, intended for planting, originating in any third country other than a country in the Euro-Mediterranean area	(a) that they have been grown in a nursery,

 130. Pla fan per Bau the Ca Gh ex. L. S L. pla cou Eu 131. Na pla for for for for for factoria factoria for factoria for factoria fa	escription of relevant material ants, other than seeds, of the nily Gramineae, of ornamental rennial grasses of the subfamilies mbusoideae, Panicoideae or of e genera Buchloe, Bouteloua Lag., clamagrostis, Cortaderia Stapf., yceria R. Br., Hakonechloa Mak. Honda, Hystrix, Molinia, Phalaris Shibataea, Spartina Schreb., Stipa or Uniola L., intended for unting, originating in any third untry other than a country in the ro-Mediterranean area	The p states (a) (b)	 that they have been grown in a nur that they are free from plant debris and fruits, that they have been inspected at ap times and prior to export and: (i) have been found free from sy of harmful bacteria, viruses a like organisms, and (ii) have been found free from si symptoms of harmful nemato insects, mites and fungi or ha 	official sery, s, flowers opropriate ymptoms and virus- gns or odes,
fan per Bai the <i>Ca</i> <i>Gh</i> ex. L. pla cou Eun 131. Na pla for	nily Gramineae, of ornamental rennial grasses of the subfamilies mbusoideae, Panicoideae or of e genera <i>Buchloe</i> , <i>Bouteloua</i> Lag., <i>Idamagrostis</i> , Cortaderia Stapf., <i>yceria</i> R. Br., <i>Hakonechloa</i> Mak. Honda, <i>Hystrix, Molinia</i> , <i>Phalaris</i> Shibataea, <i>Spartina</i> Schreb., <i>Stipa</i> or <i>Uniola</i> L., intended for anting, originating in any third untry other than a country in the	stater (a) (b)	eliminate such organisms plants must be accompanied by an or- nent: that they have been grown in a nur that they are free from plant debris and fruits, that they have been inspected at ap times and prior to export and: (i) have been found free from sy of harmful bacteria, viruses a like organisms, and (ii) have been found free from si symptoms of harmful nemator insects, mites and fungi or ha	official sery, s, flowers opropriate ymptoms and virus- gns or odes,
fan per Bai the <i>Ca</i> <i>Gh</i> ex. L. pla cou Eun 131. Na pla for	nily Gramineae, of ornamental rennial grasses of the subfamilies mbusoideae, Panicoideae or of e genera <i>Buchloe</i> , <i>Bouteloua</i> Lag., <i>Idamagrostis</i> , Cortaderia Stapf., <i>yceria</i> R. Br., <i>Hakonechloa</i> Mak. Honda, <i>Hystrix, Molinia</i> , <i>Phalaris</i> Shibataea, <i>Spartina</i> Schreb., <i>Stipa</i> or <i>Uniola</i> L., intended for anting, originating in any third untry other than a country in the	stater (a) (b)	 nent: that they have been grown in a nur that they are free from plant debris and fruits, that they have been inspected at ap times and prior to export and: (i) have been found free from sy of harmful bacteria, viruses a like organisms, and (ii) have been found free from si symptoms of harmful nemato insects, mites and fungi or ha 	sery, s, flowers propriate ymptoms and virus- gns or odes,
pla for			subjected to appropriate treat eliminate such organisms	
	iturally or artificially dwarfed ints, other than seeds, intended planting, originating in any third untry outside Europe	state	 alants must be accompanied by an ornent: that the plants, including those collidirectly from natural habitats, have grown, held and trained for at least consecutive years prior to dispatch officially registered nursery which to an officially supervised control of that the plants have at least during period: (i) been potted in pots which har placed on shelves at least 50 ground, (ii) have been subjected to approtreatments* to ensure freedor non-European rusts, (iii) have been officially inspected least six times a year at approximetry intervals for the presence of plasted in Schedules 1 and 2, at the plants in the immediate v the nursery, by visual examine each row in the field or nurse parts of the plant above the g medium, using a random sam least 300 plants from a given where the number of plants or genus is not more than 3,000 or 10% of the plants if there at than 3,000 plants from that g 	lected e been t two i in an is subject regime, that ve been cm above opriate m from d at opriate plant pests long with ricinity of nation of ery and all growing nple of at genus of that plants, are more genus,

(1)	(2)	(3)		
Item	Description of relevant material	Requirements		
		 pests or where infested, have been removed, and the remaining plants have been effectively treated and held for an appropriate period and inspected to ensure freedom from such plant pests, (v) have been planted in an unused artificial growing medium or in a natural growing medium which has been treated by fumigation or by appropriate heat treatment and examined afterwards and found free of 		
		 any plant pests, and (vi) have been kept under conditions which ensure that the growing medium has been maintained free from plant pests and within two weeks prior to dispatch, have been: (aa) shaken and washed with clean water to remove the original growing medium and kept bare rooted, (bb) shaken and washed with clean water to remove the original growing medium and replanted in growing medium which meets the conditions in sub- paragraph (v), or (cc) subjected to appropriate treatments* to ensure that the growing medium is free from plant pests, and (c) that the plants have been packed in closed containers which have been officially sealed and bear the registration number** of the registered nursery. 		
		* The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment".		
		** The registration number must be indicated on the phytosanitary certificate under the heading "Additional declaration"		
132.	Herbaceous perennial plants, other than seeds, intended for planting, of the families Caryophyllaceae (except <i>Dianthus</i> L.), Compositae	(a) that they have been grown in a nursery,		

- that they are free from plant debris, flowers and fruits, and
- (except *Dianthus* L.), Compositae (b) (except *Dendranthema* (DC.) Des

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	Moul.), Cruciferae, Leguminosae or Rosaceae (except <i>Fragaria</i> L.), originating in any third country other than a country in the Euro- Mediterranean area	times and prior to export and (i) have been found free from symptoms
133.		protection organisation in accordance with

(1)	(2)	(3)
Item	Description of relevant material	Requirements * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		† Details of the treatment must also be included in the phytosanitary certificate
134.	Cut flowers of <i>Aster</i> spp., <i>Eryngium</i> L., <i>Gypsophila</i> L., <i>Hypericum</i> L., <i>Lisianthus</i> L., <i>Rosa</i> L., <i>Solidago</i> L. or <i>Trachelium</i> L. or leafy vegetables of <i>Ocimum</i> L., originating in any country outside Europe	
135.	lycopersicum L., intended for	The plants must be accompanied by an official statement that no symptoms of Tomato yellow leaf curl virus have been observed on the plants
136.	Plants, other than seeds, of Solanum lycopersicum L., intended for planting, originating in any third country where Tomato yellow leaf curl virus and <i>Bemisia tabaci</i> Genn. are known to occur	 (a) an official statement: (i) that no symptoms of Tomato yellow leaf curl virus have been observed on the plants; and (ii) that: (aa) the plants originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Bemisia tabaci</i> Genn., or (bb) the place of production has been found free from <i>Bemisia tabaci</i> Genn. on official inspections carried out at least monthly during the three months prior to export, or (b) an official statement that no symptoms of Tomato yellow leaf curl virus have been observed at the place of production and the
		place of production has been subjected to an appropriate treatment and monitoring 87

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 regime to ensure freedom from <i>Bemisia</i> tabaci Genn., (c) in the case of plants originating in the European Union, an official statement that the plants originate in an area known to be free from Tomato yellow leaf curl virus
37.	 Plants, other than seeds, bulbs, tubers, corms or rhizomes, intended for planting, originating in any third country where the following plants pests are known to occur: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, Squash leaf curl virus, or other viruses transmitted by <i>Bemisia tabaci</i> Genn. (non-European populations) or other vectors of the relevant plant pests are not known to occur 	The plants must be accompanied by an offici statement that no symptoms of the relevant plan pests listed in column 2 of this item have bee observed on the plants during their complete cyc of vegetation
138.	 Plants, other than seeds, bulbs, tubers, corms or rhizomes, intended for planting, originating in any third country where the following plants pests are known to occur: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, or other viruses transmitted by <i>Bemisia tabaci</i> Genn. and where <i>Bemisia tabaci</i> Genn. (non-European populations) or other vectors of the relevant plant pests are known to occur 	 The plants must be accompanied by: (a) an official statement that no symptoms of the relevant plant pests listed in column 2 or this item have been observed on the plants during an adequate period, and (b) an official statement: (i) that the plants originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Bemisia tabaci</i>. Genn. and other vectors of the plant pests, (ii) that the place of production has been found free from <i>Bemisia tabaci</i> Genn and other vectors of the plant pests on official inspections carried out at appropriate times, (iii) that the plants have been subjected to an appropriate treatment aimed at eradicating <i>Bemisia tabaci</i> Genn., or (iv) that the plants originate from plant material (explant) which is free from <i>Bemisia tabaci</i> Genn.

Genn. (non-European populations),

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		are grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Bemisia tabaci</i> Genn. (non-European populations) and are exported in transparent containers under sterile conditions
139.	Seeds of <i>Helianthus annuus</i> L., originating in any third country	 The seeds must be accompanied by an official statement that: (a) the seeds originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni, or (b) the seeds, other than those that have been produced on varieties resistant to all races o <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni present in the area of production, have been subjected to an appropriate treatment against <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni
140.	Seeds of <i>Solanum lycopersicum</i> L., originating in any third country, other than the European Union	 The seeds must be accompanied by an official statement: (a) that they have been obtained by means of an appropriate acid extraction method, and (b) that: (i) they originate in an area where <i>Clavibacter michiganensis</i> ssp. <i>michiganesnsis</i> (Smith) Davis et al., <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (Doidge) Dye or Potato spindle tuber viroid are not known to occur, (ii) no symptoms of the diseases caused by those plant pests have been observed on the plants at the place of production during their complete cycle of vegetation, or (iii) the seeds have been subjected to official testing for at least those plant pests
141.	Seeds of <i>Solanum lycopersicum</i> L., originating in the European Union	
		(b) that:

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 (i) they originate in an area where <i>Clavibacter michiganensis</i> ssp. <i>michiganesnsis</i> (Smith) Davis et al. or <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (Doidge) Dye are not known to occur; (ii) no symptoms of the diseases caused by those plant pests have been observed on the plants at the place of production during their complete cycle of vegetation, or (iii) the seeds have been subjected to official testing for at least those plant pests on a representative sample and using appropriate methods, and have been found free from those plant pests
142.	Seeds of <i>Medicago sativa</i> L., originating in any third country	 The seeds must be accompanied by: (a) an official statement that no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and no <i>Ditylenchus dipsaci</i> (Kühn) Filipjev has been revealed by laboratory tests on a representative sample, (b) an official statement that fumigation has taken place prior to export, or (c) an official statement that the seeds have been subjected to an appropriate physical treatment against <i>Ditylenchus dipsaci</i> (Kühn) Filipjev and have been found to be free of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev after laboratory tests on a representative sample
143.	Seeds of <i>Medicago sativa</i> L., originating in any third country where Clavibacter michiganensis ssp. <i>insidiosus</i> Davis et al. is known to occur	(i) that <i>Clavibacter michiganensis</i> ssp.

(1)	(2)	(3)	
Item	Description of relevant material	Req	uirements
			 harvested, and there was not more than one preceding seed harvest from the crop, or (cc) the content of inert matter which has been determined in accordance with [the rules applicable for the certification of seed marketed in the relevant territories], does not exceed 0.1% by weight,
		(b)	 (iii) that no symptoms of <i>Clavibacter</i> <i>michiganensis</i> ssp. <i>insidiosus</i> Davis et al. have been observed at the place of production, or on any <i>Medicago</i> <i>sativa</i> L. crop adjacent to it, during the last complete cycle of vegetation or, where appropriate, the last two cycles of vegetation, and (iv) that the crop has been grown on land on which no previous <i>Medicago sativa</i> L. crop has been present during the last three years prior to sowing, or in the case of seeds originating in the European Union, an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> Davis et al.
144.	Seeds of <i>Oryza sativa</i> L., originating in any third country, other than the European Union		an official statement that they have been officially tested by appropriate nematological tests and have been found free from <i>Aphelenchoides besseyi</i> Christie, or an official statement they have been subjected to an appropriate hot water treatment or other appropriate treatment
145.	Seeds of <i>Phaseolus</i> L., originating in any third country	The s (a) (b)	against <i>Aphelenchoides besseyi</i> Christie seeds must be accompanied by: an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye, or an official statement that a representative sample of the seeds has been tested and found free from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye

(1)	(2)	(3)
Item	Description of relevant material	Requirements
146.	Seeds of <i>Zea mais</i> L., originating in any third country, other than the European Union	 The seeds must be accompanied by: (a) an official statement that they originate in ar area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Erwinia stewartii</i> (Smith) Dye, or (b) an official statement that a representative sample of the seeds has been tested and found free from <i>Erwinia stewartii</i> (Smith) Dye
147.	or X Triticosecale originating in	The seeds must be accompanied by an official statement that they originate in an area* where <i>Tilletia indica</i> Mitra is known not to occur. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
148.	Grain of the genera Triticum, Secale or X Triticosecale originating in Afghanistan, India, Iraq, Mexico, Nepal, Pakistan, South Africa or the USA where Tilletia indica Mitra is known to occur	(a) an official statement that it originates in an area* where <i>Tilletia indica</i> Mitra is known not to occur, or

PART B

Relevant material which may only moved within the relevant UK territories if specified requirements are met

(1)	(2)	(3)
Item		Requirements
1.	Plants, other than seeds, of <i>Amelanchier</i> Med., <i>Chaenonmeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Photinia davidiana</i> (Dcne.) Cardot, <i>Pyracantha</i> Roem., <i>Pyrus</i> L. or <i>Sorbus</i> L., intended for planting	in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Erwinia amylovora</i> (Burr.) Winsl. et al., or
2.	L. or <i>Rubus</i> L., intended for planting	 The plants must be accompanied by an official statement: (a) that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from the following plant pests: (i) in the case of <i>Fragaria</i> L.: <i>Phytophthora fragariae</i> Hickman var. <i>fragariae</i>, Arabis mosaic virus, Raspberry ringspot virus, Strawberry crinkle virus, Strawberry nild yellow edge virus, Tomato black ring virus, Raspberry ringspot virus, Strawberry latent ringspot virus, Strawberry mild yellow edge virus, Tomato black ring virus, Krawberry latent ringspot virus, Mathematical formation of the strands mosaic virus, Tomato black ring virus, Strawberry latent ringspot virus, Kaspberry ringspot virus, Kaspberry ringspot virus, Mathematical formation of the strands mosaic virus, Tomato black ring virus, or (b) that no symptoms of diseases caused by the plant pests in paragraph (a) have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation
3.	Plants, other than seeds, of <i>Cydonia</i> Mill. or <i>Pyrus</i> L., intended for planting	

(1)	(2)	(3)	
Item	Description of relevant material	Req	virements
		(b)	an official statement that plants at the place of production or in its immediate vicinity which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasm, have been rogued out at that place within the last three complete cycles of vegetation
4.	 Plants, other than seeds, of the following species of Prunus L., intended for planting: <i>Prunus amygdalus</i> Batsch, <i>Prunus armeniaca</i> L., <i>Prunus blireiana</i> Andre, <i>Prunus brigantina</i> Vill., <i>Prunus cerasifera</i> Ehrh., <i>Prunus cerasifera</i> Ehrh., <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> spp. domestica L., <i>Prunus domestica</i> spp. insititia (L.) C.K. Schneid., <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i> Batal., <i>Prunus holosericea</i> Batal., <i>Prunus hortulana</i> Bailey, <i>Prunus mandshurica</i> (Maxim.) Koehne, <i>Prunus mume</i> Sieb. and Zucc., <i>Prunus spinosa</i> L., <i>Prunus spinosa</i> L., <i>Prunus triloba</i> Lindl., or other species of <i>Prunus</i> L. susceptible to Plum pox virus 	The j (a)	 blants must be accompanied by: an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from Plum pox virus, or an official statement: (i) that the plants, other than plants raise from seed, have been: (aa) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testin for, at least, Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest, or (bb) derived in direct line from material which has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest, or (ii) that no symptoms of disease caused by Plum pox virus have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation, and

(1)	(2)	(3)	
Item	Description of relevant material	Req	uirements
			virus-like pathogens, have been rogued out
5.	Tubers of <i>Solanum tuberosum</i> L., intended for planting		tubers must be accompanied by an official ment:
		(a)	that the provisions in the relevant Potato Wart Disease Schedule to combat <i>Synchytrium endobioticum</i> (Schilbersky) Percival have been complied with,
		(b)	that they originate in an area in which <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al.:
			(i) is known not to occur, or
			(ii) is known to occur, and the
			tubers originate from a place of
			production found free from <i>Ralstonia</i>
			solanacearum (Smith) Yabuuchi
			et al. or considered to be free of
			Ralstonia solanacearum (Smith)
			Yabuuchi et al. as a consequence of
			the implementation of an appropriate
			procedure aimed at eradicating
			Ralstonia solanacearum (Smith)
			Yabuuchi et al., and
		(c)	that they originate in an area in which
			Meloidogyne fallax Karssen is known not
			to occur, or where they originate in an area
			in which <i>Meloidogyne fallax</i> Karssen is
			known to occur:
			(i) that they originate from a place of production which has been found free from <i>Meloidogyne fallax</i> Karssen
			based on an annual survey of host
			crops by visual inspection of host
			plants at appropriate times and by
			visual inspection both externally and
			by cutting of tubers after harvest from
			potato crops grown at the place of production, or
			(ii) that after harvest the tubers have
			been randomly sampled and checked
			for the presence of symptoms after
			an appropriate method to induce
			symptoms or laboratory tested, as
			well as inspected visually, both
			externally and by cutting the tubers,
			at appropriate times and in all cases
			at the time of sealing of the packages
			or containers before marketing in
			accordance with the provisions on

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		Regulations, and no symptoms of Meloidogyne fallax Karssen have been found
6.	intended for planting, other than those which are authorised to be planted for the purposes of this item	The tubers must be accompanied by an official statement that the provisions in the relevant PCN Schedule to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are complied with
7.	intended for planting, other than tubers of those varieties accepted on to the UK National Lists pursuant to the Seeds (National Lists of Varieties) Regulations	 (a) that they belong to advanced selections, such a statement being indicated in an appropriate way on the document accompanying the tubers, (b) that they have been produced within the United Kingdom, and
8.	 Plants of stolon- or tuber-forming species of <i>Solanum</i> L., intended for planting, other than: those tubers of <i>Solanum tuberosum</i> L. specified in column 2 of items 5 to 7 or item 10, or seeds of <i>Solanum tuberosum</i> L. specified in column 2 of item 9 	 The plants must have been held under quarantine conditions and: (a) must have been found free of any plant pests in quarantine testing which was: (i) supervised by a UK plant health authority and executed by scientifically trained staff of that organisation or any officially approved body, (ii) executed at a site provided with appropriate facilities sufficient to contain plant pests and maintain the material including indicator plants in such a way as to eliminate any risk of plant pests spreading, (iii) executed on each unit of the material: (a) by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of development during the testing programme, for symptoms caused by any plant pests, and

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 in the case of all potato material at least for: Andean potato latent virus, Arracacha virus B. oca strain, Potato black ringspot virus, Potato spindle tuber viroid, Potato virus T, Andean potato mottle virus, common potato viruses A, M, S, V, X and Y (including Y^o, Yⁿ and Y^c) and Potato leaf roll virus, <i>Clavibacter michiganensis</i> spp. <i>sepedonicus</i> (Spieckermann and Kottoff) Davis et al. <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al., in the case of true seed of potato at least for the viruses and viroid listed above, and (iv) included appropriate testing on any other symptom observed in the visual examination in order to identify the plant pests having caused such symptoms, (b) any material which was not found free, under the testing referred to in paragraph (a), from plant pests specified in that paragraph must have been immediately destroyed or subjected to procedures which eliminate the plant pests, and (c) each organisation or research body holding this material must inform the appropriate UK plant health authority of the material held
9.	Seeds of <i>Solanum tuberosum</i> L. other than those specified in column 2 of item 10	 The seeds must be accompanied by an official statement: (a) that they derive from plants which comply with the requirements specified in column 3 of items 5 to 8, and (b) that they: (i) originate in an area known to be free from <i>Synchytrium endobioticum</i> (Schilbersky) Percival, <i>Ralstonia</i>

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		solanancearum (Smith) Yabuuchi et al. and Potato spindle tuber viroid, or (ii) have been produced in a site in which no symptoms of the disease caused by those plant pests have been observed since the beginning of the last cycle of vegetation and where the following actions have been taken: (aa) the site has been separated from other solanaceous plants and other host plants of Potato spindle tuber viroid, (bb) staff and other items, such as tools, machinery, vehicles, vessels and packaging material, from other sites producing solanaceous plants and other host plants of Potato spindle tuber viroid have been prevented from coming into contact with the site or other appropriate hygiene measures have been taken to prevent infection by staff working, or items used, at other sites producing solanaceous plants and other host plants of Potato spindle
10.	species of Solanum L., intended for	Each organisation or research body holding suc material must inform the appropriate UK plan health authority of the material held
11.		 There must be evidence by a registration number put on the packaging, or in the case of loose-loaded potatoes transported in bulk, on the vehicle transporting the potatoes, that the potatoes have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating that the tubers are free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. and that the following provisions are complied with: the provisions in the relevant Potato Wart Disease Schedule to combat <i>Synchytrium endobioticum</i> (Schilbersky) Percival, and the provisions in the relevant PCN Schedul to combat <i>Globodera pallida</i> (Stone)

 et al. have been observed on the plants at the place of production since the beginnin of the last complete cycle of vegetation 14. Plants, other than seeds, of <i>Humulus</i> Interplants must be accompanied by an office statement that no symptoms of <i>Verticillium alla atrum</i> Reinke and Berthold or <i>Verticillium dahli</i> Klebahn have been observed on hops at the place production since the beginning of the last complete cycle of vegetation 15. Plants, other than seeds, of The plants must be accompanied by an official <i>Dendranthema</i> (DC.) Des Moul., statement: (a) that they are of no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering, (b) that the plants or cuttings: (i) have come from premises which have been officially inspected at least monthly during the three months prior to dispatch and on which no 	(1)	(2)	(3)
 (Wollenweber) Behrens Plants with roots of <i>Capsicum</i> T. or statement that the provisions in the releva <i>Solanum melongena</i> L., intended for PCN Schedule to combat <i>Globodera palli</i> planting, other than those which (Stone) Behrens and <i>Globodera rostochien</i> are authorised to be planted for (Wollenweber) Behrens are complied with the purposes of this item by the appropriate UK plan health authority Plants, with roots, of <i>Capsicum</i> The plants must be accompanied by: annuum L., <i>Solanum nelongena</i> L., intended for planting (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from from <i>Ralstonia</i> <i>solanacearum</i> (Smith) Yabuuchi et al., or (b) an official statement that no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al., or (b) an official statement that no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. have been observed on the plants at the place of production since the beginnin of the last complete cycle of vegetation Plants, other than seeds, of <i>Humulus</i> intended for planting Plants, other than seeds, of The plants must be accompanied by an official <i>Dendranthema</i> (DC.) Des Moul., intended for planting Plants, other than seeds, of The plants must be accompanied by an official <i>Dendranthema</i> (DC.) Des Moul., intended for planting (a) that they are of no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering. (b) that the plants or cuttings: (i) have come officially inspected at lear monthly during the three months prior to dispatch and on which no 	Item	Description of relevant material	
 spp., Solanum lycopersicum L. or statement that the provisions in the releval Solanum melongene L., intended for PCN Schedule to combat Globodera palitic planting, other than those which (Stone) Behrens and Clobodera palito (Wollenweber) Behrens are complied with the purposes of this item by the appropriate UK plant health authority Plants, with roots, of Capsicum annuum L., Solanum lycopersicum L., Musa L. or Solanum melongena L., intended for planting the specified in ISPM No. 4, is known to be free from from Ralstonia solanacearum (Smith) Yabuuch et al. have been observed on the plants at the place of production since the beginnin of the last complete cycle of vegetation Plants, other than seeds, of Humulus lupulus L., intended for planting (DC.) Des Moul., statement: (a) that they are of no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during notificial inspection carried out at the time of flowering. (b) that the plants or cuttings: (i) have come from premises which have been officially inspected at leas monthly during the three months prior to dispatch and on which no be free from Chrysanthemum stunt viroid during the three months prior to dispatch and on which no be free from chrysanthemum stunt viroid during the three months prior to dispatch and on which no prior to dispatch and on which and the plants or cuttings: 			
 annuum L., Solanum lycopersicum (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al., or official statement that no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuch et al. have been observed on the plants at the place of production since the beginnin of the last complete cycle of vegetation 14. Plants, other than seeds, of <i>Humulus lupulus</i> L., intended for planting 15. Plants, other than seeds, of The plants must be accompanied by an official statement: intended for planting 15. Plants, other than seeds, of The plants must be accompanied by an official statement: (a) that they are of no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering, (b) that the plants or cuttings: (i) have come officially inspected at least monthly during the three months prior to dispatch and on which no 	12.	spp., Solanum lycopersicum L. or Solanum melongena L., intended for planting, other than those which are authorised to be planted for the purposes of this item by the appropriate UK plant health	statement that the provisions in the relevan PCN Schedule to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensi</i> .
 <i>lupulus</i> L., intended for planting statement that no symptoms of <i>Verticillium all atrum</i> Reinke and Berthold or <i>Verticillium dalla atrum</i> Reinke and Berthold or <i>Verticillium dalla Klebahn have been observed on hops at the place</i> production since the beginning of the last complecycle of vegetation 15. Plants, other than seeds, of The plants must be accompanied by an official <i>Dendranthema</i> (DC.) Des Moul., statement: intended for planting (a) that they are of no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering, (b) that the plants or cuttings: (i) have come from premises which have been officially inspected at leas monthly during the three months prior to dispatch and on which no 	13.	annuum L., Solanum lycopersicum L., Musa L. or Solanum melongena	 (a) an official statement that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from from <i>Ralstonia</i> <i>solanacearum</i> (Smith) Yabuuchi et al., or (b) an official statement that no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. have been observed on the plants at the place of production since the beginning
Dendranthema (DC.) Des Moul., statement:intended for planting(a) that they are of no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering,(b)that the plants or cuttings: (i) have been officially inspected at leas monthly during the three months prior to dispatch and on which no	14.		The plants must be accompanied by an official statement that no symptoms of <i>Verticillium alboatrum</i> Reinke and Berthold or <i>Verticillium dahlaa</i> Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation
	15.	Dendranthema (DC.) Des Moul.,	 statement: (a) that they are of no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering, (b) that the plants or cuttings: (i) have come from premises which have been officially inspected at least monthly during the three months prior to dispatch and on which no symptoms of <i>Puccinia horiana</i> Hennings have been observed during that period, and in the immediate
Puccinia horiana Hennings have been			99

(1)	(2)	(3)
Item	Description of relevant material	Requirements
		 known to have occurred during the three months prior to marketing, or (ii) have undergone appropriate treatment against <i>Puccinia horiana</i> Hennings, and (c) that in the case of unrooted cuttings, no symptoms of <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed on the cuttings or the plants from which the cuttings were derived or, in the case of rooted cuttings, no symptoms of <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed on the cuttings or the plants from which the cuttings were derived or, in the case of rooted cuttings, no symptoms of <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the rooting bed
16.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting	 The plants must be accompanied by an official statement: (a) that they have been derived in direct line from mother plants which have been found free from <i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> (Hellmers) Dickey and <i>Phialophora cinerescens</i> (Wollenw.) Van Beyma on officially approved tests, carried out at least once within the two previous years, and (b) that no symptoms of these plant pests have been observed on the plants
17.	other than those for which there is evidence from their packaging or	The bulbs must be accompanied by an official statement that no symptoms of <i>Ditylenchus dipsact</i> (Kühn) Filipjev have been observed on the plants since the beginning of the last complete cycle of vegetation
18.	Plants with roots, planted or intended for planting, grown in the open air	There must be evidence that the place of production is known to be free from <i>Synchytrium endobioticum</i> (Schilbersky) Percival
19.	air of Allium porrum L., Asparagus officinalis L., Beta vulgaris L.,	Globodera rostochiensis (Wollenweber) Behrens
20.		There must be evidence that the provisions in the relevant PCN Schedule to combat <i>Globodera pallida</i> (Stone) Behrens and

(1)	(2)	(3)
Item	Description of relevant material	Requirements
	<i>Gladiolus Tourn.</i> ex L., <i>Hyacinthus</i> spp., <i>Iris</i> spp., <i>Lilium</i> spp., <i>Narcissus</i> L. or <i>Tulipa</i> L, other than those which are authorised to be planted for the purposes of this item by the appropriate UK plant health authority	Globodera rostochiensis (Wollenweber) Behrens are complied with
21.	Seeds of <i>Medicago sativa</i> L.	 The seeds must be accompanied by: (a) an official statement that no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and no <i>Ditylenchus dipsaci</i> (Kühn) Filipjev has been revealed by laboratory tests on a representative sample, (b) an official statement that fumigation has taken place prior to marketing, or (c) an official statement the seeds have been subjected to an appropriate physical treatment against <i>Ditylenchus dipsaci</i> (Kühn) Filipjev after laboratory tests on a representative sample
22.	Seeds of Medicago sativa L.	 The seeds must be accompanied by an official statement: (a) that they originate in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> Davis et al., (b) that <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> Davis et al. has not been known to occur on the farm or in its immediate vicinity since the beginning of the last 10 years and that: (i) the crop belongs to a variety recognised as being highly resistant to <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> Davis et al., (ii) it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested, and there has not been more than one preceding seed harvest from the crop, or (iii) the content of inert matter, which has been determined in accordance
		has been determined in accordance with the the relevant Seed Marketing

(l)	(2)	(3)
Item	Description of relevant material	Requirements
		 Regulations, does not exceed 0.1% by weight, (c) that no symptoms of <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> Davis et al. have been observed at the place of production, or on any <i>Medicago sativa</i> L. crop adjacent to it, during the last complete cycle of vegetation or, where appropriate, the last two cycles of vegetation, and (d) that the crop has been grown on land on which no previous <i>Medicago sativa</i> L. crop has been present during the last three years prior to sowing

PART C

Relevant material which may only be brought into or moved within a relevant UK pest free area if specified requirements are met

(1)	(2)		(3)	(4)
Item	Description relevant mate	of erial	Requirements	Description of UK pest free area
1.	Wood of (Coniferales)	conifers	 Either: (a) the wood must be stripped of its bark, (b) the wood must be accompanied by an official statement that the wood originates in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Dendroctonus micans</i> Kugelan, or (c) there must be evidence by a mark 'Kiln-dried', 'KD' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule 	Northern Ireland

(1)	(2)		(3)	(4)
Item	Description relevant material	of l	Requirements	Description of UK pest free area
2.	Wood of co (Coniferales)	nifers	 Either: (a) the wood must be stripped of its bark, (b) the wood must be accompanied by an official statement that the wood originates in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Ips cembrae</i> Heer, or (c) there must be evidence by a mark 'Kiln-dried', 'KD' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule 	Northern Ireland
3.	Wood of co (Coniferales)	nifers	 Either: (a) the wood must be stripped of its bark, or (b) the wood must be accompanied by an official statement that the wood originates in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Ips sexdentatus</i> Börner, or (c) there must be evidence by a mark 'Kiln-dried', 'KD' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature 	Northern Ireland

(1) Item	(2) Description of relevant material	(3) Requirements	(4) Description of UK pest free area
4.	or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. or	The plants must be accompanied by an official statement that the place of production has been established in accordance with ISPM No. 10 as a place of production that is free from <i>Dendroctonus micans Kugelan</i>	Northern Ireland
5.	or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. or	The plants must be accompanied by an official statement that the place of production has been established in accordance with ISPM No. 10 as a place of production that free from <i>Ips</i> <i>cembrae</i> Heer	Northern Ireland
6.	or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A.	The plants must be accompanied by an official statement that the place of production has been established in accordance with ISPM No. 10 as a place of production that is free from <i>Ips sexdentatus</i> Börner	Northern Ireland
7.	Isolated bark of conifers (Coniferales)	 The bark must be accompanied by: (a) an official statement that it has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) an official statement that it originates in an area which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Dendroctonus micans</i> Kugelan 	Northern Ireland
8.	Isolated bark of conifers (Coniferales)	 The bark must be accompanied by: (a) an official statement that has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) an official statement that it originates in an area which, in accordance with the measures specified in ISPM No. 4, is known to be from <i>Ips cembrae</i> Heer 	Northern Ireland
9.	Isolated bark of conifers (Coniferales)	 The bark must be accompanied by: (a) an official statement that it has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) an official statement that it originates in an area which, in 104 	Northern Ireland

(1) Item	(2) Description of relevant material	(3) Requirements	(4) Description of UK pest free area
		accordance with the measures specified in ISPM No. 4, is known to be free from <i>Ips</i> <i>sexdentatus</i> Börner	
10.		The plants must be accompanied by an official statement that the plants have been produced in a nursery and that their place of production has been established in accordance with ISPM No. 10 as a place of production that is free from <i>Cephalcia lariciphila</i> (Klug.)	Northern Ireland
11.	seeds, of Picea A.	The plants must be accompanied by an official statement that the plants have been produced in a nursery and that their place of production has been established in accordance with ISPM No. 10 as a place of production that is free from <i>Gilpinia hercyniae</i> (Hartig)	Northern Ireland
12.	Tubers of <i>Solanum</i> <i>tuberosum</i> L., intended for planting	 The tubers must be accompanied by: (a) an official statement that the tubers were grown in an area where Beet necrotic yellow vein virus (BNYVV) is known not to occur, (b) an official statement that the tubers were grown on land, or in growing media consisting of soil that is known to be free from BNYVV, or officially tested by appropriate methods and found free from BNYVV, or (c) an official statement that they have been washed free from soil 	Northern Ireland
13.	Tubers of <i>Solanum</i> <i>tuberosum</i> L., other than those intended for planting		Northern Ireland

(1) Item	(2) Description of relevant material	(3) Requirements	(4) Description of UK pest free area
14.	Plants, other than	 Either: (a) the consignment or lot must not contain more than 1 % by weight of soil, or (b) the plants must be intended for processing at premises with officially approved waste disposal facilities which ensures that there is no risk of spreading BNYVV 	Northern Ireland
15.	Plants, other than seeds, of <i>Beta vulgaris</i> L., intended for planting	 The plants must be accompanied by: (a) an official statement: (i) that the plants have been officially individually tested and found free from Beet necrotic yellow vein virus (BNYVV), (ii) that they (aa) have been grown from seeds complying with the requirements in items 18 and 19, and (bb) grown in areas where BNYVV is known not to occur, or grown on land, or in growing media, officially tested by appropriate methods and found free from BNYVV and sampled, and the sample tested and found free from BNYVV, and (b) the organisation or research body holding the material must inform the relevant UK plant health authority of the material held 	Northern Ireland
16.	-	 The plants must be accompanied by: (a) an official statement that the plants are transported in such a manner as to ensure that there is no risk of spreading BNYVV, and are intended to 	Northern Ireland

(1) Item	(2) Description of relevant material	(3) Requirements	(4) Description of UK pest free area
		 be delivered to a processing plant with officially approved waste disposal facilities, which ensures that there is no risk of spreading BNYVV, or (b) an official statement that the plants have been grown in an area where BNYVV is known not to occur 	
17.	Soil from beet and unsterilised waste from beet (<i>Beta vulgaris</i> L.)	 The plants must be accompanied by: (a) an official statement that soil or waste has been treated to eliminate contamination with BNYVV, (b) an official statement that the soil or waste is intended to be transported for disposal in an officially approved manner, or (c) an official statement that the soil or waste comes from Beta vulgaris plants grown in an area where BNYVV is known not to occur 	Northern Ireland
18.	Seeds and fodder beet seed of the species <i>Beta</i> <i>vulgaris</i> L.	The seed must be accompanied by: (a) an official statement that the seed of the categories 'basic seed' and 'certified seed' satisfies the conditions in paragraph 6(2) of Part 1 of Schedule 2 to the Seed Marketing Regulations (Northern Ireland) 2016,	Northern Ireland
		 (b) in the case of 'seed not finally certified', an official statement that the seed: (i) satisfies the conditions in Part 3 of Schedule 4 to those Regulations, and (ii) is intended for processing that will satisfy the conditions in paragraph 6(2) of Part 1 of Schedule 2 to those Regulations and delivered to a processing enterprise with officially approved controlled waste disposal, to prevent the spread of 	

(1) Item	(2) Description of	(3) Requirements	(4) Description of UK
nem	relevant material	Requirements	pest free area
		Beet necrotic yellow vein virus (BNYVV), or (c) an official statement that the seed has been produced from a crop grown in an area where BNYVV is known not to occur	1 5
19.	Vegetable seed of the species Beta <i>vulgaris</i>	 The seed must be accompanied by: (a) an official statement that the processed seed contains no more than 0.5 % by weight of inert matter, in the case of pelleted seed, this standard must be met prior to pelleting, or 	Northern Ireland
		 (b) in the case of non-processed seed, an official statement that the seed: (i) is officially packed in such a manner as to ensure that there is no risk of spread of BNYVV, and (ii) is intended for processing that will satisfy the conditions laid down in paragraph (a) and delivered to a processing enterprise with officially approved controlled waste disposal, to prevent the spread of Beet necrotic yellow vein virus (BNYVV), or (c) an official statement that the seed has been produced from a crop grown in an area where BNYVV is known not to occur 	

PART D

Relevant material, originating in third countries, which is subject to emergency measures and may only be brought into the relevant UK territories if specified requirements are met

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
1.	Cut flowers of Orchidaceae originating in Thailand	The cut flowers must be accompanied by:

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		 (a) an official statement that they have been produced at a place of production which has been found to be free from <i>Thrips palmi</i> Karny during official inspections carried out at least monthly during the three months prior to export, or (b) an official statement that they have been subjected to an appropriate fumigation treatment to ensure freedom from thysanophtera
2.	Wood of Acer macrophyllum Pursh,	The wood must be accompanied by:
<i>_</i> .	Aesculus californica (Spach) Nutt., Lithocarpus densiflorus (Hook & Arn.) Rehd., Quercus spp. L. or Taxus brevifolia Nutt., originating in the USA	
		Where the phytosanitary certificate includes the official statement referred to in paragraph (c), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or its packaging in accordance with current usage.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
3.	Plants, other than fruit and seeds, of Acer macrophyllum Pursh, Acer pseudoplatanus L., Adiantum aleuticum (Rupr.) Paris, Adiantum jordanii C. Muell., Aesculus californica (Spach) Nutt., Aesculus hippocastanum L., Arbutus	 The plants must be accompanied by: (a) an official statement: (i) that the plants originate in an area* in which non-European isolates of <i>Phytophthora ramorum</i> Werres, De Cock & Man in 't Veld sp. nov. are known not to occur, and

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
Item	 menziesii Pursch., Arbutus unedo L., Arctostaphylos spp. Adans, Calluna vulgaris (L.) Hull, Camellia spp. L., Castanea sativa Mill., Fagus sylvatica L., Frangula californica (Eschsch.) Gray, Frangula purshiana (DC.) Cooper, Fraxinus excelsior L., Griselinia littoralis (Raoul), Hamamelis virginiana L., Heteromeles arbutifolia (Lindley) M. Roemer, Kalmia latifolia L., Laurus nobilis L., Leucothoe spp. D. Don, Lithocarpus densiflorus (Hook. & Arn.) Rehd., Lonicera hispidula (Lindl.) Dougl. ex Torr. & Gray, Magnolia spp. L., Michelia doltsopa BuchHam. ex DC, Nothofagus obliqua (Mirbel) Blume, Osmanthus heterophyllus (G. Don) P. S. Green, Parrotia persica (DC) C.A. Meyer, Photinia x fraseri Dress, Pieris spp. D. Don, Pseudotsuga menziesii 	 (ii) that prior to export, they were inspected and found free from non-European isolates of <i>Phytophthora ramorum</i> Werres, De Cock & Man in 't Veld sp. nov., or (b) an official statement: (i) that no signs of non-European isolate of <i>Phytophthora ramorum</i> Werres, De Cock & Man in 't Veld sp. nov. have been observed on any plants listed in column 2 at the place of production during official inspections, which included laboratory testing of any suspicious symptoms carried out sinc the beginning of the last complete cycle of vegetation, and (ii) that prior to export, they were inspected and found free from non-European isolates of <i>Phytophthora ramorum</i> Werres, De Cock & Man in 't Veld sp. nov.
ł.	Viburnum spp. L., Camellia spp. or Rhododendron spp. L., other than Rhododendron simsii Planch, intended for planting, originating in	originate in an area* in which <i>Phytophthor</i> ramorum Werres, De Cock & Man in 't Veld sp. nov. is known not to occur,
	the European Union	(b) an official statement that since the beginning of the last complete cycle of vegetation no signs of Phytophthora ramorum Werres, De Cock & Man in 't Veld sp. nov. have been observed on the plants at the place of production during official inspections, which included laboratory testing of any suspicious symptoms, carried out at least twice during the growing season at appropriate times

the growing season at appropriate times when the plants were in active growth and

(1)	(2)	(3)	
Item	Description of relevant material	Сои	ntries of origin
			 with an intensity which took account the particular production system of the plants, or where signs of <i>Phytophthora ramorum</i> Werres, De Cock & Man in 't Veld sp. nov. have been found on the plants at the place of production, an official statement that appropriate procedures have been implemented for the purpose of eradicating that plant pest, consisting of at least the following: (i) destruction of the infected plants and all plants listed in column 2 of this item within a 2 m radius of the infected plants, including associated growing media and plant debris, (ii) in the case of plants listed in column 2 of this item within a 10 m radius of the infected plants and any remaining plants from the infected lot: (a) their retention at the place of production, (bb) official additional inspections carried out at least twice in the three months after the eradication measures have been taken when the plants were in active growth, (cc) no treatments to suppress symptoms of the plant pest have been carried out in that three
			(cc) no treatments to suppress symptoms of the plant pest hav
			 plants have been subject to official intensive re-inspection following the finding and have been found free fro the plant pest in these inspections, (iv) appropriate phytosanitary measures have been taken on the growing surface within a 2 m radius of infecto plants.
		the p	e name of the area(s) must be included in hytosanitary certificate under the heading litional declaration"

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
5.	Seeds of <i>Solanum lycopersicum</i> (L.) Karsten ex Farw., originating in any third country	 The seeds must be accompanied by an official statement that they have been obtained by means of an appropriate acid extraction method and: (a) that they originate in an area in which Pepino mosaic virus is known not to occur, (b) that no symptoms of Pepino mosaic virus have been observed on the plants at the place of production during their complete cycle of vegetation, or (c) that they have undergone official testing for Pepino mosaic virus on a representative sample and using appropriate methods, and have been found to be free from Pepino mosaic virus in those tests
6.	Plants of <i>Pinus</i> L. or <i>Pseudotsuga</i> <i>menziesii</i> , intended for planting, including seeds and cones for propagation purposes, originating in any third country	
7.	Tubers of <i>Solanum tuberosum</i> L., originating in Egypt	 * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration" The tubers must be accompanied by an official statement: (a) that the tubers have been subjected to an intensive control regime to ensure the absence of <i>Ralstonia Solanacearum</i>

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		 (Smith) Yabuuchi et al., covering growing conditions, field inspections, transport, packing, pre-export inspections and testing, (b) that each lot* is made up of tubers of <i>Solanum tuberosum</i> L. which have been harvested in a single pest free area**, and (c) that each bag of tubers was sealed under the control of the competent Egytian authorities.
		In addition, each bag of tubers in the consignment must be clearly labelled with an indelible indication of the relevant individual official code number of the area from which they have been harvested and the relevant lot number, and each consignment must indicate the name or trademark of the officially registered exporter.
		A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of Egypt has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
		* The lot number(s) must be included in the phytosanitary certificate under the heading "Distinguishing marks".
		** The official code number for the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
8.	 Plants, other than seeds, intended for planting, that have a stem or root collar diameter of 1 cm or more at their thickest point of: <i>Acer</i> spp., <i>Aesculus hippocastanum</i>, <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Citrus</i> spp., <i>Cornus</i> spp., <i>Cotoneaster</i> spp., <i>Crataegus</i> spp., <i>Fagus</i> spp., <i>Lagerstroemia</i> spp., <i>Malus</i> spp., <i>Platanus</i> spp., 	 The plants must be accompanied by: (a) an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by national plant protection organisation in China and which is situated in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Anoplophora chinensis</i> (Forster), (b) an official statement that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two years, have been grown throughout their life, in a place of production established as free from <i>Anoplophora chinensis</i> (Forster) in accordance with ISPM No. 10:

(1)	(2)	(3)	
tem	Description of relevant material	Countries	of origin
	— Populus spp.,— Prunus laurocerasus,	(i)	which is registered and supervised by the national plant protection
	 <i>Pyrus</i> spp., <i>Rosa</i> spp., 	(ii)	organisation of China, which has been subjected annually
	 Salix spp., Ulmus spp., 		to at least two official meticulous inspections for any signs of
	originating in China		Anoplophora chinensis (Forster) carried out at appropriate times and no signs of the plant pest have been found,
		(iii)	where the plants have been grown in a site with complete physical protection against the introduction of <i>Anoplophora chinensis</i> (Forster) or in a site with the application of appropriate preventive treatments which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of <i>Anoplophora</i> <i>chinensis</i> (Forster) are carried out annually at appropriate times; and where signs of <i>Anoplophora chinens</i> (Forster) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer
		(iv)	zone, and where immediately prior to export, the plants, and in particular their roots and stems, were subjected to an official meticulous inspection for the presence of <i>Anoplophora chinensis</i> (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99% or
		been grow speci scion more point metic <i>Anop</i> inclu using detec	fficial statement that the plants have grown from rootstocks which were in accordance with the requirement ified in paragraph (b), grafted with as which at the time of export were no e than 1 cm in diameter at their thickes t and have been subject to an official culous inspection for the presence of <i>blophora chinensis</i> (Forster), which ided targeted destructive sampling g samples to enable at least the etion of 1% level of infestation with a idence of 99%.

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin A phytosanitary certificate may not include any of the official statements referred to in paragraphs (a) to (c) unless the national plant protection organisation of China has previously provided the national plant protection organisation of the United Kingdom with written details of the unique registration number of the place(s) of production.
		The phytosanitary certificate must also include the registration number of the place of production under the heading "Additional declaration".
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
9.	 Plants, other than seeds, intended for planting, that have a stem or root collar diameter of 1 cm or more at their thickest point of: <i>Acer</i> spp., <i>Aesculus hippocastanum</i>, <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Citrus</i> spp., <i>Cornus</i> spp., <i>Coroylus</i> spp., <i>Cotoneaster</i> spp., <i>Cotoneaster</i> spp., <i>Fagus</i> spp., <i>Lagerstroemia</i> spp., <i>Platanus</i> spp., <i>Platanus</i> spp., <i>Populus</i> spp., <i>Prunus laurocerasus</i>, <i>Pyrus</i> spp., <i>Salix</i> spp., <i>Ulmus</i> spp., originating in any third country, other than China, where <i>Anoplophora chinensis</i> (Forster) is known to be present 	 The plants must be accompanied by a phytosanitary certificate which includes: (a) an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by national plant protection organisation in the country of origin and which is situated in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Anoplophora chinensis</i> (Forster), (b) an official statement: (i) that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two years, have been grown throughout their life, in a place of production established as free from <i>Anoplophora chinensis</i> (Forster) in accordance with ISPM No. 10: (a) which is registered and supervised by the national plant protection organisation in the country of origin, (bb) which has been subject annually to at least two official meticulous inspections for any signs of <i>Anoplophora chinensis</i> (Forster) carried out at appropriate times and no signs of the plant pest have been found,

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
	Description of relevant material	(cc) where the plants have been grown in a site with complete physical protection against the introduction of Anoplophora chinensis (Forster) or in a site with the application of appropriate preventative treatments which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora chinensis (Forster) are carried out annually at appropriate times; and where signs of Anoplophora chinensis (Forster) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and(ii) that immediately prior to export, the plants, and in particular their roots an stems, were subjected to an official meticulous inspection for the presence of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%,
		 or (c) an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in paragraph (b), grafted with scions which at the time of export were no more than 1 cm in diameter at their thickest point and which have been subject to an official meticulous inspection for the presence of <i>Anoplophora chinensis</i> (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%.
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
10.	Plants, other than seeds, intended for planting, that have a stem or	The plants must be accompanied by:(a) an official statement that the plants have been grown during a period of at least two

116

(1)	(2)	(3)	
Item	Description of relevant material	Cou	ntries of origin
	root collar diameter of 1 cm or		years prior to export, or in the case of plant
	more at their thickest point of:		which are younger than two years, have
	- Acer spp.,		been grown throughout their life in a place
	— Aesculus hippocastanum,		of production:
	<i>— Alnus</i> spp.,		(i) which is registered and supervised
	<i>— Betula</i> spp.,		by the national plant protection
	— Carpinus spp.,		organisation in the country of origin,
	— <i>Citrus</i> spp.,		(ii) which has been subject annually
	— <i>Cornus</i> spp.,		to at least two official meticulous
	— <i>Corylus</i> spp.,		inspections for any signs of
	<i>— Cotoneaster</i> spp.,		Anoplophora chinensis (Forster)
	— Crataegus spp.,		carried out at appropriate times which
	— Fagus spp.,		included, where appropriate, targeted
	— <i>Lagerstroemi</i> a spp.,		destructive sampling of the roots and
	— Malus spp.,		stems of the plants, using samples to enable at least the detection of 1%
	— <i>Platanus</i> spp.,		level of infestation with a confidence
	 — Populus spp., — Prunus laurocerasus, 		of 99%, and no signs of the plant pest
	— Pyrus spp.,		have been found, and
	— Rosa spp.,		(iii) where the plants have been grown
	- Salix spp.,		in a site with complete physical
	<i>— Ulmus</i> spp., originating in an		protection against the introduction of
	area in the European Union		Anoplophora chinensis (Forster) or
	established in accordance		with the application of appropriate
	with Article 6 of Decision		preventive treatments or where
	2012/138/EU		targeted destructive sampling is
	2012, 130, 20		carried out on each lot prior to
			their movement from the place of
			production at the appropriate level,
			and where official surveys for the
			presence of Anoplophora chinensis
			(Forster) are carried out annually
			within a radius of at least 1 km
			around the site at appropriate times
			and neither Anoplophora chinensis
			(Forster) or any signs of it were
			found, or
		(b)	an official statement that the plants have
		()	been grown from rootstocks which were
			grown in accordance with the requirements
			specified in paragraph (a), grafted with
			scions which have not been grown under

For the purpose of paragraph (a)(iii), the appropriate level is 10% of the plants, where the number of plants is 4,500 or less and 450 plants, where the number of plants is more than 4,500 plants

in diameter at their thickest point.

these conditions and are no more than 1 cm

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
11.	 Plants, other than seeds, intended for planting, that have a stem or root collar diameter of 1 cm or more at their thickest point of: <i>Acer</i> spp., <i>Aesculus hippocastanum</i>, <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Carpinus</i> spp., <i>Cornus</i> spp., <i>Cornus</i> spp., <i>Coroylus</i> spp., <i>Cotoneaster</i> spp., <i>Crataegus</i> spp., <i>Fagus</i> spp., <i>Platanus</i> spp., <i>Populus</i> spp., <i>Prunus laurocerasus</i>, <i>Pyrus</i> spp., <i>Rosa</i> spp., <i>Salix</i> spp., <i>Ulmus</i> spp., which have been introduced into an area in the European Union established in accordance with Article 6 of Decision 2012/138/EU 	 The plants must be accompanied by an official statement that the plants have been grown in a site: (a) with complete physical protection against the introduction of <i>Anoplophora chinensis</i> (Forster) or with the application of appropriate preventive treatments or where targeted destructive sampling is carried our on each lot prior to their movement from the place of production at the appropriate level, and (b) where official surveys for the presence of <i>Anoplophora chinensis</i> (Forster) are carrie out annually within a radius of at least 1 km around the site at appropriate times and neither <i>Anoplophora chinensis</i> (Forster) or any signs of it were found. For the purpose of paragraph (a), the appropriate level is 10% of the plants, where the number of plants is 4,500 or less and 450 plants, where the number of plants is more than 4,500 plants
12.	intended for planting, originating in any third country where	1 /

the relevant plant pests spreading,(b) that they have been found to be free from the relevant plant pests and from the signs of infestation by those plant pests on potato

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		 tubers, and do not contain more than 0.1 % of soil in an official examination carried ou immediately prior to export, and (c) that the packaging material in which potato tubers are exported is clean. * The name of the area must be included in the phytosanitary certificate under the heading "Additional declaration"
13.	L., including those intended for planting, originating in an area in the European Union which has been established in accordance with Article 5 of Decision 2012/270/EU	 (a) that they have been: (i) grown in an officially registered place of production or by an officially registered producer, or (ii) moved from an officially registered warehouse or a dispatching centre, (b) that they have been washed or brushed so that there is no more than 0.1 % of soil remaining or have undergone an equivalent method specifically applied in order to achieve the same outcome and remove <i>Epitrix cucumeris</i> (Harris), <i>Epitrix papa</i>. Orlova-Bienkowskaja, <i>Epitrix subcrinita</i> (Lec.) or <i>Epitrix tuberis</i> (Gentner) (as the case may be) and to ensure that there is no risk of the plant pests concerned spreading, and (c) that the packaging material in which potato tubers are moved is clean
14.	L., including those intended for	The tubers must accompanied by an official statement that they have been washed so that there is no more than 0.1 % of soil remaining
15.	other than those mentioned in	The tubers must be accompanied by an official statement that they have been found to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicu</i> (Spieckermann and Kotthoff) Davis et al. is official laboratory tests
16.	Wood of conifers (Coniferales) which has not retained its round surface or is in the form of beehives or bird nesting boxes, other than sawn wood or logs of <i>Taxus</i> L. or Thuga L., or bark of conifers, originating in an area	

<i>Coi</i> (b)	 <i>intries of origin</i> 13 of Decision 2012/535/EU (an "authorised treatment facility"), and must display a mark in accordance with Annex 2 to ISPM No. 15 indicating that it has been subject to an approved phytosanitary treatment in accordance with this international standard, wood in the form of beehives or bird nesting boxes:
	 13 of Decision 2012/535/EU (an "authorised treatment facility"), and (ii) must display a mark in accordance with Annex 2 to ISPM No. 15 indicating that it has been subject to an approved phytosanitary treatment in accordance with this international standard, wood in the form of beehives or bird nesting boxes: (i) the wood: (aa) must have undergone an appropriate heat treatment in appropriate heat treatment in an appropriate heat treatment in appropriate heat
(b)	 wood in the form of beehives or bird nesting boxes: (i) the wood: (aa) must have undergone an appropriate heat treatment in an
	nesting boxes: (i) the wood: (aa) must have undergone an appropriate heat treatment in an
	(aa) must have undergone an appropriate heat treatment in an
	(aa) must have undergone an appropriate heat treatment in an
	 authorised treatment facility to achieve a minimum temperatur of 56 #C for a minimum duration of 30 continuous minutes throughout the wood and bark to ensure freedom fro live <i>Bursaphelenchus xylophilu</i> (Steiner & Bührer) Nickle et al and live <i>Monochamus</i> spp., and (bb) be accompanied by an official statement that it has undergone that treatment or display a marking accordance with Annex 2 to ISPM No. 15 indicating that it has been subject to to an approved phytosanitary treatment in accordance with this international standard, and (ii) if it is not free from bark, be moved from the area outside the flight season of <i>Monochamus</i> spp. or with a protective covering to prevent its infestation with any <i>Bursaphelenchu xylophilus</i> (Steiner & Bührer) Nickle et al art and market and standard and and standard and standard and form the area outside the flight season of <i>Monochamus</i> spp. or with a protective covering to prevent its infestation with any <i>Bursaphelenchu xylophilus</i> (Steiner & Bührer) Nickle et al art Market and the standard s
(c)	 et al or Monochamus spp., or in the case of any other wood, including bark, the wood: (i) must be accompanied by an official statement that it has undergone appropriate heat treatment in an officially authorised treatment facilit to achieve a minimum termperature of 56 #C for a minimum duration of
100	30 continuous minutes throughout the wood or bark to ensure freedom from live <i>Bursaphelenchus xylophilu</i> (Steiner & Bührer) Nickle et al. and live <i>Monochamus</i> spp., and
	(c)

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		 (ii) if it is not free from bark, be moved from the area outside the flight season of <i>Monochamus</i> spp. or with a protective covering to prevent its infestation with any <i>Bursaphelenchus</i> <i>xylophilus</i> (Steiner & Bührer) Nickle et al. or <i>Monochamus</i> spp.
		In the case of any wood, other than wood packaging material, which is not free from bark, the wood must not have been moved through any other area in the European Union which has been established in accordance with Article 5 of Decision 2012/535/EU
17.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr., originating in an area in the European Union which has been established in accordance with Article 5 of Decision 2012/535/EU ("the area")	· · · · · · · · · · · · · · · · · · ·
		any other area in the European Union which has been established in accordance with Article 5 of Decision 2012/535/EU
18.	Plants, other than seeds, intended for planting, which can only grow in water or soil that is permanently saturated with water and which originate— — in any third country, other	The plants must be accompanied by an official statement that they have been found free from <i>Pomacea</i> (Perry) immediately prior to export o in the case of plants originating in an area in the European Union which has been established if accordance with Article 5 of Decision 2012/697
	than the European Union, or	121

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
	 in an area in the European Union which has been established in accordance with Article 5 of Decision 2012/697/EU 	EU, immediately prior to their movement from the area
19.		The plants must be accompanied an official statement that have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Chalara fraxinea</i> T. Kowalski (including its teleomorph <i>Hymenoscyphus pseudoalbidus</i>).
		* The name of the area must be included in the phytosanitary certificate under the heading "Additional declaration"
20.	Live pollen of <i>Actinidia</i> Lindl. or plants, other than seeds, of <i>Actinidia</i> Lindl. intended for planting, ("the specified plants"), originating in any third country	 The specified plants must be accompanied by: (a) an official statement that the plants have been grown throughout their life in a country where <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto is known not to occur, (b) in the case of pollen or plants originating in the European Union, an official statement that the specified plants have been grown throughout their life in a part of the European Union which is recognised as an EU protected zone in respect of <i>Pseudomonas syrin</i>gae pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, (c) an official statement that the specified plants have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as as area that is free from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, (d) an official statement that the specified plants have been produced in a place or site of production established by the national plant protection organisation of the country of origin in accordance with the ISPM No. 10 as a place or site of production that is free from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto: (i) where they have been grown in a
		structure with a degree of isolation

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		and protection from the outside environment that effectively excluded Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto and have been officially inspected twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to the export and found free from Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, and (ii) the place or site of production was surrounded by a zone with a radius of at least 100 m, where: (aa) official inspections were carried out twice at the most appropriat times for detecting symptoms of infection during the last complete cycle of vegetation prior to the export and any plants showing symptoms of infection which were found during those inspections and were immediately destroyed, (bb) all specified plants in the zone were immediately destroyed, or (cc) each specified plant has been regularly tested at the most appropriate times and found free<

(1)	(2)	(3)	
Item	Description of relevant material	Countries	
		(ii) (ii) (iii) (iv)	official inspections, sampling and testing have been carried out at that place of production and throughout that zone twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to the export and <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto has not been found during the official inspections, sampling and testing, all specified plants within a radius of 500 m from that place of production were immediately destroyed, or each specified plant within a radius of 500 m from that place of production has been regularly tested at the most appropriate times and found free from <i>Pseudomonas syringae</i> pv <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, and where paragraph (ii) or (iii) applies, all specified plants in the area lying between 500 m to 4 500 m from the place of production have been destroyed or tested according to a sampling scheme able to confirm with 99% reliability that the level of presence of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa,
		statement i the phytos statement i - the s direc cond requi (b), (- the s deriv	Ichikawa, Tsuyumu & Goto in the specified plants is below 0.1%. phytosanitary certificate includes the referred to in paragraph (d) or (e), anitary certificate must also include a that: pecified plants have been derived ttly from mother plants under litions which comply with the irements specified in paragraphs (a), (c) or (d), or pecified plants have been directly yed from mother plants, which e subject to prior individual
		testin Pseu Takil & Go	subject to prior individual ng confirming their freedom from domonas syringae pv.actinidiae kawa, Serizawa, Ichikawa, Tsuyumu oto, orthe specified plants have been d according to a sampling scheme

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		able to confirm with 99% reliability that the level of presence of Pseudomonas syringae pv. <i>actinidiae</i> Takikawa, Serizawa Ichikawa, Tsuyumu & Goto in the specified plants is below 0.1%.
		* The name of the area must be include d in the phytosanitary certificate under the heading "Additional declaration"
21.	 Plants, other than seeds, intended for planting, originating in any third country, other than the European Union or any other third country where <i>Xylella fastidiosa</i> (Wells et al.) is not known to be present, which belong to the genera and species listed in— Annex 1 to Decision (EU) 2015/789, or the list of <i>Xylella</i> host plants 	 The plants must be accompanied by an official statement: (a) that <i>Xylella fastidiosa</i> (Wells et al.) is not present in the country, (b) in the case of plants, other than seeds, intended for planting, of <i>Coffea, Lavandula dentata</i> L., <i>Nerium oleander</i> L., <i>Olea europaea</i> L., <i>Polygala myrtifolia</i> L., or <i>Prunus dulcis</i> (Mill.) D.A. Webb, that they have been grown in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, confirming the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%, and (c) in the case of plants, other than seeds, intended for planting, of <i>Polygala myrtifolia</i> L., that prior to their movement out of their production site and as close to that time as possible, each lot of plants was subjected
		 in addition to official visual inspection and sampling, as well as testing, in line with international standards for the presence of <i>Xylella fastidiosa</i> (Wells et al.), confirming the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%. In the case of plants originating in any third country, other than the European Union, a phytosanitary certificate may not include any

phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has notified the national plant protection organisation of the United Kingdom NPPO in

(1)	(2)	(3)
Item	Description of relevant material	<i>Countries of origin</i> writing that <i>Xylella fastidiosa</i> (Wells et al.) is not present in the country
22.	Plants, other than seeds, intended for planting, originating in any third country where <i>Xylella fastidiosa</i> (Wells et al.) is known to be present, other than the European Union, which belong to the genera and species listed in: — Annex 1 to Decision (EU) 2015/789, or — the list of <i>Xylella</i> host plants	 The plants must be accompanied by: (a) in the case of plants originating in an area which has been established by the national plant protection organisation in accordance with ISPM No. 4 as as area* that is free from <i>Xylella fastidiosa</i> (Wells et al.), (b) in the case of plants which originate in an area where <i>Xylella fastidiosa</i> (Wells et al.) is known to be present and have not been grown for their entire production cycle in vitro, an official statement: (i) that the plants have been produced in one or more sites**: (aa) that are authorised by the national plant protection organisation in accordance with ISPM No. 10 as sites that are free from Xylella fastidiosa (Wells et al.) by its vectors, (bb) that are physically protected against <i>Xylella fastidiosa</i> (Wells et al.) by its vectors, (cc) that are surrounded by a zone with a width of 100 m which has been subject to official inspections twice a year and where all of the plants found to be infected with, or to have symptoms of, <i>Xylella fastidiosa</i> (Wells et al.) have been immediately removed and appropriate phytosanitary treatments against the vectors o <i>Xylella fastidiosa</i> (Wells et al.) have been applied before that removal, (dd) that at appropriate times throughout the year, are subject to phytosanitary treatments to maintain freedom from the vectors of <i>Xylella fastidiosa</i> (Wells et al.), including the removal of plants,

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
(1) Item		Countries of originof Xylella fastidiosa (Wells et al.),(ff) where throughout the product time of the plants, neither symptoms of Xylella fastidios (Wells et al.) nor its vectors were found in the site or if suspect symptoms were observed, testing has been undertaken and absence of Xylella fastidiosa (Wells et al. confirmed, and(gg) where throughout the product time of the plants, no symptor of Xylella fastidiosa (Wells et al.) were found in the zone referred to in paragraph (cc) or if suspect symptoms were observed, testing has been undertaken and absence of Xylella fastidiosa (Wells et al.) were found in the zone referred to in paragraph (cc) or if suspect symptoms were observed, testing has been undertaken and absence of Xylella fastidiosa (Wells et al.) that representative samples of each species of the plants from each site have been subject to annual testing, at the most appropriate time, and th absence of Xylella fastidiosa (Wells al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testin methods,(iii) that the plants have been transporte in closed containers or packaging, ensuring that Xylella fastidiosa (Wee et al.) or any of its known vectors
		 (ii) that representative samples of each species of the plants from each site have been subject to annual testing, at the most appropriate time, and th absence of <i>Xylella fastidiosa</i> (Wells al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testin methods, (iii) that the plants have been transporter in closed containers or packaging,

(2)	(3)
Description of rele	ant material Countries of origin

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		(Wells et al.) or have been propagated under sterile conditions from mother plants which have been grown in a site which meets the requirements in paragraph (b)(i) and have been tested and found free from <i>Xylella fastidiosa</i> (Wells et al.).
		A phytosanitary certificate may not include any of the official statements referred to in paragraphs (a) to (c) unless the national plant protection organisation in the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the areas or the sites (as the case may be).
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		** The name of the site(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
23.	 Plants, other than seeds, intended for planting, originating in the European Union which— have never been grown in an area established in accordance with Article 4 of Decision (EU) 2015/789, and belong to the genera and species listed in the list of <i>Xylella</i> host plants 	 The plants must be accompanied by: (a) an official statement that they have been grown in a site that is subject to annual official inspection and in the case of symptoms of <i>Xylella fastidiosa</i> (Wells et al.), sampling, taking into account the technical guidelines for the survey published by the European Commission from time to time(39), and testing in line with international standards for the presence of <i>Xylella fastidiosa</i> (Wells et al.), or (b) in the case of plants, other than seeds, intended for planting, of <i>Coffea, Lavandula dentata</i> L., <i>Nerium oleander</i> L., Olea europaea L., <i>Polygala myrtifolia</i> L. or <i>Prunus dulcis</i> (Mill.) D.A. Webb, an official statement— (i) that they have been grown in a site that is subject to annual official inspection and sampling, taking into account the technical guidelines for the survey published by the European Commission, and testing in line

⁽³⁹⁾ https://ec.europa.eu/food/sites/food/files/plant/docs/ph_biosec_legis_guidelines_xylella-survey.pdf. 129

(1)	(2)	(3)	
Item	Description of relevant material	Countries of origin	
		 presence of <i>Xylella fastidiosa</i> (Wells et al.), confirming the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%, and (ii) in respect of any plants, other than seeds, intended for planting, of <i>Polygala myrtifolia</i> L., that prior to their movement out of their production site and as close to that time as possible, each lot of plants was subjected in addition to official visual inspection and sampling, as well as testing, in line with international standards for the presence of <i>Xylella fastidiosa</i> (Wells et al.), confirming the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%. 	
		For the purposes of paragraph (b), the presence of <i>Xylella fastidiosa</i> (Wells et al.) must have been screened by one test, and in the case of positive results, its presence must have been identified by carrying out at least one positive test, as specified in for the identification of <i>Xylella fastidiosa</i> (Wells et al.) and its subspecies(40)	
24. Pre-basic mother plants, as define in Article 1(3) of Commission Implementing Directive 2014/98, EU implementing Council Direct 2008/90/EC as regards specific requirements for the genus and species of fruit plants referred to in Annex I thereto(41), or pre-basic material as defined in Article 2(5) of Council Directive 2008/90/EC on the marketing of fruit plant propagating material and fruit plants intended for fruit production(42), originating in the European Union which:		 The plants must be accompanied by an official statement: (a) that they are subject to the authorisation provided for in Commission Implementing Decision (EU) 2017/925 temporarily authorising certain Member States to certify pre-basic material of certain species of frui plants, produced in the field under non-insect proof conditions(43), and (b) that within the shortest possible time prior to their export, they have been subjected to visual inspection, sampling and molecular testing for the presence of <i>Xylella fastidiose</i> (Wells et al.), carried out in accordance wit international standards 	

⁽⁴⁰⁾ https://ec.europa.eu/food/sites/food/files/plant/docs/ph_biosec_legis_validated-tests_xylella-fastidiosa.pdf.
(41) OJ No. L 298, 16.10.2014, p. 22.
(43) OJ No. L 140, 31.5.2017, p. 7.
(42) OJ No. L 297, 8.10.2008, p. 8, as last amended by Regulation (EU) No 652/2014 of the European Parliament and of the Council (OJ No. L 189, 27.6.2014, p. 1).

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
	 belong to the species Juglans regia L., Olea europaea L., Prunus amygdalus Batsch, P. amygdalus x P. persica, P. armenica L., P. avium (L.) L., P. cerasus L., P. domestica L., P. domestica x P. salicina, P. dulcis (Mill.) D.A. Webb, P. persica (L.) Batsch, or P. salicina Lindley, have been grown in an area which has not been demarcated for the purposes of Article 4 of Decision (EU) 2015/789, and have spent at least part of their life outside insect proof facilities 	
25.	 Plants, other than seeds, intended for planting which have been grown for at least part of their life in an area in the European Union established in accordance with Article 4 of Decision (EU) 2015/789 ("the area") and belong to the genera and species listed in: — Annex 1 to that Decision, other than plants belonging to the varieties specified in Annex 3 to that Decision, or — the list of <i>Xylella</i> host plants 	In the case of plants which have not been grown for their entire production cycle in vitro, the plants must: (a) be accompanied by an official statement: (i) that they have been grown in a site: (aa) that is registered and authorised by the national plant protection organisation in the country of origin in accordance with ISPM No. 10 as a site that is free from <i>Xylella fastidiosa</i> (Wells et al.) and its vectors, and is physically protected against the introduction of <i>Xylella fastidios</i> a (Wells et al.) by its vectors, (bb) that is surrounded by a zone with a width of 100 m which has been subject to official inspections twice a year and where all of the plants found to be infected with, or to have symptoms of, <i>Xylella fastidiosa</i> (Wells et al.) have been immediately removed and appropriate phytosanitary treatments against the vectors of <i>Xylella fastidiosa</i> (Wells et al.) have been applied before that removal, (cc) that is subject to phytosanitary treatments, which may include the removal of plants, at

(1)	(2)	(3)		
Item	Description of relevant material	Countries of origin		
			 appropriate times of the year to maintain freedom from vectors of <i>Xylella fastidiosa</i> (Wells et al.), (dd) that is subject annually, togethe with the zone referred to in sub paragraph (bb) to at least two official inspections, taking into account the technical guideline. for the survey published by the European Commission on its 	
			 website, (ee) where throughout the time of growth of the plants, neither symptoms of <i>Xylella fastidiosa</i> (Wells et al.) nor its vectors were found in the site or, if suspect symptoms were observed, tests carried out confirmed the absence of <i>Xylel fastidiosa</i> (Wells et al.), 	
			 (ff) where throughout the time of growth of the plants, no symptoms of <i>Xylella fastidiosa</i> (Wells et al.) were found in the zone referred to in paragraph (bb) or, if suspect symptoms were observed, testing has been undertaken and absence of <i>Xylella fastidiosa</i> (Wells et al.) has been confirmed, 	
		(ii)	that representative samples of each species of the plants from each site have been subject to annual testing, at the most appropriate time, and the absence of <i>Xylella fastidiosa</i> (Wells al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testing	
		(iii)	methods, that as practically close to the time of export as possible, the lots of the plants were subject to official visual inspection, sampling and molecular testing, carried out in accordance with internationally validated testing methods, using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 1% or above and targeting	

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		 particular plants displaying symptom of <i>Xylella fastidiosa</i> (Wells et al.) in accordance with ISPM No. 31, and (iv) that prior to their movement from the area, the lots of the plants were subjected to phytosanitary treatments against any of the vectors of <i>Xylella fastidiosa</i> (Wells et al.), and (b) be moved in closed containers or packaging from the area to ensure that infection with <i>Xylella fastidiosa</i> (Wells et al.) or any of its vectors cannot occur.
		In the case of dormant plants, other than seeds, o <i>Vitis</i> intended for planting, the plants must: (a) be accompanied by an official statement: (i) that they have been grown in a site that it is registered by the national plant protection organisation in the country of origin and that as practically close to the time of export as possible, the plants have undergon an appropriate thermotherapy treatment in a authorised treatment facility authorised by that national plant protection organisation for that purpose, where the dormant plants were submerged for 45 minutes in water heated to 50°C in accordance with EPPO PM 10/18, and (ii) that prior to their movement from the area, the lots of the plants were subjected to phytosanitary treatments against any of the vectors of <i>Xylella</i> <i>fastidiosa</i> (Wells et al.), and
		(b) be transported in closed containers or packaging from the area to ensure that infection with <i>Xylella fastidiosa</i> (Wells et al.) or any of its vectors cannot occur.In addition, the plants must not have been moved
		through any other area established in accordance with Article 4 of Decision (EU) 2015/789 unless they were transported in closed containers or packaging from the area to ensure that infection with <i>Xylella fastidiosa</i> (Wells et al.) or any of its vectors could not occur
26.	Wood, obtained in whole or in part, from plants of <i>Acer</i> spp., <i>Aesculus</i> spp. <i>Alwas</i> spp. <i>Betula</i> spp.	In the case of wood:

133

spp., Alnus spp., Betula spp.,

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		 Countries of origin (a) in the form of chips, particles, shavings, wood waste or scrap, the wood must be accompanied by: (i) an official statement that it originates in an area* established by the nationa plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Anoplophora glabripennis</i> (Motschulsky), (ii) an official statement that it is debarked and has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), (iii) an official statement that the wood has been processed into pieces of not more than 2.5 cm thickness and width

(1)	(2)	(3)
Item	Description of relevant mater	ial Countries of origin
	— CN ex 4403 99 (non-	
	coniferous wood (other	
	than, beech (Fagus spp.)	
	poplar (<i>Populus</i> spp.) or	
	(<i>Betula</i> spp.), in the roug	
	whether or not stripped of	
	bark or sapwood, or roug	
	squared),	
	— CN 4403 99 10 (wood of	·
	poplar (<i>Populus</i> spp.) in	
	the rough, whether or no	t
	stripped of bark or sapwo	
	or roughly squared),	Jou,
	— CN 4403 99 51 (sawlogs	
	of birch (<i>Betula</i> spp.) in	
	the rough, whether or no	t .
	stripped of bark or sapwo	
		Jou,
	or roughly squared), — CN 4403 99 59 (wood of	·
	birch (<i>Betula</i> spp.) in the rough, whether or not str	
		Ipped
	of bark or sapwood, or	
	roughly squared, other th	an
	sawlogs),	
	- CN ex 4404 20 00 (non-	
	coniferous split poles;	C
	piles, pickets and stakes	
	wood, pointed but not sa	
	lengthwise),y or tramway	
	sleepers (cross-ties) of w	
	— CN 4407 92 00 (wood of	
	beech (Fagus spp.), sawn	
	chipped lengthwise, slice	
	peeled, whether or not pl	
	sanded or end-jointed, of	
	thickness exceeding 6 m	
	— CN 4407 93 (wood of ma	1
	(Acer spp.), sawn or chip	-
	lengthwise, sliced or pee	
	whether or not planed, sa	
	or end-jointed, of a thick	ness
	exceeding 6 mm),	
	— CN 4407 95 (wood of as	h
	(Fraxinus spp.), sawn or	
	chipped lengthwise, slice	ed or
	peeled, whether or not pl	aned,
	sanded or end-jointed, of	
	thickness exceeding 6 m	
	— CN ex 4407 99 (non-	
	coniferous wood (other t	han
	beech (Fagus spp.), map	
		135

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
	 (Acer spp.), ash (Fraxinus spp.) or poplar (Populus spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm), CN 4407 99 91 (wood of poplar (Populus spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm), CN 9406 00 20 (prefabricated buildings of wood) 	
27.	Wood packaging material, obtained in whole or in part, from plants of of <i>Acer</i> spp., <i>Aesculus</i> spp., <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Cercidiphyllum</i> spp., <i>Corylus</i> spp., <i>Fagus</i> spp., <i>Fraxinus</i> spp., <i>Koelreuteria</i> spp., <i>Platanus</i> spp., <i>Roelreuteria</i> spp., <i>Tilia</i> spp. and <i>Ulmus</i> spp. originating in an area in the European Union established in accordance with Article 7 of Decision (EU) 2015/893	(a) be made of debarked wood and been subject to one of the treatments specified in Annex 1 to ISPM No. 15, and
28.	Plants, other than seeds, intended for planting that have a stem diameter of 1 cm or more at their thickest point, of Acer spp., Aesculus spp., Alnus spp., Betula spp., Carpinus spp., Cercidiphyllum spp., Corylus spp., Fagus spp., Fraxinus spp., Koelreuteria spp., Platanus spp., Populus spp., Salix spp., Tilia spp. and Ulmus spp., originating in any third country, other than the European Union, where Anoplophora glabripennis (Motschulsky) is known to be present	been grown throughout their life in a place of production which is registered and supervised by national plant protection organisation in the country of origin and is situated in an area* established by that organisation in accordance with ISPM No. 4 as an area that is free from <i>Anoplophora</i> <i>glabripennis</i> (Motschulsky),

(1)	(2)	(3)	
Item	Description of relevant material	Countries	s of origin
		(ii)	which has been subject annually to at least two official meticulous inspections for any signs of <i>Anoplophora glabripennis</i> (Motschulsky) carried out at
		(iii)	appropriate times and no signs of the plant pest have been found, where the plants have been grown in site (aa) with complete physical
			 (au) with complete physical protection against the introduction of <i>Anoplophora glabripennis</i> (Motschulsky) or (bb) with the application of appropriate preventative treatments and which was
			surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of <i>Anoplophora glabripennis</i>
			(Motschulsky) are carried out annually at appropriate times and where signs of <i>Anoplophora glabri</i> pennis (Motschulsky) have been found eradication measures were take
		(iv)	immediately to restore the pest freedom of the buffer zone, and that immediately prior to export, the plants, and in particular their branches and stems, were subjected to
			a meticulous official inspection for the presence of <i>Anoplophora glabripenn</i> (Motschulsky), which included
			targeted destructive sampling and, in the case of plants originating in sites which at the time of their production were located in a buffer zone where
			the presence or signs of <i>Anoplophora</i> glabripennis (Motschulsky have bee found, targeted destructive sampling at the appropriate level, or
		been grow spec scioi	fficial statement that the plants have a grown from rootstocks which were on in accordance with the requirement ified in paragraph (b), grafted with his which at the time of export were more than 1 cm in diameter at their
			xest point and which have been subjec meticulous official inspection for the

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		presence of <i>Anoplophora glabripennis</i> (Motschulsky), in the manner specified in paragraph (b)(iv).
		* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
		For the purpose of paragraph (b)(iv), the appropriate level is 10% of the plants where the number of plants is 4,500 or less, and 450 plants where the number of plants is more than 4,500 plants
29.	Plants, other than seeds, intended for planting that have a stem diameter of 1 cm or more at their thickest point, of Acer spp., Aesculus spp., Alnus spp., Betula spp., Carpinus spp., Cercidiphyllum spp., Corylus spp., Fagus spp., Fraxinus spp., Koelreuteria spp., Platanus spp., Populus spp., Salix spp., Tilia spp. and Ulmus spp., which have been introduced into an area in the European Union established in accordance with Article 7 of Decision (EU) 2015/893	The plants must be accompanied by an official statement:
		from the site at the appropriate level, and (ii) where official surveys for the presence or signs of <i>Anoplophora</i> <i>glabripennis</i> (Motschulsky) are

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		 carried out annually at appropriate times within a radius of at least 1 km around the site at appropriate times and neither the plant pest or signs of it were found, or (c) an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in paragraph (b), grafted with scions which have not been grown under these conditions and were no more than 1 cm in diameter at their thickest point.
		For the purpose of paragraph (b)(i), the appropriate level is 10% of the plants where the number of plants is 4,500 or less, and 450 plants, where the number of plants is more than 4,500 plants
30.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., other than fruits of <i>Citrus aurantium</i> L. or <i>Citrus latifolia</i> Tanaka, originating in Argentina, Brazil, South Africa or Uruguay	

(1)	(2)	(3)	
Item	Description of relevant material	Cour	tries of origin
iem	Description of relevant material	(c)	 in the case of fruits originating in Argentina, South Africa or Uruguay, an official statement: (i) that the fruits originate in a field of production which has been subjected to treatments against <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa carried out at the appropriate time since the beginning of the last cycle or vegetation, (ii) that an appropriate official inspectior has been carried out in the field of
			production during the growing season and no symptoms of <i>Phyllosticta</i> <i>citricarpa</i> (McAlpine) Van der Aa have been detected in the fruit since the beginning of the last cycle of vegetation, or
			(iii) that a sample has been taken along the line between arrival and packaging in the packing facilities of at least 600 fruits of each species per 30 tonnes, or part thereof, selected as much as possible on the basis of any possible symptom of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa, and all sampled fruits showing symptoms have been tested and found free of that plant pest,
			(iv) that the field of production, the packing facilities, exporters and any other operator involved in the handling of the fruits have been officially registered for that purpose, and
			 (v) that throughout their movement, from the field of production to their export the fruits have been accompanied by documents issued under the supervision of the national plant protection organisation of the country of origin.
		'Valer Urugu incluc tonne infect	case of <i>Citrus sinensis</i> (L.) Osbeck ncia' originating in South Africa or nay, the phytosanitary certificate must also le an official statement that a sample per 30 s, or part thereof, has been tested for latent ion and found free of <i>Phyllosticta citricarp</i> lpine) Van der Aa.

 that detailed information on the pre- and postharvest treatments has been kept. A phytosanitary certificate may not include the official statement referred to in paragraph (a) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration" Solanum aethiopicum L., (a) an official statement that they originate in a third country in which Spodoptera frugiperda (Smith) is not known to be present, cultures, seeds or grains, of Zea mays (b) an official statement that they originate in a area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from Spodoptera frugiperda (Smith), (c) an official statement that: (a) they have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin where official inspection shave been carried out in the production site during the three months prior to export and no presence of Spodoptera frugiperda (Smith), (c) that prior their export, they have been subject to an official inspection and found free from Spodoptera frugiperda (Smith), (c) that prior the stee of production t the point of export has been ensured, (d) an official statement that they have been subject to an official inspection against the introduction of Spodoptera frugiperda (Smith), 	(1)	(2)	(3)
 South Africa or Uruguay, the phytosanitary certificate must also include an official statement that detailed information on the pre- and post-harvest treatments has been kept. A phytosanitary certificate may not include the official statement referred to in paragraph (a) unless the national plant protection organisation of the United Kingdom with written details of the area or areas. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration" Solanum mechanopera L., or plants, or plants, must be accompanied by: L, Solanum aethiopicum L., (a) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Spodoptera frigiperda</i> (Smith), (c) an official statement that: (a) they have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin where official inspections and bus the is registered and supervised by the national plant protection site during the three months prior to export and no presence of <i>Spodoptera frigiperda</i> (Smith), (c) that information ensuring their traceability to the site of production it the point of export and no presence of <i>Spodoptera frigiperda</i> (Smith), (c) that information ensuring their traceability to the site of production it the point of export has been ensured. 	Item	Description of relevant material	Countries of origin
 official statement referred to in paragraph (a) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration" Solanum acthiopicum L., or plants, other than live pollen, plant tissue cultures, seeds or grains, of Zea mays (b) an official statement that they originate in a rara² established by the national plant protection organisation in a cordance with ISPM No. 4 as an area that is free from Spodoptera frugiperda (Smith), is registered and supervised by the national plant protection organisation in the country of origin where official inspections have been carried out in the production site which is registered (Smith) has been detected on the fruit or plants, (b) that prior their export, they have been subject to an official inspection and found free from Spodoptera frugiperda (Smith), (c) that information ensuring their traceability to the site of production in the point of export has been ensured, (d) an official statement that they have been produced in a production site which is registered and supervised by the national plant plant protection organisation in the country of origin these official inspections have been carried out in the production site which has been detected on the fruit or plants, (b) that prior their export, they have been subject to an official inspection and found free from Spodoptera frugiperda (Smith), (c) that information ensuring their traceability to the site of production it the point of export has been ensured, (a) an official statement that they have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera 			South Africa or Uruguay, the phytosanitary certificate must also include an official statement that detailed information on the pre- and post-
 the phytosanitary certificate under the heading "Additional declaration" Fruits of <i>Capsicum</i> L., <i>Momordica</i> Solanum macrocarpon L. or <i>Solanum melongena</i> L., or plats, originating in any third country in Africa or the Americas (b) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Spodoptera frugiperda</i> (Smith), (c) an official statement that: (a) they have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin where official inspections have been carried out in the production site during the three months prior to export and no presence of <i>Spodoptera frugiperda</i> (Smith), (c) that information ensuring their traceability to the site of production the point of export has been ensured, (d) an official statement that they have been produced in a production site during the frugther and supervised by the national plant protection site during the three months prior to export and no presence of <i>Spodoptera frugiperda</i> (Smith), (cc) that information ensuring their traceability to the site of production the point of export has been ensured, (d) an official statement that they have been produced in a production of <i>Spodoptera</i> 			official statement referred to in paragraph (a) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area
 L., Solanum aethopicum L., (a) Solanum macrocarpon L. or Solanum melongena L., or plants, other than live pollen, plant tissue cultures, seeds or grains, of Zea mays (b) L., originating in any third country in Africa or the Americas (b) (c) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from Spodoptera frugiperda (Smith), (c) (c) an official statement that: (a) they have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin where official inspections have been carried out in the production site during the three months prior to export and no presence of Spodoptera frugiperda (Smith), (c) that prior their export, they have been subject to an official inspection and found free from Spodoptera frugiperda (Smith), (c) that information ensuring their traceability to the site of production the produced in a production site which is provided with complete physical protection against the introduction of Spodoptera 			the phytosanitary certificate under the heading
141	31.	L., Solanum aethiopicum L., Solanum macrocarpon L. or Solanumn melongena L., or plants, other than live pollen, plant tissue cultures, seeds or grains, of Zea mays L., originating in any third country in	 (a) an official statement that they originate in a third country in which <i>Spodoptera</i> <i>frugiperda</i> (Smith) is not known to be present, (b) an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Spodoptera frugiperda</i> (Smith), (c) an official statement that: (a) they have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin where official inspections have been carried out in the production site during the three months prior to export and no presence of <i>Spodoptera frugiperda</i> (Smith) has been detected on the fruit or plants, (bb) that prior their export, they have been subject to an official inspection and found free from <i>Spodoptera frugiperda</i> (Smith), (cc) that information ensuring their traceability to the site of production to the point of export has been ensured, (d) an official statement that they have been produced in a production site which is provided with complete physical protection
171			141

(1)	(2)	(3)	
Item	Description of relevant material	Cou	untries of origin
		(e)	<i>frugiperda</i> (Smith) or have been subjected to an effective treatment to ensure freedom from <i>Spodoptera frugiperda</i> (Smith), or an official statement that they have been subjected to an effective post- harvest treatment to ensure freedom from <i>Spodoptera frugiperda</i> (Smith), which is mentioned on the phytosanitary certificate.
		the p	e name of the area(s) must be included in hytosanitary certificate under the heading ditional declaration"
32.	Plants, other than fruit or seeds, of <i>Quercus</i> L., other than <i>Quercus</i> <i>suber</i> , intended for planting, whose girth at 1.2 m above the root collar is 8 cm or more, originating in any third country, other than any such plants entering England via a point of entry in the excluded zone which are not in the course of their consignment to the OPM pest free area	(a)	plants must be accompanied by: an official statement that they have been grown throughout their life in places of production in a country in which <i>Thaumetopoea processionea</i> L. is not known to occur, an official statement that they have been grown throughout their life in an EU protected zone which is recognised as a protected zone in relation to <i>Thaumetopoea</i> <i>processionea</i> L. or in an area established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Thaumetopoea processionea</i> L an official statement that they have been produced in nurseries which, along with their vicinity, have been found free from Thaumetopoea processionea L. on the basis of official inspections carried out as close as practically possible to their movement and official surveys of the nurseries and their vicinity have been carried out at appropriate times since the beginning of the last complete cycle of vegetation to detect larvae and other symptoms of <i>Thaumetopoea processionea</i> L., or an official statement that they have been grown throughout their life in a site with complete physical protection against the introduction of <i>Thaumetopoea</i> <i>processionea</i> L. and have been inspected at appropriate times and found to be free from <i>Thaumetopoea processionea</i> L.

PART E

Relevant material which is subject to emergency measures and may only be moved within the relevant UK territories if specified requirements are met

(1)
Item

(1)	(2)	(3)
Item	Description of relevant material	Countries of origintaken when the plants are in active growth, and(cc) a prohibition during that three month period on the use of treatments to suppress symptoms of the plant pest,(iii) in the case of all other susceptible plants at the place of production, the plants have been subjected to intensive official re-inspection and have been found free from the plant pest in those inspections, and(iv)appropriate phytosanitary measures have been taken on the growing surface within a 2 m radius of infected plants
2.	Seeds of <i>Solanum lycoperiscum</i> (L.) Karsten ex Farw.	 The seeds must be accompanied by an official statement that they have been obtained by means of an appropriate acid extraction method and: (a) that they originate in an area in which Pepino mosaic virus is known not to occur, (b) that no symptoms of Pepino mosaic virus have been observed on the plants at the place of production during their complete cycle of vegetation, or (c) that they have undergone official testing for Pepino mosaic virus on a representative sample and using appropriate methods, and have been found free from Pepino mosaic virus in these tests
3.	Plants of <i>Pinus</i> L. or <i>Pseudotsuga</i> <i>menziesii</i> , intended for planting, including seeds and cones for propagation purposes	 The plants must be accompanied by: (a) an official statement that they have been grown throughout their life or since their introduction into the United Kingdom in a place of production in the United Kingdom where <i>Gibberella circinata</i> Nirenberg & O'Donnell is not known to occur, (b) an official statement that they have been grown throughout their life or since their introduction into the United Kingdom in a place of production in an area established in accordance with ISPM No. 4 as an area that is free from <i>Gibberella circinata</i> Nirenberg & O'Donnell, or (c) an official statement that they originate in a place of production where no signs of <i>Gibberella circinata</i> Nirenberg & O'Donnell have been observed during official inspections within a period of two years prior to their movement from the

Description of relevant material	Countries of origin
	$1 \qquad 0 \qquad 1 \qquad 0 \qquad 1 \qquad 0 \qquad 1 \qquad 1 \qquad 1 \qquad 1 \qquad $
	place of production and which have been tested immediately prior to movement
 Plants, other than seeds, intended for planting, that have a stem or root collar diameter of 1 cm or more at their thickest point of: <i>Acer</i> spp., <i>Aesculus hippocastanum</i>, <i>Alnus</i> spp., <i>Carpinus</i> spp., <i>Carpinus</i> spp., <i>Cornus</i> spp., <i>Cornus</i> spp., <i>Coroneaster</i> spp., <i>Cotoneaster</i> spp., <i>Cotoneaster</i> spp., <i>Cagerstroemia</i> spp., <i>Platanus</i> spp., <i>Platanus</i> spp., <i>Populus</i> spp., <i>Prunus laurocerasus</i>, <i>Pyrus</i> spp., <i>Salix</i> spp., <i>Ulmus</i> spp., which originate in an area that is demarcated under paragraph 3 of Schedule 11 or under equivalent provisions in the Scotland Orders 	 The plants must be accompanied by: (a) an official statement that the plants have been grown during a period of at least two years prior to their movement, or in the case of plants which are younger than two years, have been grown throughout their life in a place of production: (i) which is registered and supervised by the relevant UK plant health authority (ii) which has been subjected annually to at least two official meticulous inspections for any signs of <i>Anoplophora chinensis</i> (Forster) carried out at appropriate times which included, where appropriate, targeted destructive sampling of the roots and stems of the plants, using samples to enable at least the detection of 1% level of infestation with a confidence of 99%, and no signs of the plant pest have been found, and (iii) where the plants have been grown in a site with complete physical protection against the introduction of <i>Anoplophora chinensis</i> (Forster) or with the application of appropriate preventive treatments or where targeted destructive sampling is carried out on each lot prior to movement at the appropriate level and where official surveys for the presence of Anoplophora chinensis (Forster) are carried out annually within a radius of at least 1 km around the site at appropriate times and neither <i>Anoplophora chinensis</i> (Forster) or any signs of it were found, or
	been grown from rootstocks which were grown in accordance with the requirements specified in paragraph (a), grafted with scions which have not been grown under
	 root collar diameter of 1 cm or more at their thickest point of: <i>Acer</i> spp., <i>Aesculus hippocastanum</i>, <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Citrus</i> spp., <i>Cornus</i> spp., <i>Corylus</i> spp., <i>Cotoneaster</i> spp., <i>Cotoneaster</i> spp., <i>Crataegus</i> spp., <i>Fagus</i> spp., <i>Lagerstroemia</i> spp., <i>Platanus</i> spp., <i>Platanus</i> spp., <i>Prunus laurocerasus</i>, <i>Pyrus</i> spp., <i>Rosa</i> spp., <i>Salix</i> spp., <i>Ulmus</i> spp., which originate in an area that is demarcated under paragraph 3 of Schedule 11 or under equivalent provisions in the

For the purpose of paragraph (a)(iii), the appropriate level is 10% of the plants where the

these conditions and were no more than 1 cm in diameter at their thickest point.

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
		number of plants is 4,500 or less, and 450 plants, where the number of plants is more than 4,500 plants
5.	 Plants, other than seeds, intended for planting, that have a stem or root collar diameter of 1 cm or more at their thickest point of: <i>Acer</i> spp., <i>Aesculus hippocastanum</i>, <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Carpinus</i> spp., <i>Cornus</i> spp., <i>Cornus</i> spp., <i>Coroylus</i> spp., <i>Cotoneaster</i> spp., <i>Crataegus</i> spp., <i>Fagus</i> spp., <i>Platanus</i> spp., <i>Platanus</i> spp., <i>Populus</i> spp., <i>Prunus laurocerasus</i>, <i>Pyrus</i> spp., <i>Salix</i> spp., <i>Ulmus</i> spp., which have been introduced into in an area that is demarcated under paragraph 3 of Schedule 11 or under equivalent provisions in the Scotland Orders 	 The plants must be accompanied by an official statement that the plants have been grown in a site: (a) with complete physical protection against the introduction of <i>Anoplophora chinensis</i> (Forster) or with the application of appropriate preventive treatments or where targeted destructive sampling is carried out on each lot prior to movement at the appropriate rate, and (b) where official surveys for the presence of <i>Anoplophora chinensis</i> (Forster) are carried out annually within a radius of at least 1 km around the site at appropriate times and neither <i>Anoplophora chinensis</i> (Forster) or any signs of it were found. For the purpose of paragraph (a), the appropriate rate is 10% of the plants where the number of plants is 4,500 or less, and 450 plants, where the number of plants is more than 4,500 plants
6.	Tubers of <i>Solanum tuberosum</i> L., including those intended for planting, which originate in an area that is demarcated under paragraph 3 of Schedule 12 or under equivalent provisions in the Scotland Orders, other than those which are only being moved within such an area	 (a) that they have been: (i) grown in an officially registered place of production or by an officially registered producer, or

(b) that they have been washed or brushed so that there is no more than 0.1 % of soil remaining or have undergone an equivalent method specifically applied in order to achieve the same outcome and remove *Epitrix cucumeris* (Harris), *Epitrix papa*. Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) and *Epitrix tuberis* (Gentner) (as the case may be) and to ensure that there is no risk of the plant pests concerned, and

(1)	(2)	(3)	
Item	Description of relevant material	Cou	ntries of origin
		(c)	that the packaging material in which potato tubers are moved is clean
7.	Wood of conifers (Coniferales) which has not retained its round surface or is in the form of beehives or bird nesting boxes, other than sawn wood or logs of <i>Taxus</i> L. or <i>Thuga</i> L., or bark of conifers, originating in an area that is demarcated under paragraph 3 of Schedule 13 or under equivalent provisions in the Scotland Orders, other than wood which is being moved from the infested zone to the buffer zone in the demarcated area		 e case of: wood in the form of wood packaging material, the wood: (i) must have been been subject to one of the treatments specified in Annex 1 to ISPM No. 15 in a treatment facility designated under Part F of Schedule 13 or equivalent provisions in the Scotland Orders ("an authorised treatment facility"), and (ii) must display a mark in accordance with Annex 2 to ISPM No. 15 indicating that it has been subject to to an approved phytosanitary treatment in accordance with this international standard, in the case of wood in the form of beehives or bird nesting boxes,
			 (aa) have undergone an appropriate heat treatment in an authorised treatment facility to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the wood and bark to ensure freedom from live <i>Bursaphelenchus xylophilus</i> (Steiner & Bührer) Nickle et al. and live <i>Monochamus</i> spp., and (bb) be accompanied by an official statement (issued by the authorised treatment facility) that the wood has undergone that treatment or display a mark in accordance with Annex 2 to ISPM No. 15 indicating that it has been subject to to an approved phytosanitary treatment in accordance with this international standard, (ii) if it is not free from bark, the wood
			in accordance with Annex 2 to ISPM No. 15 indicating that it has been subject to to an approved phytosanitary treatment in accordance wit this international standard,

with Bursaphelenchus xylophilus

<u>(l)</u>	(2)	(3)
Item	Description of relevant material	Countries of origin
		(Steiner & Bührer) Nickle et al. or Monochamus spp.,
		(c) in the case of any other wood, including bark, it:
		 (i) must be accompanied by an official statement that it has undergone an appropriate heat treatment in an authorised treatment facility to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the wood and bark to ensure freedom from live <i>Bursaphelenchus xylophilu</i>. (Steiner & Bührer) Nickle et al. and live <i>Monochamus</i> spp., and (ii) if it is not free from bark, must only be transported outside the flight season of <i>Monochamus</i> spp. or with a protective covering that ensures that it cannot be infested with <i>Bursaphelenchus xylophilus</i> (Steiner & Bührer) Nickle et al. or <i>Monochamus</i> spp.
8.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr., originating in an area that is demarcated under paragraph 3 of Schedule 13 or under equivalent provisions in the Scotland Orders	
9.		or <i>Monochamus</i> spp. The plants must be accompanied by an official statement that they have been found free from

(1)	(2)	(3)
Item	Description of relevant material permanently saturated with water	Countries of origin Pomacea (Perry) immediately prior to their
	and which originate in an area that is demarcated under paragraph 3 of Schedule 14 or under equivalent provisions in the Scotland Orders, other than those which are only being moved within such an area	
10.	Plants of <i>Fraxinus</i> L., intended for planting	The plants must be accompanied by an official statement that have been grown throughout their life in an area established in accordance with ISPM No. 4 as an area that is free from <i>Chalara fraxinea</i> T. Kowalski (including its teleomorph <i>Hymenoscyphus pseudoalbidus</i>)
11.	Live pollen of <i>Actinidia</i> Lindl. or plants, other than seeds, of <i>Actinidia</i> Lindl. intended for planting ("the specified plants")	 The specified plants must be accompanied by: (a) an official statement that the specified plants originate in an area established in accordance with ISPM No. 4 as an area that is free from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, (b) an official statement that the specified plants have been produced in a place or site of production established in accordance with the ISPM No. 10 as a place of production that is free from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto where: (i) they have been grown in a structure with a degree of isolation and protection from the outside environment that effectively excluded <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto and have been officially inspected twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement and found free from the specified plant pest, and (ii) the place or site of production is surrounded by a zone with a radius of at least 100 m, where: (aa) official inspections were carried out twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement and found free from the specified plant pest, and
		149

(l) Item	(2) Description of relevant mat	orial	(3) Countries of origin				
item	Description of relevant material	Countries of origintimes throughout the area for detecting symptoms of infectio during the last complete cycle of vegetation prior to their movement, and eradication measures were taken in all case where Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu a Goto has been identified on the 					
			 Where paragraph (b) or (c) applies, the official statement must also confirm that: the specified plants have been derived directly from mother plants under conditions which comply with the requirements specified in paragraphs (a) or (b), the specified plants have been directly derived from mother plants, which were subject to prior individual testing confirming their freedom from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, or the specified plants have been tested according to a sampling scheme able to confirm with 99% reliability that the level of presence of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Tsuyumu & Goto in the specified plants is below 0.1% 				

12. Plants, other than seeds, intended The plants must be accompanied by: for planting which have never been

(1)	(2)	(3)	
Item	Description of relevant material		ntries of origin
	grown in an area that is demarcated under paragraph 5 of Schedule 15 or under equivalent provisions in the Scotland Orders and belong to the genera and species listed in the list of <i>Xylella</i> host plants	(a)	an official statement that they have been grown in a site that is subject to annual official inspection and, in the case of symptoms of <i>Xylella fastidiosa</i> (Wells et al.), sampling and testing in line with international standards for the presence of <i>Xylella fastidiosa</i> (Wells et al.), or
		(b)	 in the case of plants, other than seeds, intended for planting, of <i>Coffea, Lavandula dentata</i> L., <i>Nerium oleander</i> L., <i>Olea europaea</i> L., <i>Polygala myrtifolia</i> L. or <i>Prunus dulcis</i> (Mill.) D.A. Webb, an official statement: (i) that they have been grown in a site that is subject to annual official inspection and sampling and testing in line with international standards for the presence of Xylella fastidiosa (Wells et al.), confirming the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%, and
			 (ii) in respect of any plants, other than seeds, intended for planting, of <i>Polygala myrtifolia</i> L., that prior to their movement out of their production site and as close to that time as possible, each lot of plants was subjected in addition to official visual inspection and sampling, as well as testing, in line with international standards for the presence of <i>Xylellafastidiosa</i> (Wells et al.), confirming the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 5%
13.	Plants, other than seeds, intended for planting which have been grown for at least part of their life in an area that is demarcated under paragraph 5 of Schedule 15 or under equivalent provisions in the Scotland Orders and belong to the genera and species listed in— — Annex 1 to Decision (EU) 2015/789, other than those	The p (a)	 blants must: in the case of plants which have not been grown for their entire production cycle in vitro, be accompanied by an official statement: (i) that they have been grown in a site that: (aa) is registered and authorised in accordance with ISPM No. 10 as a site that is free

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
	belonging to the varieties specified in Annex 3 to Decision (EU) 2015/789, or — the list of <i>Xylella</i> host plants	from <i>Xylella fastidiosa</i> (Wells et al.) and its vectors, and is physically protected against the introduction of <i>Xylella fastidiosa</i> (Wells et al.) by its vectors, (bb) is surrounded by a zone with a width of 100 m which has been subject to official inspections twice a year and where all of the plants found to be infected with, or to have symptoms of, <i>Xylella fastidiosa</i> (Wells et al.) have been immediately removed and appropriate phytosanitary treatments against the vectors of <i>Xylella fastidiosa</i> (Wells et al.) have been applied before that
		 is subject to phytosanitary treatments, which may include the removal of plants, at appropriate times of the year to maintain freedom from vectors of <i>Xylella fastidiosa</i> (Wells et al.),
		(dd) is subject annually, together with the zone referred to in paragraph (bb) to at least two
		 official inspections, (ee) throughout the time of growth of the plants, neither symptoms of <i>Xylella fastidiosa</i> (Wells et al.) nor its vectors were found in the site or, if suspect symptoms were observed, tests carried out confirmed the absence of <i>Xylella</i>
		 <i>fastidiosa</i> (Wells et al.), (ff) throughout the time of growth of the plants, no symptoms of <i>Xylella fastidiosa</i> (Wells et al.) were found in the zone referred to in paragraph (bb) or, if suspect symptoms were observed, testing has been undertaken and absence of <i>Xylella fastidiosa</i> (Wells et al.) has been confirmed, (ii) that representative samples of each
		species of the plants from each site have been subject to annual testing, at the most appropriate time, and the

(1) Item	(2) Description of relevant material	(3) Cou	ntries	of origin
	<u> </u>	~ ~ ~ ~		absence of <i>Xylella fastidiosa</i> (Wells e al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testing methods,
			(iii) (iv)	that as practically close to the time of their movement as possible, the lots of the plants were subject to official visual inspection, sampling and molecular testing, carried out in accordance with internationally validated testing methods, using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 1% or above and targeting in particular plants displaying symptoms of <i>Xylell</i> <i>fastidiosa</i> (Wells et al.), and that prior to their movement, the lots of the plants were subjected to
				phytosanitary treatments against any of the vectors of <i>Xylella fastidiosa</i> (Wells et al.), or
		(b)	seed	e case of dormant plants, other than s, of <i>Vitis</i> intended for planting, an ial statement: that they have been grown in a site that it is registered by the relevant UK plant health authority and that as practically close as possible to the time of their movement from the site, the plants have undergone an appropriate thermotherapy treatment in a authorised treatment facililty authorised by that UK plant health authority for that purpose, where the dormant plants were submerged for 45 minutes in water heated to 50°C in accordance with EPPO PM/18, and that prior to their movement, the lots of the plants were subjected to phytosanitary treatments against any of the vectors of <i>Xylella fastidiosa</i> (Wells et al.).
		in clo withi is de	osed c in the marca	ase, the plants may only be moved containers or in packaging through or demarcated area or any other area tha atted under paragraph 5 of Schedule 15 quivalent provisions in the Scotland

<u>(l)</u>	(2)	(3)		
Item	Description of relevant material	Countries of origin		
		Orders to ensure that infection with <i>Xylella fastidiosa</i> or any of its vectors cannot occur		
14.	 Wood, obtained in whole or in part, from plants of Acer spp., <i>Aesculus</i> spp., <i>Alnus</i> spp., <i>Fagus</i> spp., <i>Fagus</i> spp., <i>Fraxinus</i> spp., <i>Koelreuteria</i> spp., <i>Platanus</i> spp., <i>Populus</i> spp., <i>Salix</i> spp., <i>Tilia</i> spp. and <i>Ulmus</i> spp., other than wood packaging material, but including wood which has not retained its natural round surface which meets one of the relevant CN descriptions below and: originates in an area that is demarcated under paragraph 3 of Schedule 16 or under equivalent provisions in the Scotland Orders, or in the case of wood retaining all or part of its round surface, has been introduced into any such area Relevant CN descriptions: CN 4401 10 00 (fuel wood, in logs, in billets, in twigs, in faggots or in similar forms), CN ex 4401 39 80 (other wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms), CN 4403 10 00 (wood in the rough, treated with paint, stains, creosote or other preservatives, whether or not stripped of bark or sapwood, or roughly squared), CN ex 4403 99 (nonconiferous wood (other wood (other	 In the case of: (a) wood in the form of chips, particles, shavings, wood waste or scrap, the wood must be accompanied by: (i) an official statement that it is debarked and has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), or (ii) an official statement the wood has been processed into pieces of not more than 2.5 cm thickness and width (b) any other wood, the wood must be accompanied by an official statement that it is debarked and has undergone an appropriate heat treatment to achieve a minimum temperature of 56 #C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core). Where paragraph (b) applies, there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage 		

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
	than, beech (Fagus spp.),	
	poplar (Populus spp.) or birch	
	(Betula spp.), in the rough,	
	whether or not stripped of	
	bark or sapwood, or roughly	
	squared),	
	— CN 4403 99 10 (wood of	
	poplar (<i>Populus</i> spp.) in	
	the rough, whether or not	
	stripped of bark or sapwood,	
	or roughly squared),	
	— CN 4403 99 51 (sawlogs	
	of birch (<i>Betula</i> spp.) in	
	the rough, whether or not	
	stripped of bark or sapwood,	
	or roughly squared), — CN 4403 99 59 (wood of	
	birch (<i>Betula</i> spp.) in the	
	rough, whether or not stripped	
	of bark or sapwood, or	
	roughly squared, other than	
	sawlogs),	
	- CN ex 4404 20 00 (non-	
	coniferous split poles;	
	piles, pickets and stakes of	
	wood, pointed but not sawn	
	lengthwise), y or tramway	
	sleepers (cross-ties) of wood)	
	— CN 4407 92 00 (wood of	
	beech (Fagus spp.), sawn or	
	chipped lengthwise, sliced or	
	peeled, whether or not planed,	
	sanded or end-jointed, of a	
	thickness exceeding 6 mm),	
	— CN 4407 93 (wood of maple	
	(Acer spp.), sawn or chipped	
	lengthwise, sliced or peeled,	
	whether or not planed, sanded	
	or end-jointed, of a thickness	
	exceeding 6 mm), — CN 4407 95 (wood of ash	
	(<i>Fraxinus</i> spp.), sawn or	
	chipped lengthwise, sliced or	
	peeled, whether or not planed,	
	sanded or end-jointed, of a	
	thickness exceeding 6 mm),	
	- CN ex 4407 99 (non-	
	coniferous wood (other than	
	beech (<i>Fagus</i> spp.), maple	
	(<i>Acer</i> spp.), ash (<i>Fraxinus</i>	
	spp.) or poplar (<i>Populus</i> spp.),	
		156

(1)	(2)	(3)
Item	Description of relevant material	Countries of origin
	 sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm), CN 4407 99 91 (wood of poplar (<i>Populus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm), CN 9406 00 20 (prefabricated buildings of wood) 	
15.	Wood packaging material, obtained in whole or in part, from plants of of <i>Acer</i> spp., Aesculus spp., <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Cercidiphyllum</i> spp., <i>Corylus</i> spp., <i>Fagus</i> spp., <i>Fraxinus</i> spp., <i>Koelreuteria</i> spp., <i>Platanus</i> spp., <i>Populus</i> spp., <i>Salix</i> spp., <i>Tilia</i> spp. or <i>Ulmus</i> spp. originating in an area that is demarcated under under paragraph 3 of Schedule 16 or under equivalent provisions in the Scotland Orders	(a) be made of debarked wood and been subject to one of the treatments specified in Annex 1 to ISPM No. 15, and
16.	Plants, other than seeds, intended for planting that have a stem diameter of 1 cm or more at their thickest point of, <i>Acer</i> spp., Aesculus spp., <i>Alnus</i> spp., <i>Betula</i> spp., <i>Carpinus</i> spp., <i>Cercidiphyllum</i> spp., <i>Corylus</i> spp., <i>Fagus</i> spp., <i>Fraxinus</i> spp., <i>Koelreuteria</i> spp., <i>Platanus</i> spp., <i>Roelreuteria</i> spp., <i>Platanus</i> spp., <i>or Ulmus</i> spp., originating in, or introduced into, an area that is demarcated under paragraph 3 of Schedule 16 or under equivalent provisions in the Scotland Orders	 The plants must be accompanied by: (a) an official statement that the plants have been grown during at least two years prior to their movement or, in the case of plants which are younger, throughout their life in a place of production: (i) which is registered and supervised by the relevant UK plant health authority, (ii) which has been subject annually to at least two official meticulous inspections for any signs of <i>Anoplophora glabripennis</i> (Motschulsky) carried out at appropriate times, which included destructive sampling of stems and branches, where appropriate, and no signs of the plant pest have been found, and (iii) where the plants have been grown in a site: (a) with complete physical

protection against the introduction of *Anoplophora* glabripennis (Motschulsky)

Learn	(2) Description of valorient metanical	(3) Countries of onigin
<u>Item</u>	Description of relevant material	Countries of originor with the application of appropriate preventative treatments or where targeted destructive sampling was carried out on each lot at the appropriat level prior to their movement from the site, and

SCHEDULE 5

Regulation 4(6)

PART A

Notifiable material originating in third countries, other than the European Union

- 1. Plants, other than seeds, intended for planting.
- 2. Seeds of—
 - (a) Cruciferae, Gramineae or Trifolium spp., originating in Argentina, Australia, Bolivia, Chile, New Zealand or Uruguay;
 - (b) the genera Triticum, Secale or X Triticosecale from Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa or the USA; or
 - (c) Solanaceae, Citrus L., Fortunella Swingle, Poncirus Raf., Capsicum spp., Helianthus annuus L., Solanum lycopersicum L., Medicago sativa L., Prunus L., Rubus L., Oryza spp., Zea mays L., Allium ascalonicum L., Allium cepa L., Allium porrum L., Allium schoenoprasum L. or Phaseolus L.
- 3. Parts of plants, other than fruit or seeds, of-
 - (a) Castanea Mill., Dendranthema (DC.) Des Moul., Dianthus L., Gypsophilia L., Pelargonium L'Hérit. ex Ait., Phoenix spp., Populus L., Quercus L., Solidago L. or cut flowers of Orchidaceae;
 - (b) conifers (Coniferales);
 - (c) Acer saccharum Marsh, originating in the USA or Canada;
 - (d) *Prunus* L., originating in any country outside Europe;
 - (e) cut flowers of *Aster* spp., *Eryngium* L., *Hypericum* L., *Lisianthus* L., *Rosa* L. or *Trachelium* L., originating in any country outside Europe;
 - (f) leafy vegetables of Apium graveolens L., Ocimum L., Limnophila L. or Eryngium L.;
 - (g) leaves of Manihot esculenta Crantz;
 - (h) cut branches of Betula L. with or without foliage;
 - (i) cut branches of *Fraxinus* L., *Juglans ailantifolia* Carr., *Juglans mandshurica* Maxim., *Ulmus davidiana* Planch. or *Pterocarya rhoifolia* Siebold & Zucc., with or without foliage, originating in Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan or the USA; or
 - (j) Amyris P. Browne, Casimiroa La Llave, Citropsis Swingle & Kellerman, Eremocitrus Swingle, Esenbeckia Kunth., Glycosmis Corrêa, Merrillia Swingle, Naringi Adans., Tetradium Lour., Toddalia Juss. or Zanthoxylum L.

4. Parts of plants, other than fruit but including seeds, of *Aegle* Corrêa, *Aeglopsis* Swingle, *Afraegle* Engl., *Atalantia* Corrêa, *Balsamocitrus* Stapf, *Burkillanthus* Swingle, *Calodendrum* Thunb., *Choisya* Kunth, *Clausena* Burm. f., *Limonia* L., *Microcitrus* Swingle, *Murraya* J. Koenig ex L., *Pamburus* Swingle, *Severinia* Ten., *Swinglea* Merr., *Triphasia* Lour or *Vepris* Comm.

- 5. Fruit of—
 - (a) Citrus L., Fortunella Swingle, Poncirus Raf., Microcitrus, Naringi Adans., Swinglea Merr., Momordica L., Solanum lycopersicum L. or Solanum melongena L.;
 - (b) Annona L., Cydonia Mill., Diospyros L., Malus Mill., Mangifera L., Passiflora L., Prunus L., Psidium L., Pyrus L., Ribes L., Syzygium Gaertn. or Vaccinium L., originating in any country outside Europe;

- (c) Capsicum L.;
- (d) *Punica granatum* L., originating in any country of the African continent, Cape Verde, Israel, Madagascar, Mauritius, La Reunion or Saint Helena.
- 6. Tubers of Solanum tuberosum L.

7. Soil or growing medium, which consists in whole or in part of soil or solid organic substances such as parts of plants or humus, including peat or bark, other than those composed entirely of peat.

8. Soil or growing medium which is attached to or appears to have been in contact with plants, consisting in whole or in part of material specified in paragraph 7 or consisting in part of any solid inorganic substances, intended to sustain the vitality of plants, originating in—

- (a) Belarus, Georgia, Moldova, Russia, Turkey or Ukraine; or
- (b) any country outside Europe, other than Algeria, Egypt, Israel, Libya, Morocco or Tunisia.

9. Grain of the genera Triticum, Secale or X Triticosecale originating in Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa or the USA..

10. Parts of plants, other than fruit or seeds, of *Amelanchier* Med., *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Photinia davidiana* (Dene.) Cardot, *Pyracantha* Roem., *Pyrus* L. or *Sorbus* L.

- 11. Seeds of *Castanea* Mill. or *Beta vulgaris* L.
- 12. Isolated bark of-
 - (a) conifers (Coniferales), originating in any country outside Europe;
 - (b) Acer saccharum Marsh., Populus L., Quercus L., other than Quercus suber L.;
 - (c) Fraxinus L., Juglans ailantifolia Carr., Juglans mandshurica Maxim., Ulmus davidiana Planch. or Pterocarya rhoifolia Siebold & Zucc., originating in Canada, China, Democratic People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan or the USA; or
 - (d) Betula L., originating in Canada or the USA.

13. Wood, except wood packaging material, where it—

- (a) has been obtained in whole or in part from one of the following order, genera or species—
 - (i) Quercus L., including wood which has not kept its natural round surface, originating in the USA, except wood in the form of casks, barrels, vats, tubs or other coopers' products or parts thereof including staves and where there is documented evidence that the wood has been processed or manufactured using a heat treatment to achieve a minimum temperature of 176°C for 20 minutes;
 - (ii) *Platanus* L., including wood which has not kept its natural round surface, originating in Armenia, Switzerland or the USA;
 - (iii) *Populus* L., including wood which has not kept its natural round surface, originating in any country of the American continent;
 - (iv) Acer saccharum Marsh., including wood which has not kept its natural round surface, originating in the USA or Canada;
 - (v) Conifers (Coniferales), including wood which has not kept its natural round surface, originating in any country outside Europe, Kazakhstan, Russia or Turkey;
 - (vi) Fraxinus L., Juglans ailantifolia Carr., Juglans mandshurica Maxim., Ulmus davidiana Planch. or Pterocarya rhoifolia Siebold & Zucc., including wood which has not kept its natural round surface, originating in Canada, China, Democratic

People's Republic of Korea, Japan, Mongolia, Republic of Korea, Russia, Taiwan or the USA;

- (vii) *Betula* L., including wood which has not kept its natural round surface, originating in Canada or the USA;
- (viii) Amelanchier Medik., Aronia Medik., Cotoneaster Medik., Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. or Sorbus L., including wood which has not kept its natural round surface, other than sawdust or shavings, originating in Canada or the USA; and
- (b) meets one of the following descriptions—

CN code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 10	Sawdust, not agglomerated
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote

CN code	Description
	or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
4403 91 00	Oak wood (<i>Quercus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
4403 95	Wood of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
4403 96 00	Wood of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
4403 97 00	Wood of poplar and aspen (<i>Populus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 91	Oak wood (<i>Quercus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 94	Wood of cherry (<i>Prunus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 95	Wood of ash (<i>Fraxinus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 96	Wood of birch (<i>Betula</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm

CN code	Description
4407 97	Wood of poplar and aspen (<i>Populus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4408 10	Coniferous sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm
4416 00 00	Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves
9406 10 00	Prefabricated buildings of wood

14. Wood, except wood packaging material, where it-

- (a) has been obtained in whole or on part from one of the following-
 - (i) conifers (Coniferales), excluding wood which is bark-free originating in any third country in Europe; or
 - (ii) *Castanea* Mill., excluding wood which is bark-free, originating in any third country; and
- (b) meets one of the descriptions—

CN code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more

CN code	Description
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of non-coniferous wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm

15. Isolated bark of conifers (Coniferales) originating in any third country.

PART B

Notifiable material originating in the European Union

16. Plants of Abies Mill., Larix Mill., Picea A. Dietr., Pinus L. or Pseudotsuga Carr.

17. Plants, other than seeds, of *Platanus* L., *Prunus* L., *Quercus* spp., other than Quercus suber, or *Ulmus* L., intended for planting.

18. Plants, other than fruit, of *Castanea* Mill.

19. Plant of *Palmae*, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: *Areca catechu* L., *Arenga pinnata* (Wurmb) Merr., *Bismarckia* Hildebr. & H. Wendl., *Borassus flabellifer* L., *Brahea* Mart., *Butia* Becc., *Calamus merrillii* Becc., *Caryota maxima* Blume, *Caryota cumingii* Lodd. ex Mart., *Chamaerops* L., *Cocos nucifera* L., *Copernicia* Mart., *Corypha utan* Lam., *Elaeis guineensis* Jacq., *Howea forsteriana* Becc., *Jubea* Kunth, *Livistona* R. Br., *Metroxylon sagu* Rottb., *Phoenix* L., *Pritchardia* Seem. & H. Wendl., *Ravenea rivularis* Jum. & H. Perrier, *Roystonea regia* (Kunth) O.F. Cook, *Sabal* Adans., *Syagrus* Mart., *Trachycarpus* H. Wendl., *Trithrinax* Mart. or *Washingtonia* Raf.

20. Seeds of Castanea Mill.

21. Plants, other than seeds, of *Amelanchier* Med., *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Photinia davidiana* (Dcne.) Cardot, *Prunus* L., other than *Prunus laurocerasus* L. or *Prunus lusitanica* L., *Pyracantha* Roem., *Pyrus* L. or *Sorbus* L., intended for planting.

22. Plants, other than seeds, of Beta vulgaris L. or Humulus lupulus L., intended for planting.

23. Plants of stolon- or tuber-forming species of Solanum L., intended for planting.

24. Plants, other than fruit or seeds, of *Choisya* Kunth, *Fortunella* Swingle, *Poncirus* Raf., *Casimiroa* La Llave, *Clausena* Burm. f., *Murraya* J. Koenig ex L., *Vepris* Comm., *Zanthoxylum* L. or *Vitis* L.

25. Plants, other than fruit or seeds, of Citrus L.

26. Fruits of Citrus L., Fortunella Swingle or Poncirus Raf., with leaves and peduncles.

27. The following plants which have been produced by producers whose production and sale is authorised to persons engaged in plant production in the course of a trade or business, other than plants which have been prepared and are ready for sale to the final consumer, and which were produced separately from other products under the supervision of the national plant protection organisation of the consignor country—

- (a) plants, other than seeds, intended for planting, of the genera Abies Mill., Apium graveolens L., Argyranthemum spp., Asparagus officinalis L., Aster spp., Brassica spp., Castanea Mill., Cucumis spp., Dendranthema (DC.) Des Moul., Dianthus L., Exacum spp., Fragaria L., Gerbera Cass., Gypsophilia L, all varieties of New Guinea hybrids of Impatiens L., Lactuca spp., Larix Mill., Leucanthemum L., Lupinus L., Pelargonium L'Hérit. ex Ait., Picea A. Dietr., Pinus L., Platanus L., Populus L., Prunus laurocerasus L., Prunus lusitanica L., Pseudotsuga Carr., Quercus L., Rubus L., Spinacia L., Tanacetum L., Tsuga Carr., Ulmus L., Verbena L. or other plants of herbaceous species, other than plants of the family Gramineae, intended for planting, or bulbs, corms, rhizomes, seeds or tubers;
- (b) plants of Solanaceae, other than seeds or those specified in paragraph 23, intended for planting;
- (c) plants of Araceae, Marantaceae, Musaceae, Persea spp. or Strelitziaceae, rooted or with growing medium attached or which appear to have been in contact with growing medium;
- (d) plants of Palmae, intended for planting, having a diameter of the stem at the base of over five cm and belonging to the following genera: *Brahea* Mart, *Butia* Becc., *Chamaerops* L., *Jubaea* Kunth, *Livistona* R. Br., *Phoenix* L., *Sabal* Adans., *Syragrus* Mart., *Trachycarpus* H. Wendl., *Trithrinax* Mart. or *Washingtonia* Raf.;

- (e) seeds or bulbs of Allium ascalonicum L., Allium cepa L. or Allium schoenoprasum L., intended for planting; plants of Allium porrum L. intended for planting; or seeds of Medicago sativa L., Helianthus annuus L., Solanum lycopersicum L. or Phaseolus L.;
- (f) bulbs, corms, tubers or rhizomes, intended for planting, of Camassia Lindl., Chionodoxa Boiss., Crocus flavus Weston "Golden Yellow", Dahlia spp., Galanthus L., Galtonia candicans (Baker) Decne., miniature cultivars of the genus Gladiolus Tourn. ex L. (such as Gladiolus callianthus Marais, Gladiolus colvillei Sweet, Gladiolus nanus hort., Gladiolus ramosus hort. or Gladiolus tubergenii hort.), Hyacinthus L., Iris L., Ismene Herbert, Lilium spp., Muscari Miller, Narcissus L., Ornithogalum L., Puschkinia Adams, Scilla L., Tigridia Juss. or Tulipa L.;
- (g) plants, other than corms, seeds or tubers, of Begonia L., intended for planting;
- (h) plants, other than seeds, of *Dipladenia* A.DC., *Euphorbia pulcherrima* Willd., Ficus L., *Hibiscus* L., *Mandevilla* Lindl. or *Nerium oleander* L. intended for planting.
- 28. Wood, except wood packaging material, where it—
 - (a) has obtained in whole or in part—
 - (i) from *Platanus* L., including wood which has not kept its natural round surface;
 - (ii) from conifers (Coniferales), excluding wood which is bark-free;
 - (iii) Castanea Mill., excluding wood which is bark-free; and
 - (b) meets one of the descriptions—

CN Code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other

CN Code	Description
	than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm

29. Isolated bark of *Castanea* Mill. or conifers (Coniferales).

PART C

Notifiable material originating in any third country which is subject to emergency measures

30. Cut flowers of Orchidaceae originating in Thailand.

31. Plants, other than fruit and seeds, of *Acer macrophyllum* Pursh, *Acer pseudoplatanus* L., *Adiantum aleuticum* (Rupr.) Paris, *Adiantum jordanii* C. Muell., *Aesculus californica* (Spach) Nutt., *Aesculus hippocastanum* L., *Arbutus menziesii* Pursch., *Arbutus unedo* L., *Arctostaphylos*

spp. Adans, Calluna vulgaris (L.) Hull, Camellia spp. L., Castanea sativa Mill., Fagus sylvatica L., Frangula californica (Eschsch.) Gray, Frangula purshiana (DC.) Cooper, Fraxinus excelsior L., Griselinia littoralis (Raoul), Hamamelis virginiana L., Heteromeles arbutifolia (Lindley) M. Roemer, Kalmia latifolia L., Laurus nobilis L., Leucothoe spp. D. Don, Lithocarpus densiflorus (Hook. & Arn.) Rehd., Lonicera hispidula (Lindl.) Dougl. ex Torr. & Gray, Magnolia spp. L., Michelia doltsopa Buch.-Ham. ex DC, Nothofagus obliqua (Mirbel) Blume, Osmanthus heterophyllus (G. Don) P. S. Green, Parrotia persica (DC) C.A. Meyer, Photinia x fraseri Dress, Pieris spp. D. Don, Pseudotsuga menziesii (Mirbel) Franco, Quercus spp. L., Rhododendron spp. L., other than Rhododendron simsii Planch., Rosa gymnocarpa Nutt., Salix caprea L., Sequoia sempervirens (Lamb. ex D. Don) Endl., Syringa vulgaris L., Taxus spp. L., Trientalis latifolia (Hook), Umbellularia californica (Hook. & Arn.) Nutt., Vaccinium ovatum Pursh or Viburnum spp. L., originating in the USA.

32. Wood of *Acer macrophyllum* Pursh, *Aesculus californica* (Spach) Nutt, *Lithocarpus densiflorus* (Hook, & Arn.) Rehd., *Quercus* spp. L. or *Taxus breviflora* Nutt., originating in the USA.

33. Plants, other than seeds, intended for planting, of *Viburnum* spp., *Camellia* spp., *Rhododendron* spp., other than *Rhododendron simsii* Planch, originating in the European Union or any third country, other than the USA.

34. Seeds of Solanum lycopersicum (L.) Karsten ex Farw.

35. Plants of *Pinus* L. or *Pseudotsuga menziesii*, intended for planting, including seeds or cones for propagating purposes, originating in any third country.

36. Tubers of *Solanum tuberosum* L., originating in Egypt.

37. Plants, other than seeds, intended for planting, that have a stem or root collar diameter of 1 cm or more at their thickest point of *Acer* spp., *Aesculus hippocastanum, Alnus* spp., *Betula* spp., *Carpinus* spp., *Citrus* spp., *Cornus* spp., *Corylus* spp., *Cotoneaster* spp., *Crataegus* spp., *Fagus* spp., *Lagerstroemia* spp., *Malus* spp., *Platanus* spp., *Populus* spp., *Prunus laurocerasus, Pyrus* spp., *Rosa* spp., *Salix* spp. or *Ulmus* spp. which—

- (a) originate in any third country, other than the European Union, where *Anoplophora chinensis* (Forster) is known to be present;
- (b) originate in, or have been introduced into, an area in the European Union established in accordance with Article 6 of Decision 2012/138/EU.

38. Tubers of Solanum tuberosum L., including those intended for planting, which originate—

- (a) in a third country, other than the European Union, where *Epitrix cucumeris* (Harris), Epitrix papa. Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) or *Epitrix tuberis* (Gentner) is known to be present;
- (b) in an area in the European Union established in accordance with Article 5 of Decision 2012/270/EU;
- (c) in Spain, other than in an area established in accordance with Article 5 of Decision 2012/270/EU or the Baleric Islands;
- (d) in Poland.

39. Plants, other than fruit or seeds, of *Abies* Mill., *Cedrus* Trew, *Larix* Mill., *Picea* A. Dietr., *Pinus* L., *Pseudotsuga* Carr. or *Tsuga* Carr., originating in an area in the European Union established in accordance with Article 5 of Decision 2012/535/EU.

40. Wood of conifers (Coniferales) which has not retained its round surface or is in the form of beehives or bird nesting boxes, other than sawn wood or logs of *Taxus* L. or *Thuga* L., or bark of conifers, originating in an area in the European Union established in accordance with Article 5 of Decision 2012/535/EU.

41. Plants, other than seeds, intended for planting, which can only grow in water or soil that is permanently saturated with water which originate—

- (a) in any third country, other than the European Union;
- (b) in an area established in the European Union in accordance with Article 5 of Decision 2012/697/EU.
- 42. Plants of *Fraxinus* L., intended for planting, originating in any third country.

43. Live pollen originating in any third country or plants, other than seeds, of *Actinidia* Lindl., intended for planting, originating in any third country.

44. Plants, other than seeds, intended for planting, belonging to the genera and species listed in Annex 1 to Decision (EU) 2015/789, other than those belonging to the varieties specified in Annex 3 to Decision (EU) 2015/789, or in list of *Xylella* host plants, which—

- (a) originate in any third country, other than the European Union; or
- (b) originate in the European Union and have been grown for a part of their life in an area in the European Union established in accordance with Article 4 of Decision 2015/789.

45. Plants, other than seeds, intended for planting, belonging to the genera and species listed in the list of *Xylella* host plants, which originate in the European Union and have never been grown in an area established in accordance with Article 4 of Decision 2015/789.

46. Plants, other than seeds, intended for planting that have a stem diameter of 1 cm or more at their thickest point, of *Acer* spp., *Aesculus* spp., *Alnus* spp., *Betula* spp., *Carpinus* spp., *Cercidiphyllum* spp., *Corylus* spp., *Fagus* spp., *Fraxinus* spp., *Koelreuteria* spp., *Platanus* spp., *Populus* spp., *Salix* spp., *Tilia* spp. and *Ulmus* spp., which—

- (a) originate in any third country, other than the European Union, where *Anoplophora glabripennis* (Motschulsky) is known to be present;
- (b) originate, or have been introduced into a place of production, in an area in the European Union established in accordance with Article 7 of Decision (EU) 2015/893.

47. Wood of *Acer* spp., *Aesculus* spp., *Alnus* spp., *Betula* spp., *Carpinus* spp., *Cercidiphyllum* spp., *Corylus* spp., *Fagus* spp., *Fraxinus* spp., *Koelreuteria* spp., *Platanus* spp., *Populus* spp., *Salix* spp., *Tilia* spp. or *Ulmus* spp., other than wood packaging material, but including wood which has not retained its natural round surface, which—

- (a) originates—
 - (i) in any third country, other than the European Union, where *Anoplophora glabripennis* (Motschulsky) is known to be present; or
 - (ii) in an area in the European Union which has been established in accordance Article 7 of Decision (EU) 2015/893, or in the case of wood retaining all or part of its round surface, has been introduced into any such area in the European Union; and
- (b) meets one of the following descriptions-

>CN Code	Description
4401 10 00	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 22 00	Non-coniferous wood, in chips or particles
ex 4401 39 80	Other wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms

>CN Code	Description
4403 10 00	Wood in the rough, treated with paint, stains, creosote or other preservatives, whether or not stripped of bark or sapwood, or roughly squared
4403 92	Wood of beech (<i>Fagus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
ex 4403 99	Non-coniferous wood (other than, beech (<i>Fagus</i> spp.), poplar (<i>Populus</i> spp.) or birch (<i>Betula</i> spp.), in the rough, whether or not stripped of bark or sapwood, or roughly squared
4403 99 10	Wood of poplar (<i>Populus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
4403 99 51	Sawlogs of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
4403 99 59	Wood of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than sawlogs
ex 4404 20 00	Non-coniferous split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise),
4406	Railway or tramway sleepers (cross-ties) of wood
4407 92 00	Wood of beech (<i>Fagus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 93	Wood of maple (<i>Acer</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 95	Wood of ash (<i>Fraxinus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), ash (<i>Fraxinus</i> spp.) or poplar (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 99 91	Wood of poplar (<i>Populus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
9406 00 20	Prefabricated buildings of wood

48. Fruits of *Capsicum* L., *Momordica* L., *Solanum aethiopicum* L., *Solanum macrocarpon* L. or *Solanum melongena* L., or plants, other than live pollen, plant tissue cultures, seeds or grains, of *Zea mays* L. originating in any third country in Africa or the Americas.

49. Plants, other than fruit or seeds, of *Quercus* L., other than *Quercus suber*, intended for planting, whose girth at 1.2 m above the root collar is 8 cm or more, originating in any third country, except than any such plants entering England via a point of entry in the OPM excluded zone which are not in the course of their consignment to the OPM pest free area.

SCHEDULE 6

Regulation 4(7)

PART A

Relevant material which must not be moved within the relevant UK territories without a UK plant passport

1. Plants of Abies Mill., Larix Mill., Picea A. Dietr., Pinus L. or Pseudotsuga Carr.

2. Plants, other than seeds, of *Platanus* L., *Prunus* L., *Quercus* spp., other than *Quercus suber*, or *Ulmus* L., intended for planting.

3. Plants, other than fruit, of *Castanea* Mill.

4. Plants of Palmae, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: Areca catechu L., Arenga pinnata (Wurmb) Merr., Bismarckia Hildebr. & H. Wendl., Borassus flabellifer L., Brahea Mart., Butia Becc., Calamus merrillii Becc., Caryota maxima Blume, Caryota cumingii Lodd. ex Mart., Chamaerops L., Cocos nucifera L., Copernicia Mart., Corypha utan Lam., Elaeis guineensis Jacq., Howea forsteriana Becc., Jubea Kunth, Livistona R. Br., Metroxylon sagu Rottb., Phoenix L., Pritchardia Seem. & H. Wendl., Ravenea rivularis Jum. & H. Perrier, Roystonea regia (Kunth) O.F. Cook, Sabal Adans., Syagrus Mart., Trachycarpus H. Wendl., Trithrinax Mart. or Washingtonia Raf.

5. Seeds of *Castanea* Mill.

6. Plants, other than seeds, of *Amelanchier* Med., *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Photinia davidiana* (Dcne.) Cardot, Prunus L., other than *Prunus laurocerasus* L. or *Prunus lusitanica* L., *Pyracantha* Roem., *Pyrus* L. or *Sorbus* L., intended for planting.

7. Plants, other than seeds, of Beta vulgaris L. or Humulus lupulus L., intended for planting.

8. Plants of stolon- or tuber-forming species of Solanum L., intended for planting.

9. Plants, other than fruit or seeds, of *Choisya* Kunth, *Fortunella* Swingle, *Poncirus* Raf., *Casimiroa* La Llave, *Clausena* Burm. f., *Murraya* J. Koenig ex L., *Vepris* Comm., *Zanthoxylum* L. or *Vitis* L.

10. Plants, other than fruit or seeds, of *Citrus* L.

11. Fruits of Citrus L., Fortunella Swingle or Poncirus Raf., with leaves and peduncles.

12. The following plants which have been produced by producers whose production and sale is authorised to persons engaged in plant production in the course of a trade or business, other than plants which have been prepared and are ready for sale to the final consumer, and which were produced separately from other products under the supervision of the appropriate UK plant health authority—

(a) plants, other than seeds, intended for planting, of the genera Abies Mill., Apium graveolens L. Argyranthemum spp., Asparagus officinalis L., Aster spp., Brassica spp., Castanea Mill., Cucumis spp., Dendranthema (DC.) Des Moul., Dianthus L., Exacum spp., Fragaria L., Gerbera Cass., Gypsophilia L, all varieties of New Guinea hybrids of Impatiens L., Lactuca spp., Larix Mill., Leucanthemum L., Lupinus L., Pelargonium L'Hérit. ex Ait., Picea A. Dietr., Pinus L., Platanus L., Populus L., Prunus laurocerasus L., Prunus lusitanica L., Pseudotsuga Carr., Quercus L., Rubus L., Spinacia L., Tanacetum L., Tsuga Carr., Ulmus L., Verbena L. or other plants of herbaceous species, other than plants of the family Gramineae, intended for planting, or bulbs, corms, rhizomes, seeds or tubers;

- (b) plants of Solanaceae, other than seeds or those specified in paragraph 8, intended for planting;
- (c) plants of Araceae, Marantaceae, Musaceae, Persea spp. or Strelitziaceae, rooted or with growing medium attached or which appear to have been in contact with growing medium;
- (d) plants of Palmae, intended for planting, having a diameter of the stem at the base of over five cm and belonging to the following genera: *Brahea* Mart, *Butia* Becc., *Chamaerops* L., *Jubaea* Kunth, *Livistona* R. Br., *Phoenix* L., *Sabal* Adans., *Syragrus* Mart., *Trachycarpus* H. Wendl., *Trithrinax* Mart. or *Washingtonia* Raf.;
- (e) seeds or bulbs of Allium ascalonicum L., Allium cepa L. or Allium schoenoprasum L., intended for planting; plants of Allium porrum L. intended for planting; or seeds of Medicago sativa L., Helianthus annuus L, Solanum lycopersicum L. or Phaseolus L.;
- (f) bulbs, corms, tubers or rhizomes, intended for planting, of Camassia Lindl., Chionodoxa Boiss., Crocus flavus Weston "Golden Yellow", Dahlia spp., Galanthus L., Galtonia candicans (Baker) Decne., miniature cultivars of the genus Gladiolus Tourn. ex L. (such as Gladiolus callianthus Marais, Gladiolus colvillei Sweet, Gladiolus nanus hort., Gladiolus ramosus hort. or Gladiolus tubergenii hort.), Hyacinthus L., Iris L., Ismene Herbert, Lilium spp., Muscari Miller, Narcissus L., Ornithogalum L., Puschkinia Adams, Scilla L., Tigridia Juss. or Tulipa L.;
- (g) plants, other than corms, seeds or tubers, of *Begonia* L., intended for planting;
- (h) plants, other than seeds, of *Dipladenia* A.DC., *Euphorbia pulcherrima* Willd., *Ficus* L., *Hibiscus* L., *Mandevilla* Lindl. or *Nerium oleander* L., intended for planting.
- 13. Wood, except wood packaging material, where it—
 - (a) has obtained in whole or in part—
 - (i) from Platanus L., including wood which has not kept its natural round surface;
 - (ii) from conifers (Coniferales), excluding wood which is bark-free;
 - (iii) Castanea Mill., excluding wood which is bark-free; and
 - (b) meets one of the following descriptions-

CN Code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with

CN Code	Description
	paint, stains, creosote or other preservatives, of which any cross- sectional dimension is 15 cm or more
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm

PART B

Relevant material which is subject to emergency measures and must not be moved within the United Kingdom without a UK plant passport

14. Plants, other than fruit and seeds, of *Acer macrophyllum* Pursh, *Acer pseudoplatanus* L., *Adiantum aleuticum* (Rupr.) Paris, *Adiantum jordanii* C. Muell., *Aesculus californica* (Spach) Nutt., *Aesculus hippocastanum* L., *Arbutus menziesii* Pursch., *Arbutus unedo* L., *Arctostaphylos* spp. Adans, *Calluna vulgaris* (L.) Hull, *Camellia* spp. L., *Castanea sativa* Mill., *Fagus sylvatica* L., *Frangula californica* (Eschsch.) Gray, *Frangula purshiana* (DC.) Cooper, *Fraxinus excelsior* L., *Griselinia littoralis* (Raoul), *Hamamelis virginiana* L., *Heteromeles arbutifolia* (Lindley) M. Roemer, *Kalmia latifolia* L., *Laurus nobilis* L., *Leucothoe* spp. D. Don, *Lithocarpus densiflorus* (Hook. & Arn.) Rehd., *Lonicera hispidula* (Lindl.) Dougl. ex Torr. & Gray, *Magnolia* spp. L., *Michelia doltsopa* Buch.-Ham. ex DC, *Nothofagus obliqua* (Mirbel) Blume, *Osmanthus heterophyllus* (G. Don) P. S. Green, *Parrotia persica* (DC) C.A. Meyer, *Photinia x fraseri* Dress, *Pieris* spp. D. Don, *Pseudotsuga menziesii* (Mirbel) Franco, *Quercus* spp. L., *Rhododendron* spp. L., other than *Rhododendron simsii* Planch., *Rosa* gymnocarpa Nutt., *Salix* caprea L., *Sequoia sempervirens* (Lamb. ex D. Don) Endl., *Syringa vulgaris* L., *Taxus* spp. L., *Trientalis* latifolia (Hook), *Umbellularia californica* (Hook. & Arn.) Nutt., *Vaccinium ovatum* Pursh and *Viburnum* spp. L., originating in the USA.

15. Plants, other than seeds, intended for planting, of *Viburnum* spp., *Camellia* spp., *Rhododendron* spp., other than *Rhododendron simsii* Planch, originating in any third country, other than the USA, or in the United Kingdom.

16. Seeds of *Solanum lycopersicum* (L.) Karsten ex Farw., originating in any third country or in the United Kingdom.

17. Plants of *Pinus* L. or *Pseudotsuga menziesii*, intended for planting, including seeds and cones for propagation purposes, originating in any third country or in the United Kingdom.

18. Plants, other than seeds, intended for planting, that have a stem or root collar diameter of 1 cm or more at their thickest point of *Acer* spp., *Aesculus hippocastanum*, *Alnus* spp., *Betula* spp., *Carpinus* spp., *Citrus* spp., *Cornus* spp., *Corylus* spp., *Cotoneaster* spp., *Crataegus* spp., *Fagus* spp., *Lagerstroemia* spp., *Malus* spp., *Platanus* spp., *Populus* spp., *Prunus laurocerasus*, *Pyrus* spp., *Rosa* spp., *Salix* spp. or *Ulmus* spp. which:

- (a) originate in a third country, other than the European Union, where *Anoplophora chinensis* (Forster) is known to be present;
- (b) originate in, or have been introduced into, an area in the European Union established in accordance with Article 6 of Decision 2012/138/EU;
- (c) originate in, or have been introduced into, an area in the United Kingdom that is demarcated under paragraph 3 of Schedule 11 or under equivalent provisions in the Scotland Orders.
- 19. Tubers of Solanum tuberosum L., including those intended for planting, which originate:
 - (a) in a third country, other than the European Union, where *Epitrix cucumeris* (Harris), *Epitrix similaris* (Gentner), *Epitrix subcrinita* (Lec.) or *Epitrix tuberis* (Gentner) is known to be present;
 - (b) in an area in the European Union established in accordance with Article 5 of Decision 2012/270/EU;
 - (c) in an area in the United Kingdom that is demarcated under paragraph 3 of Schedule 12 or under equivalent provisions in the Scotland Orders, except any such tubers which are only being moved within the area.

20. Plants, other than fruit or seeds, of *Abies* Mill., *Cedrus* Trew, *Larix* Mill., *Picea* A. Dietr., *Pinus* L., *Pseudotsuga* Carr. or *Tsuga* Carr., which originate—

- (a) in an area in the European Union which has been established in accordance with Article 5 of Decision 2012/535/EU;
- (b) in an area in United Kingdom that is demarcated under paragraph 3 of Schedule 13 or under equivalent provisions in the Scotland Orders.

21. Wood of conifers (Coniferales) which has not retained its round surface or is in the form of beehives or bird nesting boxes, other than wood packaging material or sawn wood or logs of *Taxus* L. or *Thuga* L., or bark of conifers which originate—

- (a) in an area in the European Union established in accordance with Article 5 of Decision 2012/535/EU;
- (b) in an area in United Kingdom that is demarcated under paragraph 3 of Schedule 13 or under equivalent provisions in the Scotland Orders.

22. Plants, other than seeds, intended for planting, which can only grow in water or soil that is permanently saturated with water which originate—

- (a) in any third country, other than the European Union;
- (b) in an area in the European Union established in accordance with Article 5 of Decision 2012/697/EU;
- (c) in area in the United Kingdom that is demarcated under paragraph 3 of Schedule 14 or under equivalent provisions in the Scotland Orders.

23. Live pollen or plants intended for planting, other than seeds, of *Actinidia* Lindl., originating in a third country or in the United Kingdom.

24. Plants of *Fraxinus* L., intended for planting, originating in any third country or in the United Kingdom.

25. Plants, other than seeds, intended for planting, belonging to the genera and species listed in Annex 1 to Decision (EU) 2015/789, other than those belonging to the varieties specified in Annex 3 to Decision (EU) 2015/789, or in the list of *Xylella* host plants, which—

- (a) originate in any third country, other than the European Union;
- (b) originate in the European Union and have been grown for a part of their life in an area in the European Union established in accordance with Article 4 of Decision 2015/789;
- (c) originate in the United Kingdom and have been grown for a part of their life in an area that is demarcated under paragraph 5 of Schedule 15 or under equivalent provisions in the Scottish Orders.

26. Plants, other than seeds, intended for planting, belonging to the genera and species listed in the list of *Xylella* host plants, which—

- (a) originate in the European Union and have never been grown in an area established in accordance with Article 4 of Decision 2015/789; or
- (b) originate in the United Kingdom and have never been grown in an area that is demarcated under paragraph 5 of Schedule 15 or under equivalent provisions in the Scottish Orders.

27. Plants, other than seeds, intended for planting that have a stem diameter of 1 cm or more at their thickest point, of *Acer* spp., *Aesculus* spp., *Alnus* spp., *Betula* spp., *Carpinus* spp., *Cercidiphyllum* spp., *Corylus* spp., *Fagus* spp., *Fraxinus* spp., *Koelreuteria* spp., *Platanus* spp., *Populus* spp., *Salix* spp., *Tilia* spp. and *Ulmus* spp., which:

(a) originate in any third country, other than the European Union, where *Anoplophora glabripennis* (Motschulsky) is known to be present;

- (b) originate, or have been introduced into a place of production, in an area in the European Union established in accordance with Article 7 of Decision (EU) 2015/893; or
- (c) originate, or have been introduced into a place of production, in an area in United Kingdom that is demarcated under paragraph 3 of Schedule 16 or under equivalent provisions in the Scotland Orders.

28. Wood, other than wood packaging material, but including wood which has not retained its natural round surface, of *Acer* spp., *Aesculus* spp., *Alnus* spp., *Betula* spp., *Carpinus* spp., *Cercidiphyllum* spp., *Corylus* spp., *Fagus* spp., *Fraxinus* spp., *Koelreuteria* spp., *Platanus* spp., *Populus* spp., *Salix* spp., *Tilia* spp. and *Ulmus* spp., which—

- (a) originates in an area in the European Union established in accordance Article 7 of Decision (EU) 2015/893 or, in the case of wood retaining all or part of its round surface, has been introduced into any such area in the European Union; or
- (b) originates in an area United Kingdom that is demarcated under paragraph 3 of Schedule 16 or under equivalent provisions in the Scotland Orders or, in the case of wood retaining all or part of its round surface, has been introduced into any such area; and
- (c) meets one of the following descriptions-

CN Code	Description
4401 10 00	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 22 00	Non-coniferous wood, in chips or particles
ex 4401 39 80	Other wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms
4403 10 00	Wood in the rough, treated with paint, stains, creosote or other preservatives, whether or not stripped of bark or sapwood, or roughly squared
4403 92	Wood of beech (<i>Fagus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared),
ex 4403 99	Non-coniferous wood (other than, beech (<i>Fagus</i> spp.), poplar (<i>Populus</i> spp.) or birch (<i>Betula</i> spp.), in the rough, whether or not stripped of bark or sapwood, or roughly squared
4403 99 10	Wood of poplar (<i>Populus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
4403 99 51	Sawlogs of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
4403 99 59	Wood of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than sawlogs
ex 4404 20 00	Non-coniferous split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise), y or tramway sleepers (cross-ties) of wood
4407 92 00	Wood of beech (<i>Fagus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm

CN Code	Description
4407 93	Wood of maple (<i>Acer</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 95	Wood of ash (<i>Fraxinus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), ash (<i>Fraxinus</i> spp.) or poplar (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
4407 99 91	Wood of poplar (<i>Populus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
9406 00 20	Prefabricated buildings of wood

29. Plants, other than fruit or seeds, of *Quercus* L., other than *Quercus suber*, intended for planting, whose girth at 1.2 m above the root collar is 8 cm or more, except any such plants which are only being moved within the OPM excluded zone.

SCHEDULE 7

Regulation 4(8)

Notifiable relevant material destined for a UK pest free area and relevant material which must not be introduced or moved within a UK pest free area without a valid UK plant passport

30. In the case of Northern Ireland—

- (a) wood of conifers (Coniferales), excluding wood which is bark-free;
- (b) isolated bark of conifers (Coniferales);
- (c) plants of Abies Mill., Larix Mill., Picea A. Dietr., Pinus L., or Pseudotsuga Carr.;
- (d) plants, other than plants intended for planting, of *Allium porrum* L., *Apium* L., *Beta* L., *Brassica napus* L., *Brassica rapa* L., *Daucus* L.;
- (e) plants, other than seeds, of *Beta vulgaris* L., intended for planting;
- (f) plants of Beta vulgaris L., intended for industrial processing;
- (g) soil from beet and unsterilized waste from beet;
- (h) seeds and fodder beet seed of *Beta vulgaris* L.;
- (i) used agricultural machinery.

31. In the case of the OPM pest free area, plants, other than seeds, intended for planting, of *Quercus* spp., other than *Quercus* suber.

SCHEDULE 8

Regulation 4(9)

Derogations from specific prohibitions and requirements under the relevant Plant Health Orders

PART A

Dwarfed plants of *Chamaecyparis* Spach, *Juniperus* L. or *Pinus* L. originating in the Republic of Korea or Japan

1. In this Part—

"permitted plants" means naturally or artificially dwarfed plants, other than fruit or seeds, originating in the Republic of Korea or Japan, of—

- (a) the genus Chamaecyparis Spach or the genus Juniperus L., or
- (b) in the case of the genus *Pinus* L., the species *Pinus parviflora* Sieb. & Zucc. or that species grafted on a rootstock of any other species of *Pinus* L. which does not bear any shoots;

"registered nursery" means a nursery which is registered and supervised by the national plant protection organisation of the Republic of Korea or the national plant protection organisation of Japan (as the case may be) for the purpose of exports of permitted plants to the United Kingdom;

"relevant NPPO" means-

- (a) in relation to permitted plants originating in the Republic of Korea, the national plant protection organisation of the Republic of Korea;
- (b) in relation to permitted plants originating in Japan, the national plant protection organisation of Japan;

"relevant plant pest" means-

- (a) in the case of plants of Juniperus L., Aschistonyx eppoi Inouye, Gymnosporangium asiaticum Miyabe ex Yamada and G. yamadae Miyabe ex Yamada, Oligonychus perditus Pritchard et Baker, Popillia japonica Newman or any other plant pest which is not known to occur in the United Kingdom;
- (b) in the case of plants of *Chamaecyparis* Spach, *Popillia japonica* Newman or any other plant pest which is not known to occur in the United Kingdom;
- (c) in the case of any plants of Pinus L. originating in Korea, Bursaphelenchus xylophilus (Steiner & Buhrer) Nickle et al., Cercoseptoria pini-densiflorae (Hori & Nambu) Deighton, Coleosporium phellodendri Komr, Coleosporium asterum (Dietel) Sydow, Coleosporium eupatorii Arthur, Cronartium quercuum (Berk.) Miyabe ex Shirai, Dendrolimus spectabilis Butler, Monochamus spp., Popillia japonica Newman, Thecodiplosis japonensis Uchida & Inouye or any other plant pest which is not known to occur in the United Kingdom;
- (d) in the case of any plants of *Pinus* L. originating in Japan, *Bursaphelenchus xylophilus* (Steiner & Buhrer) Nickle et al., *Cercoseptoria pini-densiflorae* (Hori & Nambu) Deighton, *Coleosporium paederiae*, *Coleosporium phellodendri* Komr, *Cronartium quercuum* (Berk.) Miyabe ex Shirai, *Dendrolimus spectabilis* Butler, *Monochamus* spp. *Popillia japonica* Newman, *Peridermium kurilense* Dietel, *Thecodiplosis japonensis* Uchida & Inouye or any other plant pest which is not known to occur in the United Kingdom.
- 2. Permitted plants may be imported into a relevant UK territory provided that—

- (a) in the case of dwarfed plants, other than fruit or seeds, of *Juniperus* L., they are imported in the period beginning on 1st November and ending on 31st March;
- (b) they originate in a registered nursery which is included in a list of registered nurseries provided by the relevant NPPO to the national plant protection organisation of the United Kingdom;
- (c) the plants and any adhering or associated growing medium are accompanied by a phytosanitary certificate issued by the relevant NPPO which includes the required official statement and the relevant details; and
- (d) the importation of the permitted plants is authorised by the appropriate UK plant health authority under the relevant Plant Health Order.

3. When authorising the importation of permitted plants for the purposes of paragraph 2, the appropriate UK plant health authority must ensure that the authorisation contains conditions—

- (a) requiring the importer to provide sufficient advance notice of any consignment of permitted plants to be imported, which must include details of the type of relevant material, the quantity of plants, the expected date of arrival and the officially approved site where the plants are to be held for the purposes of paragraph 6; and
- (b) requiring compliance with the post-entry quarantine requirements specified in paragraphs 6 to 9.
- 4. For the purposes of paragraph 2(c), the required official statement is an official statement that
 - (a) the permitted plants have been grown, held and trained in a registered nursery which was registered and supervised by the relevant NPPO for at least two consecutive years prior to its inclusion by the relevant NPPO in the list mentioned in paragraph 2(b);
 - (b) the registered nursery has, along with its immediate vicinity, been officially inspected during the period mentioned in sub-paragraph (a) and in any subsequent period up to the date of its dispatch at least six times a year at appropriate intervals for the presence of a relevant plant pest and no relevant plant pests have been found in those inspections at the nursery;
 - (c) the permitted plants have during the period mentioned in sub-paragraph (b)-
 - (i) been potted and kept in pots which have been placed on shelves at least 50 cm above ground or onto concrete flooring, impenetrable for nematodes, that was well maintained and free from debris;
 - (ii) been found free, in the inspections referred to in sub-paragraph (b), from all relevant plant pests;
 - (d) where they belong to the genus *Pinus* L. and in the case of grafting on a rootstock of a *Pinus* species, other than *Pinus parviflora* Sieb & Zucc., they have a rootstock derived from sources that have been officially approved as healthy material;
 - (e) each plant has been given a recognisable marking, exclusive to each individual plant, that enables the registered nursery and the year of its potting to be identified, which has been notified to the relevant NPPO; and
 - (f) the relevant NPPO has ensured that the permitted plants have remained identifiable from their dispatch from the registered nursery until the time of loading for export, through the sealing of transport vehicles or other alternatives.

5. The relevant details which must be included in the phytosanitary certificate for the purposes of paragraph 2(c) are—

(a) the name of the registered nursery;

- (b) the recognisable marking for each plant contained in the consignment and the year of potting;
- (c) the specification of the last treatment applied to the plants prior to dispatch; and
- (d) under the heading "Additional declaration", the statement that "This consignment meets the conditions in Part A of Schedule 8 to the Plant Health (EU Exit) Regulations 2019".

6. Any permitted plants imported under paragraph 2 must be subject to official post-entry quarantine for the following periods, and found free during those periods from any relevant plant pest—

- (a) in the case of plants of *Pinus* L. or *Chamaecyparis* Spach, a period of not less than three months of active growth;
- (b) in the case of plants of *Juniperus* L., the period beginning on 1st April and ending on 30th June.
- 7. Any official post-entry quarantine for the purposes of paragraph 6 must—
 - (a) be supervised by the appropriate UK plant health authority and executed by officially approved and trained staff;
 - (b) ensure that the recognisable mark on each plant is preserved;
 - (c) be performed at an officially approved site with the facilities necessary to contain the spread of plant pests and maintain the permitted plants in a manner that eliminates any risk of the spread of relevant plant pests; and
 - (d) be performed for each permitted plant—
 - (i) by visual examination upon arrival and at regular intervals subsequently, having regard to the type of relevant material and its state of development during the quarantine period, for relevant plant pests or symptoms caused by a relevant plant pest; and
 - (ii) by appropriate testing of any symptoms observed in the visual examination in order to identify the plant pest causing those symptoms.

8. Any lot containing permitted plants which have not been found free from relevant plant pests during the post-entry quarantine period must be immediately destroyed under official supervision.

9. Any permitted plants which are released from quarantine must not be moved within the United Kingdom without a valid UK plant passport, which indicates the country of origin of the plants.

PART B

Soil contaminated by pesticides or persistent organic pollutants for decontamination purposes

10. In this Part—

"contaminated soil" means-

- (a) soil contaminated by pesticides covered by the FAO programme on prevention and disposal of obsolete and unwanted pesticides or any other similar multilateral programme; or
- (b) soil contaminated with persistent organic pollutants listed in the Stockholm Convention on persistent organic pollutants(44), or in the 1998 Protocol to the 1979 Convention on long range trans-boundary air pollution on persistent organic pollutants(45);

⁽⁴⁴⁾ Adopted in Stockholm, Sweden on 22nd May 2001 (Treaty series No. 22 (2005), Cm 6581).

"dedicated hazardous waste incinerator" means an incinerator in a relevant UK territory which is—

- (a) officially authorised to treat contaminated soil under retained EU law relating to industrial emissions; and
- (b) authorised by the appropriate UK plant health authority;

"IMDG Code" means the 2016 edition or, in respect of any soil imported on or after 1st January 2020, the 2018 edition of the International Maritime Dangerous Goods Code(**46**);

11. Contaminated soil, which is intended to be treated in a dedicated hazardous waste incinerator in a relevant UK territory may be imported into the relevant UK territory provided that—

- (a) its importation is authorised by the appropriate competent authority in accordance with Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments of waste;
- (b) the soil is packaged in sealed drums or bags in compliance with the IMDG Code and transported in sealed shipping containers from the packaging site in the country of origin to the dedicated hazardous waste incinerator treatment site in accordance with the authorisation mentioned in sub-paragraph (a);
- (c) the soil is accompanied by a phytosanitary certificate issued by the national plant protection organisation in the country of origin which includes under the heading "Additional declaration" the statement: "This consignment meets the conditions in Part B of Schedule 8 to the Plant Health (EU Exit) Regulations 2019";
- (d) its importation is authorised by the appropriate UK plant health authority under the relevant Plant Health Order.

12. When authorising the importation of contaminated soil for the purposes of paragraph 11, the appropriate UK plant health authority must ensure that the authorisation contains conditions as to the points of entry which must be used for its importation and conditions requiring the importer to—

- (a) provide sufficient advance notice of any consignment of contaminated soil to be imported, which must include details of the quantity and origin of the soil, its point of entry, its expected date of arrival at the point of entry and the name, address and location of the dedicated hazardous waste incinerator where the soil is to be treated;
- (b) transport the contaminated soil directly from its point of entry to the dedicated hazardous waste incinerator notified pursuant to sub-paragraph (a).

PART C

Citrus fruits for industrial processing into juice originating in Argentina, Brazil, South Africa or Uruguay

13. In this Part, "permitted fruits" means fruits of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., other than fruits of *Citrus aurantium* L. or *Citrus latifolia* Tanaka.

14. Permitted fruits originating in Argentina, Brazil, South Africa or Uruguay may be imported into a relevant UK territory for industrial processing into juice provided that—

(a) they originate in an officially registered place of production;

⁽⁴⁵⁾ The 1979 Convention on long range trans-boundary air pollution was adopted in Geneva, Switzerland on 13th November 1979 (Treaty series No. 57 (1983), Cmnd 9034); the 1998 Protocol on persistent organic pollutants was adopted in Aarhus, Denmark on 24th June 1998 (Treaty series No. 5 (2006), Cm 6757).

⁽⁴⁶⁾ A copy of these editions of the code may be obtained from IMO Publishing: ISBN: 978-92-801-1597-0 (2016 edition) and ISBN: 978-92-801-1683-0 (2018 edition).

- (b) their movement from the place of production to the point of export in the country of origin has been officially registered;
- (c) they are accompanied by a phytosanitary certificate issued by the national plant protection organisation of the country of origin which includes the required official statement and the relevant details; and
- (d) their importation is authorised by the appropriate UK plant health authority under the relevant Plant Health Order.

15. When authorising the importation of permitted fruits for the purposes of paragraph 14, the appropriate UK plant health authority must ensure that the authorisation contains conditions—

- (a) requiring the fruits to be imported and moved to their approved processing premises in individual packages in a container;
- (b) requiring a label to be attached to each container of fruits and individual package which contains—
 - (i) a unique number on each individual package;
 - (ii) the declared net weight of the fruit; and
 - (iii) a mark stating: 'Fruit destined exclusively for industrial processing into juice'.
- (c) requiring the importer to provide sufficient advance notice of any container of permitted fruits to be imported, which must include details of the quantity of fruits, the identification numbers of the containers, the expected date of arrival, the point of entry into the relevant UK territory and the name, address and the location of the premises at which the fruits are to be processed; and
- (d) requiring compliance with the requirements specified in paragraphs 19 to 22.

16. For the purposes of paragraph 14(c), the required official statement is an official statement—

- (a) that the permitted fruits originate in a field of production which was subjected to appropriate treatments against *Phyllosticta citricarpa* (McAlpine) Van der Aa at the appropriate time; and
- (b) that an appropriate visual inspection has been carried out during packaging and no symptoms of *Phyllosticta citricarpa* (McAlpine) Van der Aa were detected in the fruits harvested in the field of production in that inspection.

17. The relevant details which must be included in the phytosanitary certificate for the purposes of paragraph 14(c) are—

- (a) the identification numbers of the containers;
- (b) the unique numbers of the labels on the individual packages; and
- (c) under the heading "Additional declaration", the statement "Fruits destined exclusively for industrial processing into juice" and the code for the production unit.

18. Any permitted fruits imported under paragraph 14 must be visually inspected by an inspector appointed by the appropriate UK plant health authority on arrival and if symptoms of *Phyllosticta citricarpa* (McAlpine) Van der Aa are detected and the plant pest is confirmed by testing, the batch from which the sample was taken must be refused entry.

19. Any permitted fruits imported under paragraph 14 must be transported without delay to the approved processing premises or to an approved storage facility.

20. Waste and by-products of permitted fruits must be destroyed by deep burial or used in accordance with an approved method to prevent the risk of *Phyllosticta citricarpa* (McAlpine) Van der Aa spreading.

21. The operator of an approved processing premises must keep records of the permitted fruits that are processed at the premises which indicate the numbers and distinguishing marks of containers, the quantity of permitted fruits imported, the volumes of waste and by-products destroyed or used and detailed information on their destruction or use.

22. Any permitted fruits which are stored pending their processing must be easily identifiable and stored in a way that prevents the risk of *Phyllosticta citricarpa* (McAlpine) Van der Aa spreading.

SCHEDULE 9

Regulation 5(2)

Emergency measures: miscellaneous

PART A

Official surveys

1. The appropriate UK plant health authorities must carry out official surveys for the presence of the following plant pests—

- (a) Phytophthora ramorum Werres, De Cock & Man in 't Veld sp. nov.;
- (b) Pepino mosaic virus;
- (c) Gibberella circinata Nirenberg & O'Donnell;
- (d) Anoplophora chinensis (Forster);
- (e) *Epitrix cucumeris* (Harris), *Epitrix papa* Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) and *Epitrix tuberis* (Gentner);
- (f) Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle et al.;
- (g) Pomacea (Perry);
- (h) Xylella fastidiosa (Wells et al.);
- (i) Anoplophora glabripennis (Motschulsky);
- (j) Pseudomona syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto.

2. Official surveys carried out pursuant to paragraph 1(c) must include surveys for evidence of infection by *Gibberella circinata* Nirenberg & O'Donnell.

3. Official surveys carried out pursuant to paragraph 1(d) must include surveys for evidence of infestation by *Anoplophora chinensis* (Forster) on host plants.

4. Official surveys carried out pursuant to paragraph 1(e) must include surveys for signs of infestation by *Epitrix cucumeris* (Harris), *Epitrix papa* Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) or *Epitrix tuberis* (Gentner) on potato tubers and, where appropriate, other host plants and include fields where potato tubers are growing.

- 5. Official surveys carried out pursuant to paragraph 1(f) must—
 - (a) include surveys for *Bursaphelenchus xylophilus* (Steiner et Buhrer) Nickle et al. on the plants, wood and bark to which Schedule 13 applies and its vectors in the genus *Monochamus*; and
 - (b) consist of the collection of samples of that material and those vectors in accordance with sound scientific and technical principles and the laboratory testing of those samples in accordance with EPPO PM 7/4.

- 6. Official surveys carried out pursuant to paragraph 1(h) must—
 - (a) consist of visual examinations and, in the case of any suspicion of infection by *Xylella fastidiosa* (Wells et al.), the collection of samples and testing;
 - (b) be based on sound scientific and technical principles;
 - (c) be carried out at appropriate times of the year;
 - (d) take account of the available scientific and technical evidence, the biology of the plant pest and its vectors, the presence and the biology of the relevant material which may host or become infected with the plant pest; and
 - (e) include the screening of the plant pest in areas which have been demarcated under Schedule 15 by one molecular test and, where the test is positive, by the carrying out, in line with international standards, of at least one additional positive molecular test.

7. Official surveys carried out under paragraph 1(i) must include surveys for evidence of infestation by *Anoplophora chinensis* (Forster) on host plants.

8. In paragraph 5, "EPPO PM 7/4" means the standard describing a diagnostic protocol for *Bursaphelenchus xylophilus* approved by the European and Mediterranean Plant Protection Organization(**47**).

PART B

Phytophthora ramorum Werres, De Cock & Man in 't Veld sp. nov.

9. Where signs of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld sp. nov. have been found on any plants in a place, other than a place of production, the appropriate UK plant health authority must take appropriate measures to contain the plant pest.

PART C

Ralstonia solanacerarum (Smith) Yabuuchi et al.

10. Where tubers of *Solanum tuberosum* L. originating in Egypt are imported into a relevant UK territory, the appropriate UK plant health authority must ensure that—

- (a) the tubers are only moved within its territory if they are labelled to indicate their origin; and
- (b) appropriate measures are taken at the premises where they are processed or packaged to prevent any spread of *Ralstonia solanacerarum* (Smith) Yabuuchi et al. from the disposal of waste arising from the packaging or processing of the tubers.

PART D

Emergency measures: England and Scotland

11. This Part applies where there is evidence that a relevant plant pest is present in England or Scotland.

⁽⁴⁷⁾ First approved by the European and Mediterranean Plant Protection Organization in September 2012 and available from its Secretariat at 21 Boulevard Richard Lenoir, 75011, Paris, France and at https://www.eppo.int/RESOURCES/eppo_standards/ pm10_phytosanitary_treatments.

12. The appropriate UK plant health authority must cooperate with the Scottish Ministers to determine the extent of the area to be demarcated in relation to the infestation and the actions to be taken to eradicate and contain the relevant plant pest.

13. For the purposes of paragraph 12, the appropriate UK plant health authority must ensure that the objectives of the demarcation and actions to be taken are consistent with the objectives and actions that would apply if the area were to be demarcated under the applicable Schedule.

14. In this Part—

- (a) "relevant plant pest" means any of the following-
 - (i) Gibberella circinata Nirenberg & O'Donnell;
 - (ii) Anoplophora chinensis (Forster);
 - (iii) *Epitrix cucumeris* (Harris), *Epitrix papa* Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) and *Epitrix tuberis* (Gentner);
 - (iv) Bursaphelenchus xylophilus (Steiner et Buhrer) Nickle et al.;
 - (v) Pomacea (Perry);
 - (vi) Xylella fastidiosa (Wells et al.);
 - (vii) Anoplophora glabripennis (Motschulsky);
- (b) "applicable Schedule", in relation to a plant pest, means the Schedule which makes provision about emergency measures in respect of that plant pest.

SCHEDULE 10

Regulation 5(3)

Emergency measures: Gibberella circinata Nirenberg & O'Donnell

Application and interpretation

1. This Schedule applies where there is evidence that *Gibberella circinata* Nirenberg & O'Donnell is present in a relevant UK territory.

2. In this Schedule—

"the plant pest" means Gibberella circinata Nirenberg & O'Donnell;

"susceptible plants" means any plants of the genus *Pinus* L. or the species *Pseudotstuga menzies*ii, intended for planting, including seeds or cones for propagation purposes.

Establishment of a demarcated area

3. The appropriate UK plant health authority must by notice demarcate an area in relation to the infestation consisting of—

- (a) an infected zone and a buffer zone around the infected zone; and
- (b) where two or more buffer zones around infected zones overlap or are geographically close, an area encompassing those infected zones and buffer zones and the areas between the buffer zones.

4. The infected zone must include the area in which the plant pest was found and all susceptible plants showing symptoms caused by the plant pest.

5. The boundary of the buffer zone must be at least one km beyond the boundary of the infected zone.

6. The demarcation of any infected zone and buffer zone for the purposes of paragraph 3 must be based on sound scientific principles, the biology of the plant pest and its vectors, the level of infection, the time of year and the distribution of susceptible plants.

7. If there is a confirmed finding of the plant pest outside an infected zone, the appropriate UK plant health authority must either demarcate a further area or amend the original demarcated area in accordance with paragraphs 3 to 6 to take account of that finding.

8. Paragraph 3 does not apply in so far as any part of the area to be demarcated would be in Scotland.

Measures to be taken in a demarcated area

9. Where a UK plant health authority demarcates an area under paragraph 3, the appropriate UK plant health authority must ensure that—

- (a) measures are taken for the purpose of eradicating the plant pest in the demarcated area; and
- (b) intensive monitoring is carried out in the demarcated area for the presence of the plant pest through appropriate inspections.

Lifting of demarcation

10. The appropriate UK plant health authority may lift the demarcation that applies to an area which has been demarcated under paragraph 3 if the official surveys carried out pursuant to paragraph 1(c) of Schedule 9 show that the plant pest has not been found to be present in the demarcated area in the two years prior to the lifting of the demarcation.

SCHEDULE 11

Regulation 5(4)

Emergency measures: Anoplophora chinensis (Forster)

PART A

Application and interpretation

1. This Schedule applies where there is evidence that Anoplophora chinensis (Forster) is present in a relevant UK territory.

2. In this Schedule—

"appropriate time", in the case of paragraphs 11(a) and 12(a), means immediately or, in any case where the infested plants were found outside the flying period of the plant pest, before the start of the next flying period;

"demarcated area" means an area demarcated under paragraph 3;

"felling", in relation to a plant, includes its removal;

"infested plant" means a plant which has been found to be infested with the plant pest;

"place of production" means a place of production which meets the requirements referred to in column 3 of item 4 of Part E of Schedule 4;

"the plant pest" means Anoplophora chinensis (Forster);

"relevant period" means a period of at least four consecutive years which includes at least one life cycle of the plant pest and the year after;

"susceptible plants" means plants for planting, other than seeds, that have a stem or root collar diameter of one cm or more at their thickest point, of *Acer* spp., *Aesculus hippocastanum*, *Alnus* spp., *Betula* spp., *Carpinus* spp., *Citrus* spp., *Cornus* spp., *Corylus* spp., *Cotoneaster* spp., *Crataegus* spp., *Fagus* spp., *Lagerstroemia* spp., *Malus* spp., *Platanus* spp., *Populus* spp., *Prunus laurocerasus*, *Pyrus* spp., *Rosa* spp., *Salix* spp. or *Ulmus* spp.

PART B

Establishment of a demarcated area

3. The appropriate UK plant health authority must by notice and without delay demarcate an area in relation to the infestation consisting of an infested zone and a buffer zone around the infested zone.

4. The infested zone must include the area in which the plant pest was found, all plants showing symptoms caused by the plant pest and, where appropriate, all plants belonging to the same lot at the time of planting.

5. The boundary of the buffer zone must be at least two km beyond the boundary of the infested zone, but may be reduced to one km beyond the boundary of the infested zone where the appropriate UK plant health authority concludes that eradication of the plant pest is possible and remains of that view.

6. The demarcation of the infested zone and the buffer zone must be based on sound scientific principles, the biology of the plant pest, the level of infestation, the distribution of host plants in the area concerned and evidence of establishment of the plant pest.

7. If there is a confirmed finding of the plant pest outside the infested zone, the appropriate UK plant health authority must either demarcate a further area or amend the original demarcated area in accordance with paragraphs 3 to 6 to take account of that finding.

- 8. Paragraph 3 is subject to paragraph 15.
- 9. This Part does not apply in so far as any part of the area to be demarcated would be in Scotland.

PART C

Measures to be taken in a demarcated area

10. Where an area is demarcated under paragraph 3, the appropriate UK plant health authority must ensure that measures are taken to eradicate the plant pest in the area or, where it has concluded that this is no longer possible, to contain the spread of the plant pest from the area.

11. The eradication measures must include—

- (a) the felling of all infested plants and plants with symptoms caused by the plant pest, other than any plant to which sub-paragraph (d) applies, and the complete removal of their roots at the appropriate time;
- (b) the felling of all susceptible plants within a radius of 100 m of an infested plant, other than any plant to which sub-paragraph (d) applies, and the examination of those plants for any sign of infestation;
- (c) the removal, examination and disposal of plants felled in accordance with sub-paragraphs
 (a) and (b) and their roots, taking all necessary precautions to avoid the spread of the plant pest during and after felling;
- (d) in any case where the appropriate UK plant health authority concludes that the felling of an infested tree, any tree with symptoms caused by the plant pest or a susceptible plant within

a radius of 100 m of an infested plant would not be appropriate and alternative eradication measures can be applied to offer the same level of protection to those measures, those alternative eradication measures;

- (e) the prevention of any movement of potentially infested plants out of the demarcated area;
- (f) the tracing back to the origin of the infestation and the tracing of plants associated with the infestation as far as possible, along with examinations of the plants traced for any sign that they are infested with the plant pest, which must include targeted destructive sampling;
- (g) where appropriate, the replacement of susceptible plants by other plants;
- (h) the prohibition on the planting of susceptible plants in the open air within a radius of 100 m of an infested plant, except in a place of production;
- (i) intensive monitoring for the presence of the plant pest by annual inspections at appropriate times on host plants, with specific focus on the buffer zone, including, where appropriate, targeted destructive sampling;
- (j) activities to raise public awareness of the threat of the plant pest and the measures adopted to prevent its introduction into and spread within the relevant UK territory, including the conditions relating to the movement of susceptible plants from the demarcated area;
- (k) where necessary, specific measures to address any particularity or complication that could reasonably be expected to prevent, hinder or delay eradication of the plant pest; and
- (l) any other measure which may contribute to the eradication of the plant pest, taking into account the guidelines in ISPM No. 9 and ISPM No. 14.
- 12. The containment measures must include—
 - (a) the felling of all infested plants and plants with symptoms caused by the plant pest, other than any plant to which sub-paragraph (c) applies, and the complete removal of their roots at the appropriate time;
 - (b) the removal, examination and disposal of plants felled in accordance with subparagraph (a) and their roots, taking all necessary precautions to avoid the spread of the plant pest after felling;
 - (c) in any case where the appropriate UK plant health authority concludes that the felling and the disposal of an infested tree or any tree with symptoms caused by the plant pest would not be appropriate and alternative containment measures can be applied to offer the same level of protection to those measures, those alternative containment measures;
 - (d) the prevention of any movement of potentially infested plants out of the demarcated area;
 - (e) where appropriate, the replacement of susceptible plants by other plants;
 - (f) the prohibition on the planting of susceptible plants in the open air within a radius of 100 m of an infested plant, except in a place of production;
 - (g) intensive monitoring for the presence of the plant pest by annual inspections at appropriate times on host plants, which must include targeted destructive sampling;
 - (h) activities to raise public awareness of the threat of the plant pest and the measures adopted to prevent its introduction into and spread within the relevant UK territory, including the conditions relating to the movement of susceptible plants from the demarcated area;
 - (i) where necessary, specific measures to address any particularity or complication that could reasonably be expected to prevent, hinder or delay containment of the plant pest; and
 - (j) any other measure which may contribute to the containment of the plant pest.

13. The appropriate UK plant health authority must set time periods for the implementation of the measures to be carried out.

14. The appropriate UK plant health authority may only conclude that it is not possible to eradicate the plant pest from a demarcated area where the results of official surveys carried out over a period of four or more consecutive years have confirmed the presence of the plant pest in the demarcated area and there is evidence that the plant pest can no longer be eradicated from the area.

PART D

Measures to be taken where no demarcated area is established

15. The appropriate UK plant health authority need not demarcate an area in relation to a finding of the plant pest in a relevant UK territory where—

- (a) there is evidence that—
 - (i) the infestation has been caused by the movement of susceptible plants to the area of infestation and those plants were infested with the plant pest prior to their movement to that area; or
 - (ii) it is an isolated finding which is not expected to lead to the establishment of the plant pest; and
- (b) it has ascertained that the plant pest is not established in the area and will not successfully breed or spread if appropriate eradication measures are taken.

16. Where the appropriate UK plant health authority does not demarcate an area for the reasons specified in paragraph 15(a) and (b), the appropriate UK plant health authority must ensure that—

- (a) measures are immediately taken for the purpose of promptly eradicating the plant pest and preventing its spread;
- (b) over the relevant period, monitoring is carried out within one km of the infested plants or the place at which the plant pest was found, which must be regular and intensive in the first year;
- (c) the infested plants are destroyed;
- (d) tracing back to the origin of the infestation and tracing of plants associated with the infestation is carried out as far as possible, along with examinations of the plants traced for any sign that they are infested with the plant pest, which must include targeted destructive sampling;
- (e) activities to raise public awareness of the threat posed by the plant pest are carried out;
- (f) any other measure which may contribute to the eradication of the plant pest is taken, taking account of the guidelines in ISPM No. 9 and ISPM No. 14.

PART E

Lifting of demarcation

17. The appropriate UK plant health authority may lift the demarcation that applies to a demarcated area if—

- (a) the plant pest is not detected in the demarcated area over the relevant period during official surveys carried pursuant to paragraph 1(d) of Schedule 9 or by the monitoring referred to in paragraph 11(i); or
- (b) the conditions in paragraph 15(a) and (b) are satisfied.

SCHEDULE 12

Regulation 5(5)

Emergency measures: *Epitrix cucumeris* (Harris), *Epitrix papa* Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) and *Epitrix tuberis* (Gentner)

PART A

Application and interpretation

1. This Schedule applies where there is evidence that *Epitrix cucumeris* (Harris), *Epitrix papa* Orlova-Bienkowskaja, *Epitrix subcrinita* (Lec.) or *Epitrix tuberis* (Gentner) is present in, or there are signs of infestation by one of those plant pests on potato tubers in, a relevant UK territory.

2. In this Schedule—

"authorised packing facility" means a packing facility in the vicinity of a demarcated area which is authorised by the appropriate UK plant health authority or by an inspector to pack potato tubers originating in the demarcated area;

"demarcated area" means an area demarcated under paragraph 3;

"permitted potato tubers" means potato tubers originating in a demarcated area that have been grown in fields—

- (a) which have been subjected to insecticide treatments against the plant pest at appropriate times during the growing season; and
- (b) in which the plant pest has not been detected by pre-harvest official inspections carried out at appropriate times at those fields;

"plant pest" means one or more of the following plant pests-

- (a) *Epitrix cucumeris* (Harris);
- (b) Epitrix papa Orlova-Bienkowskaja;
- (c) *Epitrix subcrinita* (Lec.);
- (d) Epitrix *tuberis* (Gentner);

"unwashed potato tubers" means potato tubers that have not-

- (a) been washed or brushed so that there is no more than 0.1% of soil remaining; or
- (b) undergone an equivalent method which has been specifically applied to ensure the removal of the plant pest and ensure that there is no risk of the plant pest spreading.

PART B

Establishment of a demarcated area

3. The appropriate UK plant health authority must by notice and without delay demarcate an area in relation to the infestation consisting of—

- (a) an infested zone and a buffer zone around the infested zone;
- (b) where two or more buffer zones around the infested zones overlap or are geographically close, an area encompassing those infested zones and buffer zones and the areas between the buffer zones.

4. The infested zone must include the fields in which a finding of the plant pest or signs of infestation by the plant pest on potato tubers has been confirmed and fields in which potato tubers infested with the plant pest have been grown.

5. The boundary of the buffer zone must be at least 500 m beyond the boundary of the infested zone, but must extend to the boundary of each field mentioned in paragraph 4 where the boundary of the field is less than 500 m beyond the boundary of the infested zone.

6. The demarcation of the infested zone and the buffer zone must be based on the biology of the plant pest, the level of infestation, the distribution of host plants in the area concerned, evidence of establishment of the plant pest and the capacity of the plant pest to spread naturally.

7. If there is a confirmed finding of the plant pest or signs of infestation by the plant pest on potato tubers outside the infested zone, the appropriate UK plant health authority must either demarcate a further area or amend the original demarcated area in accordance with paragraphs 3 to 6 to take account of that finding.

8. Paragraph 3 does not apply in so far as any part of the area to be demarcated would be in Scotland.

PART C

Measures to be taken in a demarcated area

9. Where an area is demarcated under paragraph 3, the appropriate UK plant health authority must ensure that—

- (a) measures are taken to eradicate or contain the plant pest, which must include the treatment and disinfestation of infested potato tubers and host plants and, where necessary, a prohibition on the planting of host plants;
- (b) intensive monitoring for the presence of the plant pest or signs of infestation by the plant pest on potato tubers through appropriate inspections is carried out;
- (c) surveillance of the movement of potato tubers out of the demarcated area is carried out; and
- (d) any vehicle and packaging which has been used to transport any unwashed potato tubers originating in the demarcated area is decontaminated and cleaned in an appropriate manner before leaving the demarcated area.

10. Where permitted potato tubers from an officially registered place of production, warehouse or dispatching centre or permitted potato tubers produced by an officially registered producer are moved from a demarcated area to an authorised packing facility, the appropriate UK plant health authority must ensure that—

- (a) the potato tubers are not moved to the packing facility unless the appropriate UK plant health authority is given advance notice of the date of the intended movement;
- (b) the potato tubers are—
 - (i) transported to the packing facility in closed vehicles, or in closed and clean packaging, in such a manner to ensure that the plant pest cannot escape or spread;
 - (ii) accompanied by a document identifying their origin and destination; and
 - (iii) immediately on arrival at the packing facility, washed or brushed so that there is no more than 0.1% of soil remaining or subjected to an equivalent method to remove the plant pest and eliminate any risk of the plant pest spreading;
- (c) any vehicle and packaging which has been used to transport any unwashed potato tubers to the packing facility is decontaminated and cleaned in an appropriate manner before leaving the facility;
- (d) any machinery at the packing facility which is used to handle the potato tubers is decontaminated and cleaned in an appropriate manner after each use;

- (e) any waste soil or other waste material arising from the cleaning of unwashed potato tubers or the decontamination and cleaning mentioned in sub-paragraphs (c) and (d) is disposed of in a manner that ensures that the plant pest cannot establish or spread outside the demarcated area;
- (f) the packing facility keeps records of all potato tubers handled at the facility for a period of one year beginning on the date of their arrival at the facility;
- (g) the intensive monitoring mentioned in paragraph 9(b) includes appropriate inspections on potato plants and, where appropriate, other host plants, including fields where those plants are growing within a radius of 100 m of the packing facility; and
- (h) activities to raise public awareness of the threat of the plant pest and the measures adopted to prevent its introduction and spread in the vicinity of the packing facility are carried out.

PART D

Lifting of demarcation

11. The appropriate UK plant health authority may by notice lift the demarcation that applies to a demarcated area if the official surveys carried out pursuant to paragraph 1(e) of Schedule 9 show that the plant pest or signs of infestation by the plant pest have not been detected in the demarcated area in the two years prior to the lifting of the demarcation.

SCHEDULE 13

Regulation 5(6)

Emergency measures: *Bursaphelenchus xylophilus* (Steiner et Buhrer) Nickle et al. (the pinewood nematode)

PART A

Application and interpretation

1. This Schedule applies where there is evidence that *Bursaphelenchus xylophilus* (Steiner et Buhrer) Nickle et al. is present in a susceptible plant in a relevant UK territory in which it was previously not known to occur or where there is evidence that it is present in a relevant UK territory by other means.

2. In this Schedule—

"appropriate samples", in relation to a susceptible plant, means samples from several parts of the plant, including the crown, and any part where signs of activity of insect vectors are visible;

"appropriate sampling scheme" means a sampling scheme which is able to confirm with 99% reliability that the level of the plant pest in the plants being sampled and tested is below 0.1%;

"appropriate time", in relation to the felling of susceptible plants, means-

- (a) in the case of any plant identified outside the flight season of the vector, before the start of the next flight season;
- (b) in the case of any plant identified during the flight season of the vector, immediately;

"authorised treatment facility" means a treatment facility authorised by an appropriate UK plant health authority for the purposes of this Schedule;

"demarcated area" means an area demarcated under paragraph 3;

"exempt plant" means any susceptible plant which the appropriate UK plant health authority has concluded it would be inappropriate to fell;

"flight season of the vector" means the period beginning on 1st April and ending on 31st October or such other period as the appropriate UK plant authority considers appropriate;

"pest free area" means a demarcated area in respect of which there is evidence from surveys carried out for the presence of the vector in accordance with ISPM No. 4 that the vector has not been present in the area for at least three consecutive years;

"the plant pest" means *Bursaphelenchus xylophilus* (Steiner et Buhrer) Nickle et al. (the pinewood nematode);

"relevant movement restrictions", in relation to susceptible plants, susceptible wood or susceptible bark, mean any restrictions that apply to their movement under the relevant Plant Health Order;

"residual material" means cut stems, cutting residues and naturally occurring debris showing signs of activity of insect vectors which are located in a part of the demarcated area where wilt symptoms of the susceptible plants are not expected to occur or are expected to be delayed;

"susceptible bark" means bark of conifers (Coniferales);

"susceptible plants" means plants, other than fruit and seeds, of *Abies* Mill., *Cedrus* Trew, *Larix* Mill., *Picea* A. Dietr., *Pinus* L., *Pseudotsuga* Carr. or *Tsuga* Carr.;

"susceptible wood" means wood of conifers (Coniferales), other than sawn wood or logs of *Taxus* L or *Thuja* L., which—

- (a) retains part or all of its natural round surface, with or without bark, or is in the form of chips, particles, shavings, sawdust, wood waste or scrap;
- (b) has not retained its round surface; or
- (c) is in the form of beehives or bird nesting boxes;

"the vector" means beetles belonging to the genus Monochamus Megerle in Dejean, 1821.

PART B

Establishment of a demarcated area

3. The appropriate UK plant health authority must by notice and without delay demarcate an area in relation to the infestation consisting of—

- (a) the infested zone (being the area in which the plant pest was found to be present); and
- (b) a buffer zone around the infested zone.

4. The buffer zone must have a diameter of at least 20 km, which may be reduced to 6 km, if the eradication measures referred to in paragraph 9 are being taken and the appropriate UK plant health authority considers that the reduction will not jeopardise the effectiveness of the eradication measures.

5. Where the plant pest is found to be present in the buffer zone and eradication measures are not being taken in the demarcated area, the appropriate UK plant health authority must demarcate a further area in accordance with paragraphs 3 and 4 to take account of that finding.

6. Where the plant pest is found to be present in the buffer zone and eradication measures are being taken in the demarcated area, the appropriate UK plant health authority must either demarcate a further area or amend the original demarcated area in accordance with paragraphs 3 and 4 to take account of that finding.

7. This Part does not apply in so far as any part of the area to be demarcated would be in Scotland.

PART C

Eradication measures

8. This Part applies where an area is demarcated under paragraph 3 by an appropriate UK plant health authority.

9. The appropriate UK plant health authority must ensure that the following measures are taken under official supervision to eradicate the plant pest—

- (a) the establishment of a clear-cut zone around each susceptible plant in which the plant pest has been found to be present in accordance with paragraph 10;
- (b) the felling, removal and disposal of all susceptible plants, other than any exempt plants, in a clear-cut zone, taking all necessary precautions to avoid spreading the plant pest and the vector during felling;
- (c) the taking of appropriate samples from the susceptible plants felled and any residual material in the clear-cut zone;
- (d) the testing of those samples for the presence of the plant pest;
- (e) the carrying out of the following surveys-
 - (i) surveys of the susceptible plants and residual material in the demarcated area, during and outside the flight season of the vector, in accordance with paragraph 11; and
 - (ii) surveys of the vector itself during the flight season of the vector in accordance with paragraph 12, which must be intensive in any area affected by fire or storm;
- (f) the identification of all susceptible plants in the demarcated area which are infested with the plant pest or which are dead, in poor health or affected by fire or storm;
- (g) the felling, at the appropriate time, of—
 - (i) all susceptible plants in the demarcated area which have been found to be infested with the plant pest;
 - (ii) in the case of any plants in a pest free area, all susceptible plants which have been found to be infested following their sampling and testing using an appropriate sampling scheme; and
 - (iii) in the case of any plants in a demarcated area which is not a pest free area, all susceptible plants in the demarcated area which are dead, in poor health or affected by fire or storm;
- (h) in the case of felled susceptible plants in the demarcated area in which the plant pest has not already been found to be present, the sampling and testing of those plants using an appropriate sampling scheme;
- (i) the disposal of all felled susceptible plants and the resulting logging remains, taking all necessary precautions to avoid spreading the plant pest and the vector during felling, by their destruction on site or their removal and the treatment of their wood and bark in accordance with paragraph 13;
- (j) in the case of any place of production of plants for planting in which the plant pest has been detected on susceptible plants grown at the place of production since the beginning of the last complete growing cycle, the removal and disposal of those plants, taking all necessary precautions to avoid spreading the plant pest and the vector;
- (k) the identification of all felled susceptible plants in the buffer zone which are not subject to the preceding measures and the removal of those plants and their logging remains, taking all necessary precautions to avoid spreading the plant pest and the vector;

- in the case of any exempt plants, the application of alternative eradication measures to their felling, removal and disposal to prevent any possible spread of the plant pest from the plants;
- (m) in the case of any clear-cut zone which has been reduced for the reasons specified in paragraph 10(a)—
 - (i) the inspection, during or after the flight season of the vector, of those susceptible plants which are located between 100m and 500m of an infested susceptible plant for signs or symptoms of the presence of the plant pest;
 - (ii) the taking of appropriate samples of any plant inspected under paragraph (i) which shows signs or symptoms of the presence of the plant pest and the testing of those samples for the presence of the plant pest;
 - (iii) the carrying out of intensive surveys of the vector by sampling and testing individual vectors for the presence of the plant pest in the area located between 100m and 500m of an infested susceptible plant; and
 - (iv) the application of alternative eradication measures to their felling, removal and disposal to prevent any possible spread of the plant pest from the susceptible plants; and
- (n) the production of a hygiene protocol setting out the hygiene procedures for vehicles transporting forest products and machinery for processing forest products to ensure that the plant pest cannot be spread with those vehicles and machinery.

10. Any clear-cut zone must be established promptly in light of the risk of transmission of the plant pest by the vector from the susceptible plant in which it was found and must have a minimum initial radius of 500 m, which may be reduced to 100 m if—

- (a) the appropriate UK plant health authority concludes that the creation of a clear-cut zone with a radius of 500 m would have unacceptable social or environmental impacts; or
- (b) the appropriate UK plant health authority has evidence from surveys carried out for the presence of the vector in accordance with ISPM No. 4 that the vector has not been present in the area during the preceding three years.

11. When carrying out any survey of any susceptible plants and residual material in a demarcated area, the survey must—

- (a) include the inspection, sampling and testing of those plants and that material for the presence of the plant pest;
- (b) focus in particular on susceptible plants which are dead, in poor health or affected by fire or storm; and
- (c) be carried out at an appropriate rate which ensures that the intensity of the survey in the area lying within a radius of 3000 m of an infested susceptible plant is at least four times higher than in the rest of the buffer zone outside that area.

12. When carrying out any survey of the vector in a demarcated area during the flight season, the survey must include the inspection, sampling and testing of the vector for the presence of the plant pest.

13. In the case of susceptible wood identified in the demarcated area during the flight season of the vector, the logs must either—

- (a) be—
 - (i) stripped of their bark, treated with an insecticide known to be effective against the vector or covered with an insect net drenched with such an insecticide immediately after felling;

- (ii) promptly removed to a storage place or to an authorised treatment facility; and
- (iii) in the case of any logs retaining their bark, treated with an insecticide known to be effective against the vector or covered with an insect net drenched with such an insecticide immediately on arrival at the storage place or the authorised treatment facility; or
- (b) where the appropriate UK plant health authority concludes that the actions described in paragraph (i) would not be effective, immediately destroyed on site and chipped into pieces less than 3 cm thick and 3 cm wide.

PART D

Containment measures

- 14. This Part applies—
 - (a) where—
 - (i) annual surveys carried out pursuant to paragraph 9(e) over a minimum period of four consecutive years and the experience gathered by the appropriate UK plant health authority shows that, in the particular circumstances, it is impossible to eradicate the plant pest; or
 - (ii) there is evidence of the presence of the plant pest throughout the infested zone of a demarcated area, the infested zone exceeds 20 km and the experience gathered shows that in the particular circumstances, it is impossible to eradicate the plant pest in the infested area; and
 - (b) where the appropriate UK plant health authority has concluded that it would not be appropriate to continue to apply the eradication measures in Part C.

15. The appropriate UK plant health authority must ensure that the following measures are taken under official supervision to contain the plant pest—

- (a) the carrying out of annual surveys of susceptible plants and the vector in the infested zone or zones in the demarcated area;
- (b) the felling of all susceptible plants in the infested zone or zones in which the plant pest has been found to be present and the removal and disposal of those plants and their felling remains, taking all necessary precautions to avoid spreading the plant pest and the vector;
- (c) the carrying out of the following surveys in the buffer zone of the demarcated area in accordance with paragraphs 16 and 17—
 - (i) surveys, during and outside the flight season of the vector, of susceptible plants and residual material; and
 - (ii) surveys, during the flight season of the vector, of the vector itself;
- (d) the identification of all susceptible plants in the buffer zone which are infested with the plant pest or which are dead, in poor health or affected by fire or storm;
- (e) the felling, at the appropriate time, of all susceptible plants in the buffer zone which have been found to be infested with the plant pest, taking all necessary precautions to avoid spreading the plant pest and the vector during felling;
- (f) the disposal of all felled susceptible plants and the resulting logging remains in the buffer zone, taking all necessary precautions to avoid spreading the plant pest and the vector during their disposal, by—

(i) their immediate destruction on site;

- (ii) their movement under official control from the buffer zone into the infested zone or zones; or
- (iii) their removal and the treatment of their wood and bark in accordance with paragraph 18;
- (g) in the case of felled susceptible plants in the buffer zone in which the plant pest has not already been found to be present, the removal of those plants and their logging remains, taking all necessary precautions to ensure that they do not attract the plant pest or the vector;
- (h) the identification of all felled susceptible plants in the buffer zone which are not subject to any of the preceding measures in this paragraph and the removal of those plants and their logging remains, taking all necessary precautions to avoid spreading the plant pest and the vector; and
- (i) the production of a hygiene protocol setting out the hygiene procedures for vehicles transporting forest products and machinery for processing forest products to ensure that the plant pest cannot be spread with those vehicles and machinery.

16. When carrying out a survey of susceptible plants and residual material in a demarcated area, the survey must—

- (a) include the inspection, sampling and testing of those plants and that material for the presence of the plant pest;
- (b) focus in particular on susceptible plants which are dead, in poor health or affected by fire or storm; and
- (c) be carried out at an appropriate rate which ensures that the intensity of the survey in the area lying within a radius of 3000 m of an infested susceptible plant is at least four times higher than in the rest of the buffer zone outside that area.

17. When carrying out any survey of the vector in a demarcated area during the flight season, the survey must include the inspection, sampling and testing of the vector for the presence of the plant pest.

18. In the case of susceptible wood identified in the demarcated area during the flight season of the vector, the logs must either—

- (a) be—
 - (i) stripped of their bark, treated with an insecticide known to be effective against the vector or covered with an insect net drenched with such an insecticide immediately after felling;
 - (ii) promptly removed to a storage place or to an authorised treatment facility; and
 - (iii) in the case of any logs retaining their bark, treated with an insecticide known to be effective against the vector or covered with an insect net drenched with such an insecticide immediately on arrival at the storage place or the authorised treatment facility; or
- (b) where the appropriate UK plant health authority concludes that the actions described in sub-paragraph (a) would not be effective, immediately destroyed on site and chipped into pieces less than 3 cm thick and 3 cm wide.

PART E

Other measures

19. Where an area is demarcated under paragraph 3 by an appropriate UK plant health authority, the appropriate UK plant health authority must ensure that—

- (a) operators and the public are informed of the measures taken in accordance with Parts C and D; and
- (b) frequent random checks are carried out on susceptible plants, susceptible wood and susceptible bark which are being moved from the demarcated area to another demarcated area or from the infested zone to the buffer zone in the demarcated area.

20. The appropriate UK plant health authority must ensure that the checks referred to in paragraph 19(b) are based on the risk that the plants or wood and bark in question carry live pinewood nematodes, taking into account the provenance of the consignment, the degree of susceptibility of the plants or wood and bark in question and past compliance by the operator of any relevant movement restrictions or any other measure imposed on the operator to eradicate or contain the plant pest.

21. Any checks must be carried out—

- (a) at the points where they are moved from the infested zone into the buffer zone;
- (b) at the points where they are moved from the buffer zone into an area outside the demarcated area;
- (c) at their place of destination in the buffer zone; and
- (d) at their place of origin in the infested zone, including sawmills.
- 22. The checks must include—
 - (a) an examination to ascertain that the plants, wood or bark is accompanied by a UK plant passport;
 - (b) an examination to ascertain the identity of the relevant material being moved; and
 - (c) an examination of the plants, wood or bark to ascertain whether they meet the requirements under the relevant Plant Health Order relating to their movement, and testing for the presence of the plant pest where the movement of material is or is suspected to be in breach of restrictions on the movement of susceptible plants, susceptible wood or susceptible bark under the relevant Plant Health Order or with any other measure imposed on the operator to eradicate or contain the plant pest.

23. Each appropriate UK plant health authority must ensure that random checks are carried out on susceptible plants, susceptible wood and susceptible bark moving from a demarcated area situated outside its territory into its territory.

24. Where any random check reveals that the susceptible plants, susceptible wood or susceptible bark are being moved in contravention of any movement restrictions referred to in paragraph 22(c), the appropriate UK plant health authority must ensure that—

- (a) the susceptible plants, susceptible wood or susceptible bark are destroyed under official supervision;
- (b) the susceptible plants, susceptible wood or susceptible bark are moved under official supervision to an authorised treatment facility for heat treatment; or
- (c) where the susceptible material consists of wood packaging material actually in use in the transport of objects, the wood packaging material is returned under official supervision to the place of dispatch or a location nearby the place of interception for repackaging those objects and destruction of the wood packaging material.

PART F

Authorisation of treatment facilities

25. Where an area is demarcated under paragraph 3 by an appropriate UK plant health authority, the appropriate UK plant health authority must by notice designate the treatment facilities that are authorised by the appropriate UK plant health authority to—

- (a) carry out appropriate heat treatment for the purposes of item 7 of Part E of Schedule 4;
- (b) issue UK plant passports for susceptible wood and bark which it has treated for the purposes of item 7 of Part E of Schedule 4;
- (c) treat wood packaging material for the purposes of item 7 of Part E of Schedule 4; and
- (d) mark beehives and bird nesting boxes for the purposes of item 7 of Part E of Schedule 4.

26. The appropriate UK plant health authority must ensure that—

- (a) each treatment facility which is authorised for the purposes of paragraph 25 has systems in place to guarantee the traceability of any susceptible wood or susceptible bark that it treats;
- (b) each treatment facility which is authorised to apply the mark specified in Annex 2 to ISPM No. 15 uses wood which has been treated by an authorised treatment facility and has systems in place to guarantee the traceability of the treated wood back to the treatment facility at which it was treated.

27. The appropriate UK plant health authority must ensure that the treatment facilities that it has authorised are subject to official supervision.

28. The appropriate UK plant health authority must withdraw any authorisation granted to a treatment facility where it becomes aware of the presence of the plant pest in susceptible wood, susceptible bark or wood packaging material treated by the treatment facility or in susceptible wood packaging material marked by the treatment facility.

PART G

Lifting of demarcation

29. The appropriate UK plant health authority may lift the demarcation which applies to a demarcated area if—

- (a) official surveys show that the plant pest has not been found to be present in the demarcated area in the four years prior to the lifting of the demarcation; or
- (b) the appropriate UK plant health authority has evidence from the surveys carried out for the presence of the vector in accordance with ISPM No. 4 that the vector has not been present in the area for the three years prior to the lifting of the demarcation, and the absence of the vector has been confirmed by sampling and testing.

SCHEDULE 14

Regulation 5(7)

Emergency measures: *Pomacea* (Perry)

PART A

Application and interpretation

1. This Schedule applies where there is evidence that *Pomacea* (Perry) is present in a field or watercourse in a relevant UK territory.

2. In this Schedule—

"the plant pest" means Pomacea (Perry);

"susceptible plants" means any plants, other than seeds intended for planting, that can only grow in water or soil that is permanently saturated in water.

PART B

Establishment of a demarcated area

3. The appropriate UK plant health authority must by notice and without delay demarcate an area in relation to the infestation consisting of—

- (a) an infested zone and a buffer zone around the infested zone; and
- (b) where two or more buffer zones around the infested zones overlap or are geographically close, an area encompassing those infested zones and buffer zones and the areas between the buffer zones.
- 4. The infested zone must include the area in which the plant pest was found to be present.
- 5. The buffer zone must only include watercourses and areas that are saturated with fresh water.

6. The boundary of the buffer zone must be at least 500 m beyond the boundary of the infested zone, but where the infested zone includes part of a watercourse, the buffer zone must be extended to include the stretches of the watercourse which are at least 1,000 m downstream and 500 m upstream of the location of the finding of the plant pest.

7. The demarcation of an infested zone and buffer zone must be based on sound scientific principles, the biology of the plant pest, the level of infestation, the evidence of establishment of the plant pest, the distribution of susceptible plants and the capacity of the plant pest to spread naturally.

8. If there is a confirmed finding of the plant pest in a buffer zone, the appropriate UK plant health authority must amend the original demarcated area in accordance with paragraphs 3 to 7 to take account of that finding.

9. This Part does not apply in so far as any part of the area to be demarcated would be in Scotland.

PART C

Measures to be taken in a demarcated area

10. Where an appropriate UK plant health authority demarcates an area pursuant to paragraph 3, the appropriate UK plant health authority must ensure that all measures that are necessary for the eradication of the plant pest are taken and that a hygiene protocol is produced setting out the

hygiene procedures for all agriculture and aquaculture machinery which may come into contact with the plant pest and be capable of spreading it.

11. Those measures must include—

- (a) the removal and destruction of the plant pest; and
- (b) intensive monitoring for the presence of the plant pest by inspections twice a year with a specific focus on the buffer zone.

12. Where appropriate, the appropriate UK plant health authority must ensure that there is an awareness raising programme about the risk of the spread of the plant pest.

PART D

Lifting of demarcation

13. The appropriate UK plant health authority may by notice lift the demarcation that applies to an area which has been demarcated under paragraph 3 if official surveys show that the plant pest has not been found to be present in the demarcated area in the four years prior to the lifting of the demarcation.

SCHEDULE 15

Regulation 5(8)

Emergency measures: Xylella fastidiosa (Wells et al.)

PART A

Application and interpretation

1. This Schedule applies where *Xylella fastidiosa* (Wells et al.) is confirmed to be present in a relevant UK territory.

2. In this Schedule—

"demarcated area" means an area demarcated under paragraph 5;

"infected plant" means a plant which has been tested and found to be infected by the plant pest;

"the plant pest" means *Xylella fastidiosa* (Wells et al.);

"susceptible plants" means host plants, intended for planting, belonging to the genera or species listed in the list of Xylella host plants.

3. Any test or survey which is carried out for the purposes of paragraph 7(b), 25(b)(ii) or 26 must be based on a sampling scheme capable of identifying with 99% reliability a level of presence of infected plants of 1% or above.

4. Any survey which is carried out for the purposes of paragraph 7(c) or 16(g) must be based on a grid split of 100 m x 100 m squares within a zone of a width of at least 1 km surrounding the infected zone and a grid split of 1 km x 1 km squares within the rest of the buffer zone.

PART B

Establishment of a demarcated area

5. The appropriate UK plant health authority must by notice and without delay demarcate an area in relation to the infection consisting of an infected zone and a buffer zone around the infected zone.

6. The infected zone must include all plants known to be infected by the plant pest, all plants showing symptoms indicating possible infection by the plant pest and all other plants liable to be infected by the plant pest due to their close proximity to infected plants or a known common source of production with infected plants or plants grown from them.

7. The boundary of the buffer zone must be at least five km beyond the boundary of the infected zone, but may be reduced to one km beyond the boundary of the infected zone where the appropriate UK plant health authority concludes with a high degree of confidence that the initial presence of the plant pest has not resulted in any spread of the plant pest and the following conditions have been met—

- (a) all host plants within a radius of 100 m of the infected plant have been promptly removed;
- (b) no other plants have been found infected by the plant pest in the infected zone following official tests which have been carried out at least once during the course of the year and which targeted symptomatic plants, as well as asymptomatic plants in the proximity of the symptomatic ones;
- (c) a delimiting survey has been carried out in the zone surrounding the infected zone that extended at least 2.5 km beyond the boundary of the infected zone, which included visual inspections of susceptible plants and the sampling and testing of symptomatic plants, as well as asymptomatic plants in the proximity of the symptomatic plants; and
- (d) the possibility of natural spread of the plant pest has been excluded as a result of tests which have been carried out twice during the flight season of the relevant vector and in accordance with international guidelines in which no vectors carrying the plant pest have been detected in the infected zone.

8. The demarcation of the infected zone and the buffer zone must be based on sound scientific principles, the biology of the plant pest and its vectors, the level of infection, the distribution of the susceptible plants in the area concerned and the presence of vectors of the plant pest.

9. Where the infection is limited to one particular sub-species of the plant pest which has been identified by one positive molecular test carried out in line with international standards, the demarcation may be based on that sub-species alone.

10. If there is a confirmed finding of the plant pest in the buffer zone, the appropriate UK plant health authority must either demarcate a further area or amend the original demarcated area in accordance with paragraphs 5 to 9 to take account of that finding.

11. The appropriate UK plant health authority must maintain a list of demarcated areas in its territory and publish that list.

12. Paragraph 5 is subject to paragraph 23.

13. This Part does not apply in so far as any part of the area to be demarcated would be in Scotland.

PART C

Eradication measures

14. This Part applies where an area is demarcated under paragraph 5 by an appropriate UK plant health authority.

15. The appropriate UK plant health authority must ensure that measures are taken to eradicate the plant pest.

16. The eradication measures must include—

- (a) the immediate removal of the following plants within a radius of 100 m of each infected plant, other than any plants to which paragraph 17 applies—
 - (i) host plants, regardless of their health status;
 - (ii) plants known to be infected by the plant pest; and
 - (iii) plants showing symptoms indicating possible infection by the plant pest or which are suspected to be infected by the plant pest;
- (b) in the case of any plants to which paragraph 17 applies—
 - (i) the official inspection of those plants during the flight season of relevant vectors for symptoms of the plant pest and measures to ensure their physical isolation; and
 - (ii) their sampling and testing for the presence of the plant pest where symptoms of the plant pest are present;
- (c) the sampling and testing of susceptible plants within a radius of 100 m of each infected plant in accordance with ISPM No. 31;
- (d) the application of appropriate phytosanitary treatments against vectors of the plant pest and plants that may host those vectors prior to the removal of any plants under subparagraph (a);
- (e) the destruction of the plants removed under sub-paragraph (a) either in situ or in a nearby location designated for this purpose within the infected zone in a manner that ensures that the plant pest is not spread;
- (f) appropriate investigations to identify the origin of the infection, which must include the tracing of susceptible plants associated with the infected plants (including those that were moved before the demarcated area was established);
- (g) annual surveys to monitor the presence of the plant pest, which must include visual inspections of susceptible plants and the sampling and testing of symptomatic plants, as well as asymptomatic plants in the proximity of the symptomatic ones;
- (h) the prohibition on the planting of host plants in the infected zone, except where they are physically protected against the introduction of the plant pest by its vectors;
- (i) the raising of public awareness of the threat of the plant pest and the measures adopted to prevent its introduction and spread and the setting up of road signs to delineate the demarcated area;
- (j) where necessary, specific measures to address any particularity or complication that could reasonably be expected to prevent, hinder or delay eradication of the plant pest;
- (k) the application of appropriate agricultural practices for the management of the plant pest and its vectors; and
- (l) any other measure which may contribute the eradication of the plant pest, taking account of the guidelines in ISPM No. 9 and ISPM No. 14.

17. The appropriate UK plant health authority may decide that individual host plants officially designated as plants with historic value need not be removed if the following conditions are met—

- (a) the host plants have been sampled and tested and have been confirmed not to be infected by the plant pest;
- (b) the individual host plants have, or the area concerned has, been physically isolated in an appropriate manner from relevant vectors for the purpose of preventing the spread of the plant pest;
- (c) appropriate agricultural practices for the management of the plant pest and its vectors have been applied.

PART D

Other measures

18. Where an area is demarcated under paragraph 5 by an appropriate UK plant health authority, the appropriate UK plant health authority must ensure that regular official checks are carried out on susceptible plants which are being moved out of the demarcated area, or from the infected zone to the buffer zone in the demarcated area.

19. The UK plant health authority must ensure that the checks referred to in paragraph 18 are carried out at—

- (a) the points where the susceptible plants are moved from the infected zone into the buffer zone;
- (b) the points where the susceptible plants are moved from the buffer zone into an area outside the demarcated area;
- (c) their place of destination in the buffer zone; and
- (d) their place of destination outside the demarcated zone.

20. The checks must include an examination of the UK plant passport accompanying the plants and an examination to ascertain the identity of the material in the consignment.

21. The intensity of the checks must be based on the risk of the plants carrying the plant pest or its known or potential vectors, taking into account—

- (a) the provenance of the lots in the consignment;
- (b) the degree of susceptibility of the plants; and
- (c) the extent to which each operator in the demarcated area has complied with the restrictions on the movement of susceptible plants under the relevant Plant Health Order and with any other official measure imposed on the operator to eradicate or contain the plant pest.

22. Where any checks carried out pursuant to paragraph 18 show that the plants do not comply with the requirements specified under the relevant Plant Health Order in relation to their movement, the appropriate UK plant health authority must ensure that those plants are destroyed immediately in situ or in a nearby location and that all necessary precautions to avoid the spread of the plant pest and its vectors are taken during and after removal.

PART E

Measures to be taken where no demarcated area is established

23. The appropriate UK plant health authority need not demarcate an area in relation to a finding of the plant pest in a relevant UK territory where—

- (a) there is evidence—
 - (i) that the infection has been caused by the recent movement of susceptible plants to the area in which the plant pest was found; or
 - (ii) that the plant pest has been found in a site with physical protection from the vectors of the plant pest;
- (b) there is evidence that the susceptible plants were infected with the plant pest before they were introduced into that area; and
- (c) no vectors carrying the plant pest have been detected in tests carried out in accordance with internationally validated testing methods in the vicinity of those plants.

24. Where the appropriate UK plant health authority does not demarcate an area for the reasons specified in paragraph 23(a) to (c), the appropriate UK plant health authority must ensure that annual surveys are carried out for a period of at least two years beginning on the date of its decision not to demarcate the area, in order to determine whether any other plants are or have been infected with the plant pest.

PART F

Lifting of demarcation

24. The appropriate UK plant health authority may lift the demarcation that applies to a demarcated area if—

- (a) the plant pest is not detected in the demarcated area over a period of five years in official surveys carried pursuant to paragraph 1(h) of Schedule 9 or by the monitoring referred to in paragraph 16(g); and
- (b) where the buffer zone has been reduced in accordance with paragraph 7, one year after the date of its initial establishment if the following conditions are met—
 - (i) the measures described in paragraphs 7(a) to (d) have been taken and, as a result, the appropriate UK plant health authority is able to conclude with a high degree of confidence that the initial presence of the plant pest was an isolated case and no further spread has occurred in the demarcated area; and
 - (ii) as close as practically possible to the time of lifting, official tests have been carried out in the demarcated area in accordance with international standards, which targeted symptomatic plants and asymptomatic plants in the proximity of the symptomatic plants.

25. Where the demarcation of an area is lifted under paragraph 25(b), the appropriate UK plant health authority must ensure that the susceptible plants located in that area are subject to intensive surveys for a period of two years following the date of the lifting of the demarcation.

26. Those surveys must—

- (a) be carried out in accordance with international standards;
- (b) be based on scientific and technical principles relating to the potential spread of the plant pest in the immediate surroundings; and

(c) include the targeting symptomatic plants and asymptomatic plants in the proximity of the symptomatic plants.

SCHEDULE 16

Regulation 5(9)

Emergency measures: Anoplophora glabripennis (Motschulsky)

PART A

Application and interpretation

1. This Schedule applies where *Anoplophora glabripennis* (Motschulsky) is confirmed to be present in a relevant UK territory.

2. In this Schedule—

"appropriate time", in relation to the felling of susceptible plants, means-

- (a) in the case of any plant identified outside the flight season of the plant pest, before the next flight season;
- (b) in the case of any plant identified during the flight season of the plant pest, immediately;

"demarcated area" means an area demarcated under paragraph 3;

"infested plant" means a plant which has been found to be infested with the plant pest;

"the plant pest" means Anoplophora glabripennis (Motschulsky);

"the relevant period" means four consecutive years which includes at least one life cycle of the plant pest and the year after;

"susceptible plants" means plants for planting, other than seeds, that have a stem diameter of one cm or more at their thickest point of *Acer* spp., *Aesculus* spp., *Alnus* spp., *Betula* spp., *Carpinus* spp., *Cercidiphyllum* spp., *Corylus* spp., *Fagus* spp., *Fraxinus* spp., *Koelreuteria* spp., *Platanus* spp., *Populus* spp., *Salix* spp., *Tilia* spp. and *Ulmus* spp.;

"susceptible wood" means wood, obtained in whole or in part of the specified plants, other than wood packaging material, but including wood that has not retained its natural round surface which meets one of the following descriptions—

CN code	Description
CN 4401 10 00	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
CN 4401 22 00	Non-coniferous wood, in chips or particles
CN ex 4401 39 80	Other wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms
CN 4403 10 00	Wood in the rough, treated with paint, stains, creosote or other preservatives, whether or not stripped of bark or sapwood, or roughly squared
CN 4403 92	Wood of beech (<i>Fagus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
CN ex 4403 99	Non-coniferous wood (other than, beech (<i>Fagus</i> spp.), poplar (<i>Populus</i> spp.) or birch (<i>Betula</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared

CN code	Description
CN 4403 99 10	Wood of poplar (<i>Populus</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
CN 4403 99 51	Sawlogs of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared
CN 4403 99 59	Wood of birch (<i>Betula</i> spp.) in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than sawlogs
CN ex 4404 20 00	Non-coniferous split poles, piles, pickets and stakes of wood, pointed but not sawn lengthwise
CN 4406	Railway or tramway sleepers (cross-ties) of wood
CN 4407 92 00	Wood of beech (<i>Fagus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
CN 4407 93	Wood of maple (<i>Acer</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
CN 4407 95	Wood of ash (<i>Fraxinus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
CN ex 4407 99	Non-coniferous wood (other than beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), ash (<i>Fraxinus</i> spp.) or poplar (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
CN 4407 99 91	Wood of poplar (<i>Populus</i> spp.), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
CN 9406 00 20	Prefabricated buildings of wood

PART B

Establishment of demarcated area

3. The appropriate UK plant health authority must by notice and without delay demarcate an area in relation to the infestation consisting of an infested zone and a buffer zone around the infested zone.

4. The infested zone must include the area in which the plant pest was found and all plants showing symptoms caused by that plant pest.

5. The boundary of the buffer zone must be at least two km beyond the boundary of the infested zone, but may be reduced to one km beyond the boundary of the infested zone if the appropriate UK plant health authority concludes that eradication of the plant pest is possible and for so long as it remains of that view.

6. The demarcation of the infested zone and the buffer zone must be based on sound scientific principles, the biology of the plant pest, the level of infestation, the distribution of the host plants in the area concerned and evidence of establishment of the plant pest.

7. If there is a confirmed finding of the plant pest outside the infested zone, the appropriate UK plant health authority must either demarcate a further area or amend the original demarcated area in accordance with paragraphs 3 to 6 to take account of that finding.

- 8. Paragraph 3 is subject to paragraph 15.
- 9. This Part does not apply in so far as any part of the area to be demarcated would be in Scotland.

PART C

Measures to be taken in a demarcated area

10. Where an area is demarcated under paragraph 3, the appropriate UK plant health authority must ensure that measures are taken within the demarcated area to eradicate the plant pest in the area or, where it has concluded that eradication of the plant pest is longer possible, to contain the spread of the plant pest from the area.

11. The eradication measures must include—

- (a) the felling of all infested plants and plants with symptoms caused by the plant pest, and the complete removal of their roots if larval galleries are observed below the root collar of the infested plants, at the appropriate time;
- (b) the felling of all susceptible plants within a radius of 100 m of an infested plant, other than any plant to which sub-paragraph (d) applies, and the examination of those plants for any sign of infestation;
- (c) the removal, examination and disposal of plants felled in accordance with sub-paragraphs
 (a) and (b), and where necessary their roots, taking all necessary precautions to avoid the spread of the plant pest during and after felling;
- (d) in any case where the appropriate UK plant health authority concludes that the felling and disposal of any infested plant, any plant with symptoms caused by the plant pest or any susceptible plant within a radius of 100 m of an infested plant would not be appropriate due to the particular social, cultural or environmental value of the plant, regular detailed examination of any sign of infestation and the application of measures equivalent to its felling and disposal to prevent any possible spread of the plant pest from the plant;
- (e) the prohibition of any movement of potentially infested plants out of the demarcated area;
- (f) the tracing back to the origin of the infestation and the tracing of plants and wood associated with the infestation as far as possible, along with examinations of the plants and wood traced for any sign that they are infested with the plant pest, which must include targeted destructive sampling;
- (g) where appropriate, the replacement of susceptible plants by other plants;
- (h) the prohibition on the planting of susceptible plants in the open air within a radius of 100
 m of an infested plant, except in a place of production authorised by an appropriate UK
 plant health authority;
- (i) intensive monitoring for the presence of the plant pest on host plants by annual inspections at appropriate times on host plants, with specific focus on the buffer zone, which must include at least one inspection a year using techniques capable of detecting infestation at crown height and, where appropriate, targeted destructive sampling;
- (j) activities to raise public awareness of the threat of the plant pest and the measures adopted to prevent its introduction into and spread within the relevant UK territory, including the conditions relating to the movement of susceptible plants and susceptible wood from the demarcated area;

- (k) where necessary, specific measures to address any particularity or complication that could reasonably be expected to prevent, hinder or delay eradication of the plant pest; and
- (l) any other measure which may contribute the eradication of the plant pest, taking account of the guidelines in ISPM No. 9 and ISPM No. 14.
- 12. The containment measures must include—
 - (a) the following measures—
 - (i) the felling of all infested plants and plants with symptoms caused by the plant pest and the complete removal of their roots if larval galleries are observed below the root collar of the infested plants, at the appropriate time; and
 - (ii) the removal, examination and disposal of plants felled in accordance with paragraph (i) and, where necessary, their roots, taking all necessary precautions to avoid the spread of the plant pest after felling; or
 - (b) the prohibition of any movement of potentially infested plants out of the demarcated area;
 - (c) where appropriate, the replacement of susceptible plants by other plants;
 - (d) the prohibition on the planting of susceptible plants in the open air within a radius of 100 m of an infested plant, except in a place of production authorised by the appropriate UK plant health authority;
 - (e) intensive monitoring for the presence of the plant pest on host plants, with specific focus on the buffer zone, which must include at least one inspection a year using techniques capable of detecting infestation at crown height and, where appropriate, targeted destructive sampling;
 - (f) activities to raise public awareness of the threat of the plant pest and the measures adopted to prevent its introduction into and spread within the relevant UK territory, including the conditions relating to the movement of susceptible plants and susceptible wood from the demarcated area;
 - (g) where necessary, specific measures to address any particularity or complication that could reasonably be expected to prevent, hinder or delay eradication of the plant pest; and
 - (h) any other measure which may contribute to the containment of the plant pest.

13. The appropriate UK plant health authority must set time periods for the implementation of the eradication and containment measures to be carried out.

14. The appropriate UK plant health authority may only conclude that it is not possible to eradicate the plant pest from a demarcated area where the results of official surveys carried out over the relevant period have confirmed the presence of the plant pest in the demarcated area and there is evidence that the plant pest can no longer be eradicated from the area.

PART D

Measures to be taken where no demarcated area is established

15. The appropriate UK plant health authority need not demarcate an area in relation to a finding of the plant pest in a relevant UK territory—

- (a) where there is evidence that—
 - (i) the infestation has been caused by the movement of susceptible plants or susceptible wood to the area in which the plant pest was found and that the susceptible plants or susceptible wood were infested with the plant pest before that movement; or

- (ii) it is an isolated finding which is not expected to lead to the establishment of the plant pest; and
- (b) where it has ascertained from a specific investigation that the plant pest is not established in the area and that it will not successfully breed or spread due to its biology if appropriate eradication measures are taken.

16. Where the appropriate UK plant health authority does not demarcate an area for the reasons specified in paragraph 15(a) and (b), the appropriate UK plant health authority must ensure that—

- (a) measures are taken immediately for the purpose of promptly eradicating the plant pest and preventing its spread;
- (b) monitoring is carried out over the relevant period for the presence of the plant pest in the area which lies within a radius of one km of the infested plants or infested wood or the place where the plant pest was found, which must be regular and intensive in the first year;
- (c) all infested plants and wood are destroyed;
- (d) tracing back to the origin of the infestation and tracing of plants and wood associated with the infestation is carried out as far as possible, along with examinations of the plants and wood traced for any sign that they are infested with the plant pest, which must include targeted destructive sampling;
- (e) activities to raise public awareness of the threat posed by the plant pest are carried out; and
- (f) any other measure which may contribute to the containment of the plant pest, taking account of the guidelines in ISPM No. 9 and ISPM No. 14.

PART E

Lifting of demarcation

17. The appropriate UK plant health authority may lift the demarcation that applies to a demarcated area—

- (a) if the plant pest is not detected in the area over a relevant period during official surveys carried pursuant to paragraph 1(i) of Schedule 9 and the monitoring referred to in paragraph 11(i); or
- (b) in any case where, following further investigation, it is clear that the area need not have been demarcated for the reasons specified in paragraph 15(a) and (b).

SCHEDULE 17

Regulation 6

Revocation of retained direct EU legislation

EU regulations

1. Commission Regulation (EC) No 1040/2002 establishing detailed rules for the implementation of the provisions relating to the allocation of a financial contribution from the Community for planthealth control and repealing Regulation (EC) No 2051/97.

2. Commission Regulation (EC) No 1756/2004 specifying the detailed conditions for the evidence required and the criteria for the type and level of the reduction of the plant health checks of certain plants, plant products or other objects listed in Part B of Annex V to Council Directive 2000/29/EC.

3. Commission Regulation (EC) No 690/2008 recognising protected zones exposed to particular plant health risks in the Community.

EU decisions

4. Commission Decision 91/261/EEC recognising Australia as being free from *Erwinia amylovora* (Burr.) Winsl. et al.

5. Commission Decision 93/360/EEC authorising the Member States to provide for derogations from certain provisions of Council Directive 77/93/EEC in respect of wood of *Thuja* L., originating in Canada.

6. Commission Decision 93/365/EEC authorising the Member States to provide for derogations from certain provisions of Council Directive 77/93/EEC in respect of heat-treated coniferous wood, originating in Canada, and establishing the details of the indicator system to be applied to the heat-treated wood.

7. Commission Decision 93/422/EEC authorising the Member States to provide for derogations from certain provisions of Council Directive 77/93/EEC in respect of kiln dried coniferous wood, originating in Canada, and establishing the details of the indicator system to be applied to the kiln dried wood.

8. Commission Decision 93/423/EEC authorising the Member States to provide for derogations from certain provisions of Council Directive 77/93/EEC in respect of kiln dried coniferous wood, originating in the United States of America, and establishing the details of the indicator system to be applied to the kiln dried wood.

9. Commission Decision 98/109/EC authorising Member States temporarily to take emergency measures against the dissemination of *Thrips palmi* Karny as regards Thailand.

10. Commission Decision 2002/499/EC authorising derogations from certain provisions of Council Directive 2000/29/EC in respect of naturally or artificially dwarfed plants of *Chamaecyparis* Spach, *Juniperus* L. and *Pinus* L., originating in the Republic of Korea.

11. Commission Decision 2002/757/EC on provisional emergency phytosanitary measures to prevent the introduction into and the spread within the Community of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld sp. Nov.

12. Commission Decision 2002/887/EC authorising derogations from certain provisions of Council Directive 2000/29/EC in respect of naturally or artificially dwarfed plants of *Chamaecyparis* Spach, *Juniperus* L. and *Pinus* L., originating in Japan.

13. Commission Decision 2003/248/EC authorising Member States to provide for temporary derogations from certain provisions of Council Directive 2000/29/EC in respect of plants of strawberry (*Fragaria* L.), intended for planting, other than seeds, originating in Argentina.

14. Commission Decision 2003/249/EC authorising Member States to provide for temporary derogations from certain provisions of Council Directive 2000/29/EC in respect of plants of strawberry (*Fragaria* L.), intended for planting, other than seeds, originating in Chile.

15. Commission Decision 2004/200/EC on measures to prevent the introduction into and the spread within the Community of Pepino mosaic virus.

16. Commission Decision 2005/51/EC authorising Member States temporarily to provide for derogations from certain provisions of Council Directive 2000/29/EC in respect of the importation of soil contaminated by pesticides or persistent organic pollutants for decontamination purposes.

17. Commission Decision 2005/359/EC providing for a derogation from certain provisions of Council Directive 2000/29/EC as regards oak (*Quercus* L.) logs with bark attached, originating in the United States of America.

18. Commission Implementing Decision 2011/787/EU authorising Member States temporarily to take emergency measures against the dissemination of *Ralstonia solanacearum* (Smith) Yabuuchi et al. as regards Egypt.

19. Commission Implementing Decision 2013/780/EU providing for a derogation from Article 13(1)(ii) of Council Directive 2000/29/EC in respect of bark-free sawn wood of *Quercus* L., *Platanus* L. and *Acer saccharum* Marsh. originating in the United States of America.

20. Commission Implementing Decision 2014/917/EU setting out detailed rules for the implementation of Council Directive 2000/29/EC as regards the notification of the presence of harmful organisms and of measures taken or intended to be taken by the Member States.

21. Commission Implementing Decision (EU) 2015/179 authorising Member States to provide for a derogation from certain provisions of Council Directive 2000/29/EC in respect of wood packaging material of conifers (Coniferales) in the form of ammunition boxes originating in the United States of America under the control of the United States Department of Defence.

22. Commission Implementing Decision (EU) 2015/1199 recognising Bosnia and Herzegovina as being free from *Clavibacter michiganensis* ssp. sepedonicus (Spieckermann and Kotthoff) Davis et al.

23. Commission Implementing Decision 2017/198/EU as regards measures to prevent the introduction into and the spread within the Union of *Pseudomonas syringae* pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyuma & Goto.

24. Commission Implementing Decision 2018/638 establishing emergency measures to prevent the introduction into and spread within the Union of the harmful organism *Spodoptera frugiperda* (Smith).

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations are made in exercise of the powers conferred by the European Union (Withdrawal) Act 2018 (c. 16) in order to address failures of retained EU law to operate effectively and other deficiencies (in particular the deficiencies referred to in paragraphs (a) to (d) and (g) of section 8(2)) arising from the withdrawal of the United Kingdom from the European Union.

Regulation 4 makes provision for the purposes of the Plant Health (England) Order 2015 (S.I. 2015/610), the Plant Health (Wales) Order 2018 (S.I. 2018/1064 (W. 223), the Plant Health (Wood and Bark) (*Phytophthora ramorum*) Order (Northern Ireland) 2005 (S.R. 2005 No. 252), the Plant Health (Wood and Bark) Order (Northern Ireland) 2006 (S.R. 2006 No. 66) and the Plant Health Order (Northern Ireland) 2018 (S.R. 2018 No. 184). Regulation 5 makes provision about derogations from specific prohibitions and restrictions under those Orders. Regulation 6 makes provision about emergency measures in relation to England, Wales and Northern Ireland.

An impact assessment has not been produced for this instrument as no, or no significant, impact on the private or voluntary sector is foreseen.

Document Generated: 2019-04-05

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.